

Orleans County Agricultural Value Groups, 1/10/2005

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
2A	Peacham Muck, 0 To 3 Percent Slopes, Very Stony	10		NPSL	
3B	Vershire-Lombard Complex, 3 To 8 Percent Slopes, Rocky	3		Prime	
3C	Vershire-Lombard Complex, 8 To 15 Percent Slopes, Rocky	7		Statewide	
3D	Vershire-Lombard Complex, 15 To 25 Percent Slopes, Rocky	8		NPSL	
5B	Nicholville Silt Loam, 3 To 8 Percent Slopes	4		Statewide	
5C	Nicholville Silt Loam, 8 To 15 Percent Slopes	7		Statewide	
5D	Nicholville Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
6B	Vershire-Lombard Complex, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
6C	Vershire-Lombard Complex, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
6D	Vershire-Lombard Complex, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
8A	Roundabout Silt Loam, 0 To 3 Percent Slopes	3	d	Prime	b
12C	Tunbridge-Lyman Complex, 8 To 15 Percent Slopes, Very Rocky	9		NPSL	
12D	Tunbridge-Lyman Complex, 15 To 35 Percent Slopes, Very Rocky	10		NPSL	
12E	Tunbridge-Lyman Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
14A	Irasburg Loamy Fine Sand, 0 To 3 Percent Slopes	3		Prime	
14B	Irasburg Loamy Fine Sand, 3 To 8 Percent Slopes	3		Prime	
14C	Irasburg Loamy Fine Sand, 8 To 15 Percent Slopes	7		Statewide	
14D	Irasburg Loamy Fine Sand, 15 To 25 Percent Slopes	8		NPSL	
14E	Irasburg Loamy Fine Sand, 25 To 50 Percent Slopes	11		NPSL	
15B	Dixfield Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
15C	Dixfield Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	

Orleans County Agricultural Value Groups, 1/10/2005

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
15D	Dixfield Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
16B	Dixfield Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
16C	Dixfield Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
16D	Dixfield Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
16E	Dixfield Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
17B	Buckland Very Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
17C	Buckland Very Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
17D	Buckland Very Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
18B	Buckland Very Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
18C	Buckland Very Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
18D	Buckland Very Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
18E	Buckland Very Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
21A	Nasmith Loamy Fine Sand, 0 To 3 Percent Slopes	3	d	Prime	b
25	Pits, Sand And Pits, Gravel	11		NPSL	
26A	Adams Loamy Fine Sand, 0 To 3 Percent Slopes	6		Statewide	
26B	Adams Loamy Fine Sand, 3 To 8 Percent Slopes	6		Statewide	
26C	Adams Loamy Fine Sand, 8 To 15 Percent Slopes	8		NPSL	
26D	Adams Loamy Fine Sand, 15 To 25 Percent Slopes	8		NPSL	
26E	Adams Loamy Fine Sand, 25 To 60 Percent Slopes	11		NPSL	
27A	Croghan Loamy Fine Sand, 0 To 3 Percent Slopes	6		Statewide	
27B	Croghan Loamy Fine Sand, 3 To 8 Percent Slopes	6		Statewide	

Orleans County Agricultural Value Groups, 1/10/2005

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
31A	Sheepscot Gravelly Fine Sandy Loam, 0 To 3 Percent Slopes	6		Statewide	
31B	Sheepscot Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	6		Statewide	
33A	Moosilauke Very Fine Sandy Loam, 0 To 3 Percent Slopes	3	d	Prime	b
38A	Colton-Duxbury Complex, 0 To 3 Percent Slopes	6		Statewide	
38B	Colton-Duxbury Complex, 3 To 8 Percent Slopes	6		Statewide	
38C	Colton-Duxbury Complex, 8 To 15 Percent Slopes	8		NPSL	
38D	Colton-Duxbury Complex, 15 To 25 Percent Slopes	10		NPSL	
38E	Colton-Duxbury Complex, 25 To 60 Percent Slopes	11		NPSL	
47A	Cabot Silt Loam, 0 To 3 Percent Slopes	6	d	Statewide	b
47B	Cabot Silt Loam, 3 To 8 Percent Slopes	6	d	Statewide	b
47C	Cabot Silt Loam, 8 To 15 Percent Slopes	7	d	Statewide	b
50A	Scantic Silt Loam, 0 To 3 Percent Slopes	6	d	Statewide	b
54B	Salmon Very Fine Sandy Loam, 3 To 8 Percent Slopes	4		Statewide	
54C	Salmon Very Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
54D	Salmon Very Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
54E	Salmon Very Fine Sandy Loam, 25 To 50 Percent Slopes	11		NPSL	
58B	Lamoine Silt Loam, 3 To 8 Percent Slopes	4	d	Statewide	b
58C	Lamoine Silt Loam, 8 To 15 Percent Slopes	7	d	Statewide	b
58D	Lamoine Silt Loam, 15 To 25 Percent Slopes	8	d	NPSL	
58E	Lamoine Silt Loam, 25 To 50 Percent Slopes	11		NPSL	
59B	Cabot Silt Loam, 0 To 8 Percent Slopes, Very Stony	10		NPSL	
59C	Cabot Silt Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
60A	Rumney Fine Sandy Loam, 0 To 2 Percent Slopes, Frequently Flooded	4	d	Statewide	b
70A	Bucksport Muck, 0 To 2 Percent Slopes, Pondered	11		NPSL	

Orleans County Agricultural Value Groups, 1/10/2005

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
72A	Charles Silt Loam, 0 To 2 Percent Slopes, Frequently Flooded	6	d	Statewide	b
76A	Podunk Fine Sandy Loam, 0 To 2 Percent Slopes, Occasionally Flooded	3		Prime	
79A	Medomak Mucky Silt Loam, 0 To 2 Percent Slopes, Frequently Flooded	10		NPSL	
83A	Wonsqueak and Pondicherry Mucks, 0 To 2 Percent Slopes	11		NPSL	
84A	Bucksport Muck, 0 To 2 Percent Slopes	11		NPSL	
88D	Lyman-Rock Outcrop Complex, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
88F	Lyman-Rock Outcrop Complex, 60 To 90 Percent Slopes, Very Stony	11		NPSL	
92B	Monadnock Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
92C	Monadnock Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
92D	Monadnock Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
93B	Monadnock Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
93C	Monadnock Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
93D	Monadnock Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
93E	Monadnock Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
94C	Vershire-Glover Complex, 8 To 15 Percent Slopes, Very Rocky	10		NPSL	
94D	Vershire-Glover Complex, 15 To 35 Percent Slopes, Very Rocky	10		NPSL	
94E	Vershire-Glover Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
96B	Dummerston Very Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
96C	Dummerston Very Fine Sandy Loam, 8 To 15 Percent Slopes	5		Statewide	
96D	Dummerston Very Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	

Orleans County Agricultural Value Groups, 1/10/2005

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
97B	Dummerston Very Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
97C	Dummerston Very Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
97D	Dummerston Very Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
97E	Dummerston Very Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
100B	Tunbridge-Dixfield Complex, 3 To 8 Percent Slopes, Rocky	3		Prime	
100C	Tunbridge-Dixfield Complex, 8 To 15 Percent Slopes, Rocky	5		Statewide	
100D	Tunbridge-Dixfield Complex, 15 To 25 Percent Slopes, Rocky	8		NPSL	
101B	Tunbridge-Dixfield Complex, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
101C	Tunbridge-Dixfield Complex, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
101D	Tunbridge-Dixfield Complex, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
101E	Tunbridge-Dixfield Complex, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
104B	Urban Land-Adams-Nicholville Complex, 0 To 8 Percent Slopes	11		NPSL	
104C	Urban Land-Adams-Nicholville Complex, 8 To 15 Percent Slopes	11		NPSL	
104D	Urban Land-Adams-Nicholville Complex, 15 To 25 Percent Slopes	11		NPSL	
105	Dumps, landfill	11		NPSL	
106	Pits, quarry-Dumps, mine complex	11		NPSL	
112D	Hogback-Rawsonville Complex, 15 To 35 Percent Slopes, Very Rocky	11		NPSL	
112E	Hogback-Rawsonville Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
210E	Ricker-Londonderry-Stratton Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
211F	Ricker-Londonderry-Rock Outcrop Complex, 60 To 90 Percent Slopes	11		NPSL	
247B	Colonel-Cabot Complex, 3 To 8 Percent Slopes	6	d	Statewide	b

Orleans County Agricultural Value Groups, 1/10/2005

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
247C	Colonel-Cabot Complex, 8 To 15 Percent Slopes	7	d	Statewide	b
247D	Colonel Fine Sandy Loam, 15 To 25 Percent Slopes	8	d	NPSL	
259B	Colonel-Cabot Complex, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
259C	Colonel-Cabot Complex, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
259D	Colonel Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
260F	Udorthents, 60 To 90 Percent Slopes, Very Rubbly	11		NPSL	
301C	Tunbridge-Dixfield complex, 3 to 15 percent slopes, extremely bouldery	11		NPSL	
301D	Tunbridge-Dixfield complex, 15 to 35 percent slopes, extremely bouldery	11		NPSL	
301E	Tunbridge-Dixfield complex, 35 to 60 percent slopes, extremely bouldery	11		NPSL	
316C	Dixfield fine sandy loam, 3 to 15 percent slopes, extremely bouldery	11		NPSL	
316D	Dixfield fine sandy loam, 15 to 35 percent slopes, extremely bouldery	11		NPSL	
316E	Dixfield fine sandy loam, 35 to 60 percent slopes, extremely bouldery	11		NPSL	
359C	Cabot silt loam, 3 to 15 percent slopes, extremely bouldery	11		NPSL	
393D	Monadnock fine sandy loam, 15 to 35 percent slopes, extremely bouldery	11		NPSL	
393E	Monadnock fine sandy loam, 35 to 60 percent slopes, extremely bouldery	11		NPSL	
W	Water	11		NPSL	