

Forestland Interpretations

Forestland interpretations are important to good management. The management of trees begins with an understanding of the soil where they grow or are to be grown. Some soils are very suitable for growing wood crops; others barely support tree cover. Different tree species may vary in production on the same soil.

Forestland interpretations should be used to assist land users in planning, installing, and maintaining forestland management systems.

Forest Management and Productivity

The Forestland Management and Productivity tables presents information about suitable for producing timber for each soil map unit. Management concerns, which include hand planting, mechanical planting, use of harvesting equipment, mechanical site preparation (surface), roads (natural surface), erosion on roads and trails, off-road/trail erosion, soil rutting, log landings, seedling survival, are listed by ratings of:

- Not Limited (0.00)
- Slightly Limited (0.01 to 0.30)
- Moderately Limited (0.31 to 0.60)
- Limited (0.61 to 0.99)
- Very Limited (1.00)

Information on potential productivity includes plant competition, common trees, site index, productivity class, and trees to plant.

Management Concerns

PLANT COMPETITION - A rating of slight indicates little or no competition from other plants; moderate indicates that plant competition is expected to hinder the development of the fully stocked stand of desirable trees; and severe means that plant competition is expected to prevent the establishment of a desirable stand unless the site is intensively prepared, weeded, or otherwise managed for the control of undesirable plants.

POTENTIAL PRODUCTIVITY - This is discussed under the ordination class symbol.

COMMON TREES - Trees that generally occur on the soil are listed regardless of economic importance.

SITE INDEX AND PRODUCTIVITY CLASS - These are discussed under ordination class symbol.

TREES TO PLANT - Trees that are suitable for commercial wood production and that are adapted to the soil.

HAND PLANTING – ratings are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, a water table, and ponding. Ratings indicate the expected difficulty of hand planting, which includes the proper placement of root systems of tree seedlings to a depth of up to 12 inches, using standard hand planting tools. It is assumed that necessary site preparation is completed before seedlings are planted.

MECHANICAL PLANTING – ratings are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, a water table, and ponding. Ratings indicate the expected difficulty using a mechanical planter, which includes proper placement of root systems of tree seedlings to a depth up to 12 inches. It is assumed that necessary site preparation is completed before seedlings are planted.

USE OF HARVEST EQUIPMENT – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, and ponding. Ratings indicate the suitability for operating harvest equipment for off-road transport or harvest of logs and/or wood products by ground-based wheeled or tracked equipment.

MECHANICAL SITE PREPARATION (SURFACE) – ratings are based on slope, depth to a restrictive layer, plasticity index, rock fragments on or below the surface, a water table, and ponding. The part of the soil from the surface to a depth of about 12 inches is considered in the ratings. Ratings indicate the suitability of using surface-altering soil tillage equipment to prepare the site for planting or seeding.

ROADS (NATURAL SURFACE) – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, ponding, flooding, and the hazard of soil slippage. The ratings indicate the suitability for using the natural surface of the soil for roads on which trucks transport logs and other wood products from the site.

EROSION (ROAD/TRAIL) – ratings are based on the soil erodibility factor K, slope, and content of rock fragments. The ratings apply to unsurfaced roads and trails.

EROSION (OFF-ROAD/OFF-TRAIL) – ratings are based on slope and on soil erodibility factor K. The soil loss is caused by sheet or rill erosion in off-road or off-trail areas where 50 to 75 percent of the surface has been exposed by logging, grazing, mining, or other kinds of disturbance.

SOIL RUTTING – ratings are based on a water table, rock fragments on or below the surface, surface texture, depth to a restrictive layer, and slope. Ratings indicate the hazard or risk of ruts in the uppermost soil surface layers by operation of forest equipment. Soil displacement and puddling (soil deformation and compaction) may occur simultaneously with rutting.

LOG LANDINGS – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, ponding, flooding, and the hazard of soil slippage. Ratings indicate the suitability of the soil at the forest site to serve as a log landing and allows the efficient and effective use of equipment for the temporary storage and handling of logs.

SEEDLING SURVIVAL – ratings are based on flooding, ponding, a water table, content of lime, reaction, salinity, available water capacity, soil moisture regime, soil temperature regime, aspect, and slope. Ratings indicate the impact of soil, physiographic, and climatic conditions on the survivability of newly established tree seedlings.

See the National Forestry Manual, Subpart B for criteria used in rating management concerns.

This subsection includes:

- **(a) Forest Management (one or two tables)**

Table 11.--Forestland Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
40000: Barden-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.10	Moderately limited low strength (moderately limited) seasonal wetness (slightly limited)	0.50 0.10	Not limited	
40011: Barco-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.04	Limited low strength (limited)	0.80	Moderately limited low strength (moderately limited)	0.50	Not limited	
40015: Eldorado-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.04	Limited low strength (limited)	0.80	Moderately limited low strength (moderately limited)	0.50	Not limited	
40016: Eldorado-----	Slightly limited slope/erodibility (slightly limited)	0.19	Slightly limited slope/erodibility (slightly limited)	0.10	Not limited		Not limited		Limited droughty (limited)	0.74
40017: Maplegrove----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.27	Moderately limited low strength (moderately limited) seasonal wetness (slightly limited)	0.50 0.27	Not limited	
40018: Medoc-----	Not limited		Not limited		Limited low strength (limited) seasonal wetness (moderately limited)	0.80 0.51	Moderately limited seasonal wetness (moderately limited) low strength (moderately limited)	0.51 0.50	Moderately limited seasonal wetness (moderately limited)	0.43
40019: Newtonia-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited)	0.80	Moderately limited low strength (moderately limited)	0.50	Not limited	

Table 11.--Forestland Management--Continued

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
40019: Eldorado-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.04	Limited low strength (limited)	0.80	Moderately limited low strength (moderately limited)	0.50	Not limited	
40020: Newtonia-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited)	0.80	Moderately limited low strength (moderately limited)	0.50	Not limited	
Eldorado-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.04	Limited low strength (limited)	0.80	Moderately limited low strength (moderately limited)	0.50	Not limited	
40021: Opolis-----	Very limited slope/erodibility (very limited)	1.00	Slightly limited slope/erodibility (slightly limited)	0.27	Limited low strength (limited) seasonal wetness (moderately limited)	0.80 0.30	Limited slope (limited) low strength (moderately limited) seasonal wetness (moderately limited)	0.68 0.50 0.30	Slightly limited seasonal wetness (slightly limited) 0.04	
Hepler-----	Not limited		Not limited		Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.20	Moderately limited flooding (moderately limited) low strength (moderately limited) seasonal wetness (slightly limited)	0.60 0.50 0.20	Moderately limited flooding (moderately limited) 0.60	
40022: Opolis-----	Not limited		Not limited		Limited low strength (limited) seasonal wetness (moderately limited)	0.80 0.30	Moderately limited low strength (moderately limited) seasonal wetness (moderately limited)	0.50 0.30	Slightly limited seasonal wetness (slightly limited) 0.04	
40023: Opolis-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited) seasonal wetness (moderately limited)	0.80 0.30	Moderately limited low strength (moderately limited) seasonal wetness (moderately limited)	0.50 0.30	Slightly limited seasonal wetness (slightly limited) 0.04	

Table 11.--Forestland Management--Continued

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
40024: Opolis-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited) seasonal wetness (moderately limited)	0.80 0.30	Moderately limited low strength (moderately limited) seasonal wetness (moderately limited)	0.50 0.30	Slightly limited seasonal wetness (slightly limited)	0.04
40026: Sylvania-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.04	Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.25	Limited slippage potential (limited) low strength (moderately limited) seasonal wetness (slightly limited)	0.90 0.50 0.25	Not limited	
40027: Sylvania-----	Moderately limited slope/erodibility (moderately limited)	0.31	Slightly limited slope/erodibility (slightly limited)	0.10	Not limited		Limited slippage potential (limited)	0.90	Slightly limited droughty (slightly limited)	0.25
40028: Sylvania-----	Moderately limited slope/erodibility (moderately limited)	0.31	Slightly limited slope/erodibility (slightly limited)	0.10	Limited low strength (limited)	0.80	Limited slippage potential (limited) low strength (moderately limited)	0.90 0.50	Not limited	
40029: Sylvania-----	Limited slope/erodibility (limited)	0.69	Slightly limited slope/erodibility (slightly limited)	0.22	Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.25	Limited slippage potential (limited) slope (limited) low strength (moderately limited)	0.90 0.68 0.50	Not limited	
44000: Cherokee-----	Slightly limited slope/erodibility (slightly limited)	0.11	Slightly limited slope/erodibility (slightly limited)	0.02	Limited low strength (limited) seasonal wetness (moderately limited)	0.80 0.51	Moderately limited seasonal wetness (moderately limited) low strength (moderately limited)	0.51 0.50	Moderately limited seasonal wetness (moderately limited)	0.43

Table 11.--Forestland Management--Continued

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
44002: Carl-----	Not limited		Not limited		Limited low strength (limited) seasonal wetness (limited)	0.80 0.76	Limited seasonal wetness (limited) stickiness (surface) (moderately limited) low strength (moderately limited)	0.76 0.50 0.50	Limited seasonal wetness (limited)	0.76
44004: McCune-----	Slightly limited slope/erodibility (slightly limited)	0.11	Slightly limited slope/erodibility (slightly limited)	0.02	Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.29	Moderately limited low strength (moderately limited) seasonal wetness (slightly limited)	0.50 0.29	Not limited	
46001: Verdigris-----	Slightly limited slope/erodibility (slightly limited)	0.11	Slightly limited slope/erodibility (slightly limited)	0.02	Limited low strength (limited)	0.80	Very limited flooding (very limited) low strength (moderately limited)	1.00 0.50	Limited flooding (limited)	0.90
46002: Hepler-----	Slightly limited slope/erodibility (slightly limited)	0.11	Slightly limited slope/erodibility (slightly limited)	0.02	Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.20	Moderately limited flooding (moderately limited) low strength (moderately limited) seasonal wetness (slightly limited)	0.60 0.50 0.20	Moderately limited flooding (moderately limited)	0.60
46004: Osage-----	Not limited		Not limited		Limited low strength (limited) seasonal wetness (limited)	0.80 0.76	Limited seasonal wetness (limited) flooding (moderately limited) stickiness (surface) (moderately limited)	0.76 0.60 0.50	Limited seasonal wetness (limited) flooding (moderately limited)	0.76 0.60

Table 11.--Forestland Management--Continued

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
46005: Verdigris-----	Slightly limited slope/erodibility (slightly limited)	0.11	Slightly limited slope/erodibility (slightly limited)	0.02	Limited low strength (limited)	0.80	Moderately limited flooding (moderately limited) low strength (moderately limited)	0.60 0.50	Moderately limited flooding (moderately limited)	0.60
70006: Creldon-----	Moderately limited slope/erodibility (moderately limited)	0.33	Slightly limited slope/erodibility (slightly limited)	0.06	Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.15	Moderately limited low strength (moderately limited) seasonal wetness (slightly limited)	0.50 0.15	Not limited	
70012: Hoberg-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.04	Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.20	Moderately limited low strength (moderately limited) seasonal wetness (slightly limited)	0.50 0.20	Not limited	
70045: Keeno-----	Limited slope/erodibility (limited)	0.67	Slightly limited slope/erodibility (slightly limited)	0.12	Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.20	Moderately limited low strength (moderately limited) seasonal wetness (slightly limited)	0.50 0.20	Not limited	
70056: Crackerneck---	Moderately limited slope/erodibility (moderately limited)	0.42	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited seasonal wetness (slightly limited)	0.11	Limited slope (limited) very sandy (surface) (moderately limited) seasonal wetness (slightly limited)	0.68 0.50 0.11	Very limited droughty (very limited)	1.00
70057: Crackerneck---	Limited slope/erodibility (limited)	0.96	Moderately limited slope/erodibility (moderately limited)	0.49	Slightly limited seasonal wetness (slightly limited)	0.11	Very limited slope (very limited) very sandy (surface) (moderately limited) seasonal wetness (slightly limited)	1.00 0.50 0.11	Very limited droughty (very limited)	1.00

Table 11.--Forestland Management--Continued

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
70058: Crackerneck---	Moderately limited slope/erodibility (moderately limited)	0.31	Slightly limited slope/erodibility (slightly limited)	0.10	Slightly limited seasonal wetness (slightly limited)	0.11	Slightly limited seasonal wetness (slightly limited)	0.11	Moderately limited droughty (moderately limited)	0.48
70059: Goss-----	Limited slope/erodibility (limited)	0.96	Moderately limited slope/erodibility (moderately limited)	0.49	Not limited		Very limited slope (very limited)	1.00	Moderately limited droughty (moderately limited)	0.58
							large surface stones (limited)	0.86		
							surface stones (limited)	0.63		
70060: Hoberg-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited)	0.80	Moderately limited low strength (moderately limited)	0.50	Not limited	
					seasonal wetness (slightly limited)	0.20	seasonal wetness (slightly limited)	0.20		
Eldorado-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.04	Limited low strength (limited)	0.80	Moderately limited low strength (moderately limited)	0.50	Not limited	
Pomme-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited)	0.80	Moderately limited slippage potential (moderately limited)	0.50	Not limited	
							low strength (moderately limited)	0.50		
70061: Pomme-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited)	0.80	Moderately limited slippage potential (moderately limited)	0.50	Not limited	
							low strength (moderately limited)	0.50		
70062: Pomme-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited)	0.80	Moderately limited slippage potential (moderately limited)	0.50	Not limited	
							low strength (moderately limited)	0.50		

Table 11.--Forestland Management--Continued

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
70062: Rueter-----	Slightly limited slope/erodibility (slightly limited)	0.12	Slightly limited slope/erodibility (slightly limited)	0.04	Not limited		Moderately limited slippage potential (moderately limited)	0.50	Slightly limited droughty (slightly limited)	0.23
70063: Rueter-----	Moderately limited slope/erodibility (moderately limited)	0.42	Slightly limited slope/erodibility (slightly limited)	0.22	Not limited		Limited slope (limited) slippage potential (moderately limited)	0.68 0.50	Limited droughty (limited)	0.96
70064: Rueter-----	Slightly limited slope/erodibility (slightly limited)	0.12	Slightly limited slope/erodibility (slightly limited)	0.04	Not limited		Moderately limited slippage potential (moderately limited)	0.50	Slightly limited droughty (slightly limited)	0.23
70065: Rueter-----	Moderately limited slope/erodibility (moderately limited)	0.31	Slightly limited slope/erodibility (slightly limited)	0.10	Not limited		Moderately limited slippage potential (moderately limited)	0.50	Slightly limited droughty (slightly limited)	0.23
70066: Winnipeg-----	Slightly limited slope/erodibility (slightly limited)	0.22	Slightly limited slope/erodibility (slightly limited)	0.05	Limited low strength (limited)	0.80	Moderately limited low strength (moderately limited)	0.50	Not limited	
71751: Bearthicket---	Not limited		Not limited		Limited low strength (limited)	0.80	Moderately limited flooding (moderately limited) low strength (moderately limited)	0.60 0.50	Moderately limited flooding (moderately limited)	0.60
73031: Gerald-----	Slightly limited slope/erodibility (slightly limited)	0.11	Slightly limited slope/erodibility (slightly limited)	0.02	Limited low strength (limited) seasonal wetness (slightly limited)	0.80 0.29	Moderately limited low strength (moderately limited) seasonal wetness (slightly limited)	0.50 0.29	Not limited	
75376: Cedargap-----	Slightly limited slope/erodibility (slightly limited)	0.06	Slightly limited slope/erodibility (slightly limited)	0.02	Limited low strength (limited)	0.80	Very limited flooding (very limited) low strength (moderately limited)	1.00 0.50	Limited flooding (limited)	0.90

Table 11.--Forestland Management--Continued

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99000:										
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Quarries-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99001:										
Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99002:										
Borrow areas--	Not rated		Not rated		Not rated		Not rated		Not rated	
99003:										
Miscellaneous water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99005:										
Landfill-----	Not limited		Not limited		Not limited		Very limited slope (very limited)	1.00	Not limited	
99010:										
Dumps-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99011:										
Kanima-----	Moderately limited slope/erodibility (moderately limited)	0.38	Slightly limited slope/erodibility (slightly limited)	0.12	Not limited		Not limited		Slightly limited droughty (slightly limited)	0.08