

Forestland Management

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
60003: Menfro-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.29	Limited ~low strength (limited)	0.80	Limited ~slope (limited) ~low strength (moderately limited)	0.76 0.50	Not limited	
60024: Menfro-----	Limited ~slope/erodibility (limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	0.15	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
60025: Urban land----	Not rated		Not rated		Not rated		Not rated		Not rated	
Harvester-----	Limited ~slope/erodibility (limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	0.12	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
60037: Wrengart-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.29	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.11	Limited ~slope (limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.76 0.50 0.11	Not limited	
60038: Pevely-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.39	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
Holstein-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.39	Moderately limited ~low strength (moderately limited)	0.50	Very limited ~slope (very limited)	1.00	Not limited	

Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
60039: Pevely-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.18	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited) ~slope (moderately limited)	0.50 0.45	Not limited	
60040: Pevely-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.49	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
60041: Brussels-----	Very limited ~slope/erodibility (very limited)	1.00	Very limited ~slope/erodibility (very limited)	1.00	Not limited		Very limited ~slope (very limited) ~large surface stones (moderately limited) ~stickiness (surface) (moderately limited)	1.00 0.60 0.50	Slightly limited ~droughty (slightly limited)	0.03
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
60042: Menfro-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.54	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
60043: Menfro-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.98	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
60044: Minnith-----	Limited ~slope/erodibility (limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	0.15	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	

Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
60045: Minnith-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.29	Limited ~low strength (limited)	0.80	Limited ~slope (limited) ~low strength (moderately limited)	0.76 0.50	Not limited	
60046: Minnith-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.61	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
60047: Urban land-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Harvester-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.24	Limited ~low strength (limited)	0.80	Limited ~slope (limited) ~low strength (moderately limited)	0.76 0.50	Not limited	
60048: Weingarten-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.85	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
60049: Urban land-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Horsecreek-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
60050: Urban land-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Deible-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~seasonal wetness (limited) ~low strength (limited)	0.91 0.80	Limited ~seasonal wetness (limited) ~low strength (moderately limited)	0.91 0.50	Limited ~seasonal wetness (limited)	0.91

Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
64007: Freeburg-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80 0.34	Moderately limited ~flooding (moderately limited) ~low strength (moderately limited) ~seasonal wetness (moderately limited)	0.60 0.50 0.34	Moderately limited ~flooding (moderately limited) ~seasonal wetness (slightly limited)	0.60 0.11
64008: Freeburg-----	Moderately limited ~slope/erodibility (moderately limited)	0.33	Slightly limited ~slope/erodibility (slightly limited)	0.07	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80 0.34	Moderately limited ~low strength (moderately limited) ~seasonal wetness (moderately limited)	0.50 0.34	Slightly limited ~seasonal wetness (slightly limited)	0.11
64009: Freeburg-----	Limited ~slope/erodibility (limited)	0.78	Slightly limited ~slope/erodibility (slightly limited)	0.17	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80 0.34	Moderately limited ~low strength (moderately limited) ~seasonal wetness (moderately limited) ~slope (slightly limited)	0.50 0.34 0.15	Slightly limited ~seasonal wetness (slightly limited)	0.11
66000: Moniteau-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~seasonal wetness (limited) ~low strength (limited)	0.91 0.80	Limited ~seasonal wetness (limited) ~flooding (moderately limited) ~low strength (moderately limited)	0.91 0.60 0.50	Limited ~seasonal wetness (limited) ~flooding (moderately limited)	0.91 0.60
66014: Haymond-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Very limited ~flooding (very limited) ~low strength (moderately limited)	1.00 0.50	Limited ~flooding (limited)	0.90
66020: Haynie-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Very limited ~flooding (very limited) ~low strength (moderately limited)	1.00 0.50	Limited ~flooding (limited)	0.90

Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
66024: Wilbur-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.29	Very limited ~flooding (very limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	1.00 0.50 0.29	Limited ~flooding (limited)	0.90
66050: Tice-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.25	Very limited ~flooding (very limited) ~low strength (moderately limited) ~stickiness (surface) (moderately limited)	1.00 0.50 0.50	Limited ~flooding (limited)	0.90
66051: Perche-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.13	Moderately limited ~flooding (moderately limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.60 0.50 0.13	Moderately limited ~flooding (moderately limited)	0.60
66052: Waldron-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Very limited ~flooding (very limited) ~stickiness (surface) (moderately limited) ~low strength (moderately limited)	1.00 0.50 0.50	Limited ~flooding (limited)	0.90
66053: Fishpot-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Not limited		Not limited		Not limited	
Urban land-----	Not rated		Not rated		Not rated		Not rated		Not rated	

Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
73046: Wrengart-----	Limited ~slope/erodibility (limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	0.15	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.11	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.11	Not limited	
73090: Useful-----	Limited ~slope/erodibility (limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	0.15	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
73200: Sonsac-----	Limited ~slope/erodibility (limited)	0.89	Slightly limited ~slope/erodibility (slightly limited)	0.16	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited) ~slope (moderately limited)	0.50 0.30	Not limited	
73201: Sonsac-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.59	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
73202: Rueter-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.18	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited) ~slope (moderately limited)	0.50 0.45	Not limited	
73203: Rueter-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.69	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
73203: Sonsac-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.69	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	

Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
73204: Ramsey-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.69	Moderately limited ~low strength (moderately limited)	0.50	Very limited ~slope (very limited)	1.00	Slightly limited ~droughty (slightly limited)	0.03
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73205: Useful-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.29	Limited ~low strength (limited)	0.80	Limited ~slope (limited) ~low strength (moderately limited)	0.76 0.50	Not limited	
73206: Useful-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.73	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
73207: Caneyville----	Limited ~slope/erodibility (limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	0.15	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
73208: Caneyville----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.29	Limited ~low strength (limited)	0.80	Limited ~slope (limited) ~low strength (moderately limited)	0.76 0.50	Not limited	
73209: Caneyville----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.54	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
73210: Goss-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.63	Not limited		Very limited ~slope (very limited) ~large surface stones (moderately limited) ~surface stones (moderately limited)	1.00 0.60 0.42	Moderately limited ~droughty (moderately limited)	0.31

Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
73211: Gasconade-----	Moderately limited ~slope/erodibility (moderately limited)	0.56	Slightly limited ~slope/erodibility (slightly limited)	0.18	Not limited		Very limited ~large surface stones (very limited) ~surface stones (limited) ~stickiness (surface) (moderately limited)	1.00 0.82 0.50	Very limited ~droughty (very limited)	1.00
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73212: Gasconade-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.65	Not limited		Very limited ~large surface stones (very limited) ~slope (very limited) ~surface stones (limited)	1.00 1.00 0.82	Very limited ~droughty (very limited)	1.00
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73213: Moko-----	Moderately limited ~slope/erodibility (moderately limited)	0.56	Slightly limited ~slope/erodibility (slightly limited)	0.18	Limited ~low strength (limited)	0.80	Moderately limited ~large surface stones (moderately limited) ~slippage potential (moderately limited) ~low strength (moderately limited)	0.60 0.50 0.50	Limited ~droughty (limited)	0.95
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73214: Moko-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.63	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~large surface stones (moderately limited) ~slippage potential (moderately limited)	1.00 0.60 0.50	Limited ~droughty (limited)	0.95
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	

Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
73215: Crider-----	Limited ~slope/erodibility (limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	0.12	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
73216: Crider-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.24	Limited ~low strength (limited)	0.80	Limited ~slope (limited) ~low strength (moderately limited)	0.76 0.50	Not limited	
73217: Useful-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.85	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
Sonsac-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.69	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
73218: Tiff-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.20	Not limited		Moderately limited ~slope (moderately limited) ~stickiness (surface) (moderately limited)	0.60 0.50	Slightly limited ~droughty (slightly limited)	0.14
73219: Rueter-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.69	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
74644: Deible-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~seasonal wetness (limited) ~low strength (limited)	0.91 0.80	Limited ~seasonal wetness (limited) ~low strength (moderately limited)	0.91 0.50	Limited ~seasonal wetness (limited)	0.91

Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
74675: Horsecreek-----	Moderately limited ~slope/erodibility (moderately limited)	0.33	Slightly limited ~slope/erodibility (slightly limited)	0.07	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
74676: Urban land-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Freeburg-----	Moderately limited ~slope/erodibility (moderately limited)	0.33	Slightly limited ~slope/erodibility (slightly limited)	0.07	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80 0.34	Moderately limited ~low strength (moderately limited) ~seasonal wetness (moderately limited)	0.50 0.34	Slightly limited ~seasonal wetness (slightly limited)	0.11
75375: Horsecreek-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Moderately limited ~flooding (moderately limited) ~low strength (moderately limited)	0.60 0.50	Moderately limited ~flooding (moderately limited)	0.60
75385: Gabriel-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80 0.49	Moderately limited ~flooding (moderately limited) ~low strength (moderately limited) ~seasonal wetness (moderately limited)	0.60 0.50 0.49	Moderately limited ~flooding (moderately limited) ~seasonal wetness (moderately limited)	0.60 0.39
75390: Razort-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
75398: Kaintuck-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.04	Moderately limited ~low strength (moderately limited)	0.50	Very limited ~flooding (very limited)	1.00	Limited ~flooding (limited)	0.90
75450: Bloomsdale-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.04	Limited ~low strength (limited)	0.80	Very limited ~flooding (very limited) ~low strength (moderately limited)	1.00 0.50	Limited ~flooding (limited)	0.90

Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
75452: Gladden-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.04	Moderately limited ~low strength (moderately limited)	0.50	Very limited ~flooding (very limited)	1.00	Limited ~flooding (limited)	0.90
75453: Sturkie-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Moderately limited ~flooding (moderately limited) ~low strength (moderately limited)	0.60 0.50	Moderately limited ~flooding (moderately limited)	0.60
75454: Urban land-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Razort-----	Moderately limited ~slope/erodibility (moderately limited)	0.33	Slightly limited ~slope/erodibility (slightly limited)	0.07	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
99000: Pits, quarries-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99001: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99003: Miscellaneous water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99005: Landfills-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99009: Udortheents-----	Slightly limited ~slope/erodibility (slightly limited)	0.25	Slightly limited ~slope/erodibility (slightly limited)	0.08	Not limited		Not limited		Not limited	
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	