

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
10B2: Lagonda-----	Very limited ~shrink-swell (very limited) ~wetness (moderately limited)	1.00 0.51	Very limited ~shrink-swell (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~shrink-swell (very limited) ~slope (slightly limited) ~wetness (slightly limited)	1.00 0.15 0.13	Not Rated Not Rated ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 0.13	Slightly limited ~wetness (slightly limited)	0.13
11C2: Lagonda-----	Very limited ~shrink-swell (very limited) ~wetness (moderately limited) ~slope (slightly limited)	1.00 0.51 0.15	Very limited ~shrink-swell (very limited) ~wetness (very limited) ~slope (slightly limited)	1.00 1.00 0.15	Very limited ~shrink-swell (very limited) ~slope (limited) ~wetness (slightly limited)	1.00 0.83 0.13	Not Rated Not Rated ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 0.13	Moderately limited ~too clayey (moderately limited) ~wetness (slightly limited)	0.30 0.13
12B2: Bevier-----	Very limited ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 0.29	Very limited ~shrink-swell (very limited) ~wetness (limited)	1.00 0.95	Very limited ~shrink-swell (very limited) ~slope (slightly limited)	1.00 0.15	Not Rated Not Rated ~shrink-swell (very limited)	1.00	Moderately limited ~too clayey (moderately limited)	0.30
15B: Grundy-----	Very limited ~shrink-swell (very limited) ~wetness (moderately limited)	1.00 0.51	Very limited ~shrink-swell (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~shrink-swell (very limited) ~slope (slightly limited) ~wetness (slightly limited)	1.00 0.15 0.13	Not Rated Not Rated ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 0.13	Slightly limited ~wetness (slightly limited)	0.13

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
16: Crestmeade-----	Very limited ~shrink-swell (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~shrink-swell (very limited) ~wetness (limited)	1.00 0.99	Not Rated Not Rated ~shrink-swell (very limited) ~wetness (limited)	1.00 0.99	Limited ~wetness (limited)	0.99
19C2: Menfro-----	Moderately limited ~shrink-swell (moderately limited)	0.45	Slightly limited ~shrink-swell (slightly limited)	0.05	Limited ~slope (limited) ~shrink-swell (moderately limited)	0.68 0.45	Not Rated Not Rated ~shrink-swell (moderately limited)	0.45	Not limited	
19F: Menfro-----	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Not Rated Not Rated ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~slope (very limited)	1.00
20A: Shannondale----	Moderately limited ~wetness (moderately limited) ~shrink-swell (moderately limited)	0.51 0.45	Very limited ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 0.43	Moderately limited ~shrink-swell (moderately limited) ~wetness (slightly limited)	0.45 0.13	Not Rated Not Rated ~shrink-swell (moderately limited) ~wetness (slightly limited)	0.45 0.13	Slightly limited ~wetness (slightly limited)	0.13

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
20C2: Shannondale----	Very limited ~flooding (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.51 0.45	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 1.00 0.43	Very limited ~flooding (very limited) ~slope (moderately limited) ~shrink-swell (moderately limited)	1.00 1.00 0.45 0.45	Not Rated Not Rated ~flooding (rare) (limited) ~shrink-swell (moderately limited)	0.90 0.90 0.45	Slightly limited ~wetness (slightly limited)	0.13
21C2: Knox-----	Moderately limited ~shrink-swell (moderately limited) ~slope (slightly limited)	0.45 0.15	Moderately limited ~shrink-swell (moderately limited) ~slope (slightly limited)	0.38 0.15	Limited ~slope (limited) ~shrink-swell (moderately limited)	0.83 0.45	Not Rated Not Rated ~shrink-swell (moderately limited)	0.45	Not limited	
22F3: Knox-----	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~slope (very limited) ~shrink-swell (slightly limited)	1.00 0.29	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 1.00 0.45	Not Rated Not Rated ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~slope (very limited)	1.00
23B2: Higginsville---	Moderately limited ~wetness (moderately limited) ~shrink-swell (moderately limited)	0.51 0.45	Very limited ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Moderately limited ~shrink-swell (moderately limited) ~slope (slightly limited)	0.45 0.15	Not Rated Not Rated ~shrink-swell (moderately limited)	0.45	Slightly limited ~wetness (slightly limited)	0.13
					~wetness (slightly limited)	0.13	~wetness (slightly limited)	0.13		

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
23C2: Higginsville----	Moderately limited ~wetness (moderately limited)	0.51	Very limited ~wetness (very limited)	1.00	Limited ~slope (limited)	0.83	Not Rated Not Rated		Slightly limited ~wetness (slightly limited)	0.13
	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45		
	~slope (slightly limited)	0.15	~slope (slightly limited)	0.15	~wetness (slightly limited)	0.13	~wetness (slightly limited)	0.13		
25B: Wakenda-----	Moderately limited ~shrink-swell (moderately limited)	0.45	Moderately limited ~shrink-swell (moderately limited)	0.37	Moderately limited ~shrink-swell (moderately limited)	0.45	Not Rated Not Rated		Not limited	
			~wetness (slightly limited)	0.15	~slope (slightly limited)	0.15	~shrink-swell (moderately limited)	0.45		
25C2: Wakenda-----	Moderately limited ~shrink-swell (moderately limited)	0.45	Moderately limited ~shrink-swell (moderately limited)	0.41	Limited ~slope (limited)	0.83	Not Rated Not Rated		Not limited	
	~slope (slightly limited)	0.15	~slope (slightly limited)	0.15	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45		
			~wetness (slightly limited)	0.15						
26B: Armstrong-----	Very limited ~shrink-swell (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~shrink-swell (very limited)	1.00	Not Rated Not Rated		Slightly limited ~wetness (slightly limited)	0.28
	~wetness (moderately limited)	0.59	~shrink-swell (very limited)	1.00	~slope (limited)	0.83	~shrink-swell (very limited)	1.00		
	~slope (slightly limited)	0.15	~slope (slightly limited)	0.15	~wetness (slightly limited)	0.28	~wetness (slightly limited)	0.28		

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
26C2: Armstrong-----	Very limited ~shrink-swell (very limited) ~wetness (moderately limited) ~slope (slightly limited)	1.00 0.59 0.15	Very limited ~wetness (very limited) ~shrink-swell (limited) ~slope (slightly limited)	1.00 0.96 0.15	Very limited ~shrink-swell (very limited) ~slope (limited) ~wetness (slightly limited)	1.00 0.83 0.28	Not Rated Not Rated ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 0.28	Slightly limited ~wetness (slightly limited)	0.28
26D2: Armstrong-----	Very limited ~shrink-swell (very limited) ~slope (limited) ~wetness (moderately limited)	1.00 0.76 0.59	Very limited ~wetness (very limited) ~shrink-swell (very limited) ~slope (limited)	1.00 1.00 0.76	Very limited ~slope (very limited) ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 0.28	Not Rated Not Rated ~shrink-swell (very limited) ~slope (limited)	1.00 1.00 0.63	Limited ~slope (limited) ~wetness (slightly limited)	0.63 0.28
27D3: Armstrong-----	Very limited ~shrink-swell (very limited) ~slope (limited) ~wetness (moderately limited)	1.00 0.76 0.59	Very limited ~wetness (very limited) ~shrink-swell (very limited) ~slope (limited)	1.00 1.00 0.76	Very limited ~slope (very limited) ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 0.28	Not Rated Not Rated ~shrink-swell (very limited) ~slope (limited)	1.00 1.00 0.63	Limited ~slope (limited) ~too clayey (moderately limited) ~wetness (slightly limited)	0.63 0.60 0.28
28C: Keswick-----	Very limited ~shrink-swell (very limited) ~wetness (moderately limited) ~slope (slightly limited)	1.00 0.59 0.15	Very limited ~wetness (very limited) ~shrink-swell (very limited) ~slope (slightly limited)	1.00 1.00 0.15	Very limited ~shrink-swell (very limited) ~slope (limited) ~wetness (slightly limited)	1.00 0.83 0.28	Not Rated Not Rated ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 0.28	Slightly limited ~wetness (slightly limited)	0.28

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
31F: Winnegan-----	Very limited ~shrink-swell (very limited) ~slope (very limited) ~wetness (moderately limited)	1.00 1.00 0.37	Very limited ~shrink-swell (very limited) ~slope (very limited) ~wetness (limited)	1.00 1.00 0.99	Very limited ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00	Not Rated Not Rated ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00	Very limited ~slope (very limited)	1.00
36D2: Gospport-----	Very limited ~shrink-swell (very limited) ~slope (limited)	1.00 0.76	Limited ~slope (limited) ~shrink-swell (moderately limited)	0.76 0.53	Very limited ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00	Not Rated Not Rated ~shrink-swell (very limited) ~slope (limited)	1.00 0.63	Limited ~slope (limited) ~too clayey (moderately limited)	0.63 0.60
36F: Gospport-----	Very limited ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (limited)	1.00 0.64	Very limited ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00	Not Rated Not Rated ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00	Very limited ~slope (very limited) ~too clayey (moderately limited)	1.00 0.60
37D2: Newcomer-----	Limited ~slope (limited) ~shrink-swell (moderately limited)	0.76 0.45	Limited ~slope (limited) ~depth to bedrock (moderately limited)	0.76 0.44	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Not Rated Not Rated ~slope (limited) ~shrink-swell (moderately limited)	1.00 0.63 0.45	Limited ~slope (limited)	0.63

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
37F: Newcomer-----	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~slope (very limited) ~depth to bedrock (moderately limited)	1.00 0.41	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Not Rated Not Rated ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~slope (very limited)	1.00
40F: Putco-----	Very limited ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00	Very limited ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00	Not Rated Not Rated ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00	Very limited ~slope (very limited) ~too clayey (moderately limited) ~small stones (moderately limited)	1.00 0.60 0.54
42F: Schuline-----	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Not Rated Not Rated ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~slope (very limited) ~too clayey (moderately limited)	1.00 0.60
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
47: Dockery-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated		Very limited ~flooding (very limited)	1.00
	~shrink-swell (moderately limited)	0.45	~wetness (very limited)	1.00	~shrink-swell (moderately limited)	0.45	~flooding (very limited)	1.00		
	~wetness (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45			~shrink-swell (moderately limited)	0.45		
50: Blackoar-----	Very limited ~wetness (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated		Very limited ~wetness (very limited)	1.00
	~flooding (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~flooding (moderately limited)	0.60
							~flooding (very limited)	1.00		
53: Colo-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated		Moderately limited ~flooding (moderately limited)	0.60
	~wetness (moderately limited)	0.59	~wetness (very limited)	1.00	~shrink-swell (moderately limited)	0.45	~flooding (very limited)	1.00	~wetness (slightly limited)	0.28
	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45	~wetness (slightly limited)	0.28	~shrink-swell (moderately limited)	0.45		
54: Zook-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated		Limited ~wetness (limited)	0.60
	~shrink-swell (very limited)	1.00	~shrink-swell (very limited)	1.00	~shrink-swell (very limited)	1.00	~flooding (very limited)	1.00	~too clayey (moderately limited)	0.60
	~wetness (limited)	0.99	~wetness (very limited)	1.00	~wetness (limited)	0.60	~shrink-swell (very limited)	1.00	~flooding (moderately limited)	0.60

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
56: Triplett-----	Very limited ~shrink-swell (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~shrink-swell (very limited) ~wetness (limited)	1.00 1.00 0.99	Not Rated Not Rated ~shrink-swell (very limited) ~wetness (limited)	1.00 0.99	Limited ~wetness (limited)	0.99
60: Portage-----	Very limited ~wetness (very limited) ~ponded (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00 1.00	Very limited ~ponded (very limited) ~shrink-swell (very limited) ~flooding (very limited)	1.00 1.00 1.00 1.00	Very limited ~ponded (wetness) (very limited) ~flooding (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00 1.00	Not Rated Not Rated ~ponded (wetness) (very limited) ~wetness (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~ponded (wetness) (very limited) ~too clayey (very limited)	1.00 1.00 1.00
61: Carlow-----	Very limited ~wetness (very limited) ~flooding (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Not Rated Not Rated ~wetness (very limited) ~flooding (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~too clayey (very limited) ~flooding (moderately limited)	1.00 1.00 0.60
62: Carlow-----	Very limited ~wetness (very limited) ~flooding (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Not Rated Not Rated ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~too clayey (very limited)	1.00 1.00

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
64: Tina-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated		Slightly limited ~wetness (slightly limited)	0.13
	~shrink-swell (very limited)	1.00	~wetness (very limited)	1.00	~shrink-swell (very limited)	1.00	~shrink-swell (very limited)	1.00		
	~wetness (moderately limited)	0.51	~shrink-swell (limited)	0.62	~wetness (slightly limited)	0.13	~flooding (rare) (limited)	0.90		
66C2: Gifford-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated		Limited ~wetness (limited)	0.81
	~shrink-swell (very limited)	1.00	~wetness (very limited)	1.00	~shrink-swell (very limited)	1.00	~shrink-swell (very limited)	1.00	~too clayey (moderately limited)	0.60
	~wetness (very limited)	1.00	~shrink-swell (limited)	0.88	~wetness (limited)	0.81	~flooding (rare) (limited)	0.90		
68: Tuskeego-----	Very limited ~wetness (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated		Very limited ~wetness (very limited)	1.00
	~flooding (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~flooding (moderately limited)	0.60
	~shrink-swell (very limited)	1.00	~shrink-swell (moderately limited)	0.46	~shrink-swell (very limited)	1.00	~flooding (very limited)	1.00	~too clayey (moderately limited)	0.60
70: Speed-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated		Moderately limited ~flooding (moderately limited)	0.60
	~wetness (moderately limited)	0.51	~wetness (very limited)	1.00	~wetness (slightly limited)	0.13	~flooding (very limited)	1.00	~wetness (slightly limited)	0.13
			~shrink-swell (slightly limited)	0.15			~wetness (slightly limited)	0.13		

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
72: Tice-----	Very limited ~flooding (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.51 0.45	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 1.00 0.45	Very limited ~flooding (very limited) ~shrink-swell (moderately limited) ~wetness (slightly limited)	1.00 1.00 0.45 0.13	Not Rated Not Rated ~flooding (very limited) ~shrink-swell (moderately limited)	1.00 1.00 1.00 0.45	Very limited ~flooding (very limited) ~wetness (slightly limited)	1.00 1.00 0.13
73: Tice-----	Very limited ~flooding (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.51 0.45	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 1.00 0.45	Very limited ~flooding (very limited) ~shrink-swell (moderately limited) ~wetness (slightly limited)	1.00 1.00 0.45 0.13	Not Rated Not Rated ~flooding (rare) (limited) ~shrink-swell (moderately limited)	0.90 0.45	Moderately limited ~too clayey (moderately limited) ~wetness (slightly limited)	0.60 0.13
78: Levasy-----	Very limited ~ponded (very limited) ~flooding (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~ponded (very limited) ~flooding (very limited) ~wetness (very limited)	1.00 1.00 1.00	Very limited ~ponded (wetness) (very limited) ~flooding (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Not Rated Not Rated ~ponded (wetness) (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~ponded (wetness) (very limited) ~too clayey (very limited) ~wetness (limited)	1.00 1.00 0.99
81: Haynie-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated ~flooding (rare) (limited)	0.90	Not limited	

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
82: Sarpy-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated ~flooding (rare) (limited)	0.90	Limited ~droughty (limited)	0.69
83: Landes-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated ~flooding (rare) (limited)	0.90	Not limited	
84: Haynie-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated ~flooding (rare) (limited)	0.90	Not limited	
Waldron-----	Very limited ~flooding (very limited) ~shrink-swell (very limited) ~wetness (moderately limited)	1.00 1.00 1.00 0.59	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~flooding (very limited) ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 1.00 0.28	Not Rated Not Rated ~shrink-swell (very limited) ~flooding (rare) (limited)	1.00 1.00 1.00 0.90	Very limited ~too clayey (very limited) ~wetness (slightly limited)	1.00 0.28
85: Waldron-----	Very limited ~flooding (very limited) ~shrink-swell (very limited) ~wetness	1.00 1.00 1.00 0.59	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell	1.00 1.00 1.00	Very limited ~flooding (very limited) ~shrink-swell (very limited) ~wetness	1.00 1.00 1.00 0.28	Not Rated Not Rated ~shrink-swell (very limited) ~flooding (rare)	1.00 1.00 1.00 0.90	Very limited ~too clayey (very limited) ~wetness (slightly limited)	1.00 0.28

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
	(moderately limited)		(very limited)		(slightly limited)		(limited)			
86: Parkville-----	Very limited ~flooding (very limited) ~wetness (limited)	1.00 0.99	Very limited ~flooding (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~wetness (limited)	1.00 0.60	Not Rated Not Rated ~flooding (rare) (limited) ~wetness (limited)	0.90 0.60	Limited ~wetness (limited) ~too clayey (moderately limited)	0.60 0.60
87: Modale-----	Very limited ~flooding (very limited) ~shrink-swell (very limited) ~wetness (moderately limited)	1.00 1.00 0.51	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (limited)	1.00 1.00 0.99	Very limited ~flooding (very limited) ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 0.13	Not Rated Not Rated ~shrink-swell (very limited) ~flooding (rare) (limited)	1.00 1.00 0.90	Slightly limited ~wetness (slightly limited)	0.13
88: Cotter-----	Very limited ~flooding (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Very limited ~flooding (very limited) ~shrink-swell (slightly limited)	1.00 0.22	Very limited ~flooding (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Not Rated Not Rated ~flooding (rare) (limited) ~shrink-swell (moderately limited)	0.90 0.45	Not limited	
89: Norborne-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated ~flooding (rare) (limited)	0.90	Not limited	

Chariton County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
93: Booker-----	Very limited ~wetness (very limited) ~ponded (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00 1.00	Very limited ~ponded (very limited) ~shrink-swell (very limited) ~flooding (very limited)	1.00 1.00 1.00 1.00	Very limited ~ponded (wetness) (very limited) ~flooding (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00 1.00	Not Rated Not Rated ~ponded (wetness) (very limited) ~wetness (very limited)	1.00 1.00 1.00 1.00	Very limited ~wetness (very limited) ~ponded (wetness) (very limited) ~too clayey (very limited)	1.00 1.00 1.00 1.00
94: Grable-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated ~flooding (rare) (limited)	0.90	Not limited	
99: Haynie-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not Rated Not Rated ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00
Waldron-----	Very limited ~flooding (very limited) ~shrink-swell (very limited) ~wetness (moderately limited)	1.00 1.00 1.00 0.59	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00 1.00	Very limited ~flooding (very limited) ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 1.00 0.28	Not Rated Not Rated ~flooding (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~flooding (very limited) ~too clayey (very limited) ~wetness (slightly limited)	1.00 1.00 1.00 0.28
M-W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	

