HYDRIC SOILS LIST
Harrison and Taylor Counties, West Virginia: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
AgC:								
ALLEGHENY SILT LOAM, 8 TO 15 PERCENT SLOPES	Allegheny	No	---	---	---	---	---	1,251
AgD:								
ALLEGHENY SILT LOAM, 15 TO 25 PERCENT SLOPES	Allegheny	No	---	---	---	---	---	263
At:								
ATKINS SILT LOAM	Atkins	Yes	flood plain	2B3	YES	NO	NO	711
Ch:								
CHAVIES FINE SANDY LOAM	Chavies	Unranked	---	---	---	---	---	564
ClB:								
CLARKSBURG SILT LOAM, 3 TO 8 PERCENT SLOPES	Clarksburg	No	---	---	---	---	---	701
	Melvin	Yes	flood plain	2B3	YES	NO	NO	37
ClC:								
CLARKSBURG SILT LOAM, 8 TO 15 PERCENT SLOPES	Clarksburg	No	---	---	---	---	---	12,116
ClD:								
CLARKSBURG SILT LOAM, 15 TO 25 PERCENT SLOPES	Clarksburg	No	---	---	---	---	---	11,158
ClD3:								
CLARKSBURG SILT LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	Clarksburg	No	---	---	---	---	---	1,113
CoB:								
COOKPORT SILT LOAM, 3 TO 8 PERCENT SLOPES	Cookport	No	---	---	---	---	---	1,052
CoC:								
COOKPORT SILT LOAM, 8 TO 15 PERCENT SLOPES	Cookport	No	---	---	---	---	---	541
CuC:								
CULLEOKA SILT LOAM, 8 TO 15 PERCENT SLOPES	Culleoka	No	---	---	---	---	---	2,559
CuD:								
CULLEOKA SILT LOAM, 15 TO 25 PERCENT SLOPES	Culleoka	No	---	---	---	---	---	3,454
CuE:								
CULLEOKA SILT LOAM, 25 TO 35 PERCENT SLOPES	Culleoka	No	---	---	---	---	---	6,852

HYDRIC SOILS LIST--Continued
Harrison and Taylor Counties, West Virginia: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
CuE3:								
CULLEOKA SILT LOAM, 25 TO 35 PERCENT SLOPES, SEVERELY ERODED	Culleoka	No	---	---	---	---	---	1,396
CuF3:								
CULLEOKA SILT LOAM, 35 TO 60 PERCENT SLOPES, SEVERELY ERODED	Culleoka	No	---	---	---	---	---	3,186
DeC:								
DEKALB SANDY LOAM, 8 TO 15 PERCENT SLOPES	Dekalb	No	---	---	---	---	---	281
DsF:								
DEKALB EXTREMELY STONY SANDY LOAM, VERY STEEP	Dekalb	No	---	---	---	---	---	527
EnB:								
ERNEST SILT LOAM, 3 TO 8 PERCENT SLOPES	Ernest	No	---	---	---	---	---	273
	Atkins	Yes	flood plain	2B3	YES	NO	NO	14
EnC:								
ERNEST SILT LOAM, 8 TO 15 PERCENT SLOPES	Ernest	No	---	---	---	---	---	3,047
EnD:								
ERNEST SILT LOAM, 15 TO 25 PERCENT SLOPES	Ernest	No	---	---	---	---	---	271
EsC:								
ERNEST VERY STONY SILT LOAM, 3 TO 15 PERCENT SLOPES	Ernest	No	---	---	---	---	---	5,080
	Atkins	Yes	flood plain	2B3	YES	NO	NO	267
EsD:								
ERNEST VERY STONY SILT LOAM, 15 TO 35 PERCENT SLOPES	Ernest	No	---	---	---	---	---	5,600
FaC:								
FAYWOOD SILTY CLAY LOAM, 8 TO 15 PERCENT SLOPES	Faywood	No	---	---	---	---	---	518
FaD:								
FAYWOOD SILTY CLAY LOAM, 15 TO 25 PERCENT SLOPES	Faywood	No	---	---	---	---	---	472
FaE:								
FAYWOOD SILTY CLAY LOAM, 25 TO 35 PERCENT SLOPES	Faywood	No	---	---	---	---	---	461

HYDRIC SOILS LIST--Continued
Harrison and Taylor Counties, West Virginia: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
FaF:								
FAYWOOD SILTY CLAY LOAM, 35 TO 60 PERCENT SLOPES	Faywood	No	---	---	---	---	---	341
Fo:								
FLUVAQUENTS, OVERWASH	Fluvaquents	Unranked	---	---	---	---	---	866
	Unnamed series	Yes	flood plain	2B3	YES	NO	NO	46
GlB:								
GILPIN SILT LOAM, 3 TO 8 PERCENT SLOPES	Gilpin	No	---	---	---	---	---	290
GlC:								
GILPIN SILT LOAM, 8 TO 15 PERCENT SLOPES	Gilpin	No	---	---	---	---	---	3,780
GlD:								
GILPIN SILT LOAM, 15 TO 25 PERCENT SLOPES	Gilpin	No	---	---	---	---	---	5,067
GlE:								
GILPIN SILT LOAM, 25 TO 35 PERCENT SLOPES	Gilpin	No	---	---	---	---	---	5,016
GlF:								
GILPIN SILT LOAM, 35 TO 60 PERCENT SLOPES	Gilpin	No	---	---	---	---	---	5,232
GsC:								
GILPIN VERY STONY SILT LOAM, 3 TO 15 PERCENT SLOPES	Gilpin	No	---	---	---	---	---	1,039
GsE:								
GILPIN VERY STONY SILT LOAM, 15 TO 35 PERCENT SLOPES	Gilpin	No	---	---	---	---	---	16,634
GtF:								
GILPIN VERY STONY SILT LOAM, VERY STEEP	Gilpin	No	---	---	---	---	---	10,692
GuC:								
GILPIN-UPSHUR COMPLEX, 8 TO 15 PERCENT SLOPES	Gilpin	No	---	---	---	---	---	551
	Upshur	No	---	---	---	---	---	551
	Other soils	No	---	---	---	---	---	122

HYDRIC SOILS LIST--Continued
Harrison and Taylor Counties, West Virginia: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
GuC3:								
GILPIN-UPSHUR COMPLEX, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	Gilpin	No	---	---	---	---	---	1,318
	Upshur	No	---	---	---	---	---	1,318
	Other soils	No	---	---	---	---	---	293
GuD:								
GILPIN-UPSHUR COMPLEX, 15 TO 25 PERCENT SLOPES	Gilpin	No	---	---	---	---	---	1,902
	Upshur	No	---	---	---	---	---	1,902
	Other soils	No	---	---	---	---	---	423
GuD3:								
GILPIN-UPSHUR COMPLES, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	Gilpin	No	---	---	---	---	---	5,042
	Upshur	No	---	---	---	---	---	5,042
	Other soils	No	---	---	---	---	---	1,120
GuE:								
GILPIN-UPSHUR COMPLEX, 25 TO 35 PERCENT SLOPES	Gilpin	No	---	---	---	---	---	1,690
	Upshur	No	---	---	---	---	---	483
	Other soils	No	---	---	---	---	---	241
GuE3:								
GILPIN-UPSHUR COMPLEX, 25 TO 35 PERCENT SLOPES, SEVERELY ERODED	Gilpin	No	---	---	---	---	---	17,482
	Upshur	No	---	---	---	---	---	4,995
	Other soils	No	---	---	---	---	---	2,497
GuF3:								
GILPIN-UPSHUR COMPLEX,35 TO 70 PERCENT SLOPES, SEVERELY ERODED	Gilpin	No	---	---	---	---	---	30,438
	Upshur	No	---	---	---	---	---	8,697
	Other soils	No	---	---	---	---	---	4,348

HYDRIC SOILS LIST--Continued
Harrison and Taylor Counties, West Virginia: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
GyB:								
GUERNSEY SILT LOAM, 3 TO 8 PERCENT SLOPES	Guernsey	No	---	---	---	---	---	351
GyC:								
GUERNSEY SILT LOAM, 8 TO 15 PERCENT SLOPES	Guernsey	No	---	---	---	---	---	7,441
GyD:								
GUERNSEY SILT LOAM, 15 TO 25 PERCENT SLOPES	Guernsey	No	---	---	---	---	---	4,846
GyD3:								
GUERNSEY SILT LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	Guernsey	No	---	---	---	---	---	602
Ha:								
HACKERS SILT LOAM	Hackers	No	---	---	---	---	---	710
Ln:								
LINDSIDE SILT LOAM	Lindside	No	---	---	---	---	---	4,513
	Melvin	Yes	flood plain	2B3	YES	NO	NO	238
Me:								
MELVIN SILT LOAM	Melvin	Yes	flood plain	2B3	YES	NO	NO	2,174
MoB:								
MONONGAHELA SILT LOAM, 3 TO 8 PERCENT SLOPES	Monongahela	No	---	---	---	---	---	4,951
MoC:								
MONONGAHELA SILT LOAM, 8 TO 15 PERCENT SLOPES	Monongahela	No	---	---	---	---	---	2,025
No:								
NOLIN SILT LOAM	Nolin	No	---	---	---	---	---	681
Ph:								
PHILO SILT LOAM	Philo	No	---	---	---	---	---	945
	Atkins	Yes	flood plain	2B3	YES	NO	NO	50
Po:								
POPE SILT LOAM	Pope	No	---	---	---	---	---	231
RaB:								
RAYNE SILT LOAM, 3 TO 8 PERCENT SLOPES	Rayne	No	---	---	---	---	---	425
RaC:								
RAYNE SILT LOAM, 8 TO 15 PERCENT SLOPES	Rayne	No	---	---	---	---	---	176
Sm:								
STRIP MINES	Udorthents,mu dstone,	Unranked	---	---	---	---	---	24,821

HYDRIC SOILS LIST--Continued
Harrison and Taylor Counties, West Virginia: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
Tg:								
TYGART SILT LOAM	Tygart	No	---	---	---	---	---	492
	Purdy	Yes	lake terrace	2B3	YES	NO	NO	26
Uf:								
UDIFLUVENTS AND FLUVAQUENTS	Fluvaquents	Unranked	---	---	---	---	---	3,512
	Fluvents	Unranked	---	---	---	---	---	3,512
UhC3:								
UPSHUR SILTY CLAY, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	Upshur	No	---	---	---	---	---	364
UhD3:								
UPSHUR SILTY CLAY, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	Upshur	No	---	---	---	---	---	599
Ul:								
URBAN LAND	Urban land	Unranked	---	---	---	---	---	4,899
VaB:								
VANDALIA SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	Vandalia	No	---	---	---	---	---	366
VaC:								
VANDALIA SILTY CLAY LOAM,8 TO 15 PERCENT SLOPES	Vandalia	No	---	---	---	---	---	2,218
VaD:								
VANDALIA SILTY CLAY LOAM, 15 TO 25 PERCENT SLOPES	Vandalia	No	---	---	---	---	---	1,533
VaD3:								
VANDALIA SILTY CLAY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	Vandalia	No	---	---	---	---	---	436
WmC:								
WESTMORELAND SILT LOAM, 8 TO 15 PERCENT SLOPES	Westmoreland	No	---	---	---	---	---	5,879
WmC3:								
WESTMORELAND SILT LOAM, 8 TO 15 PERCENT SLOPES SEVERELY ERODED	Westmoreland	No	---	---	---	---	---	532

HYDRIC SOILS LIST--Continued

Harrison and Taylor Counties, West Virginia: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
WmD:								
WESTMORELAND SILT LOAM, 15 TO 25 PERCENT SLOPES	Westmoreland	No	---	---	---	---	---	14,888
WmD3:								
WESTMORELAND SILT LOAM 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	Westmoreland	No	---	---	---	---	---	2,782
WmE:								
WESTMORELAND SILT LOAM, 25 TO 35 PERCENT SLOPES	Westmoreland	No	---	---	---	---	---	28,159
WmE3:								
WESTMORELAND SILT LOAM, 25 TO 35 PERCENT SLOPES, SEVERELY ERODED	Westmoreland	No	---	---	---	---	---	10,965
WmF:								
WESTMORELAND SILT LOAM, 35 TO 60 PERCENT SLOPES	Westmoreland	No	---	---	---	---	---	33,040
WrC:								
WHARTON SILT LOAM, 8 TO 15 PERCENT SLOPES	Wharton	No	---	---	---	---	---	1,716
	Nolo	Yes	ridge	2B3	YES	NO	NO	90
WrD:								
WHARTON SILT LOAM, 15 TO 25 PERCENT SLOPES	Wharton	No	---	---	---	---	---	376
ZoB:								
ZOAR SILT LOAM, 3 TO 8 PERCENT SLOPES	Zoar	No	---	---	---	---	---	289
ZoC:								
ZOAR SILT LOAM, 8 TO 15 PERCENT SLOPES	Zoar	No	---	---	---	---	---	274
ZZ900:								
CUT AND FILL LAND	Udorthents,sandstone	Unranked	---	---	---	---	---	948
ZZ901:								
MINE DUMPS	Udorthents,dumps,low	Unranked	---	---	---	---	---	380
ZZ902:								
PONDS AND LAKES LESS THAN 40 ACRES IN SIZE AND STREAMS LESS THAN 1/8 MILE WIDE	Ponds and lakes less	Unranked	---	---	---	---	---	2,320