

Table WMS-1.--Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AgC: Allegheny-----	100	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Depth to water	1.00
AgD: Allegheny-----	100	Somewhat limited Seepage Slope	0.70 0.08	Very limited Piping	1.00	Very limited Depth to water	1.00
At: Atkins-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 0.98	Somewhat limited Cutbanks cave	0.10
Ch: Chavies-----	100	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to water	1.00
ClB: Clarksburg-----	95	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone	0.97 0.95	Somewhat limited Slow refill Cutbanks cave Depth to water	0.30 0.10 0.02
Melvin-----	5	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00
ClC: Clarksburg-----	100	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping Depth to saturated zone	0.97 0.95	Somewhat limited Slow refill Cutbanks cave Depth to water	0.30 0.10 0.02
ClD: Clarksburg-----	100	Somewhat limited Seepage Slope	0.70 0.12	Somewhat limited Piping Depth to saturated zone	0.97 0.95	Somewhat limited Slow refill Cutbanks cave Depth to water	0.30 0.10 0.02
ClD3: Clarksburg-----	100	Somewhat limited Seepage Slope	0.70 0.12	Somewhat limited Piping Depth to saturated zone	0.97 0.95	Somewhat limited Slow refill Cutbanks cave	0.30 0.10

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to water	0.02
CoB: Cookport-----	100	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Slow refill	0.30
		Depth to bedrock	0.01	Depth to saturated zone	1.00	Cutbanks cave	0.10
				Thin layer	0.01	Depth to hard bedrock	0.05
						Depth to water	0.01
CoC: Cookport-----	100	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Slow refill	0.30
		Depth to bedrock	0.01	Depth to saturated zone	1.00	Cutbanks cave	0.10
		Slope	0.01	Thin layer	0.01	Depth to hard bedrock	0.05
						Depth to water	0.01
CuC: Culleoka-----	100	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to water	1.00
		Depth to bedrock	0.11	Thin layer	0.86		
CuD: Culleoka-----	100	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to water	1.00
		Depth to bedrock	0.11	Thin layer	0.86		
		Slope	0.04				
CuE: Culleoka-----	100	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to water	1.00
		Slope	0.28	Thin layer	0.86		
		Depth to bedrock	0.11				
CuE3: Culleoka-----	100	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to water	1.00
		Slope	0.28	Thin layer	0.86		
		Depth to bedrock	0.11				
CuF3: Culleoka-----	100	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to water	1.00
		Slope	0.88	Thin layer	0.86		
		Depth to bedrock	0.11				
DeC: DeKalb-----	100	Very limited Seepage	1.00	Somewhat limited Thin layer	0.86	Very limited Depth to water	1.00
		Depth to bedrock	0.86	Seepage	0.03		
		Slope	0.01				
DsF: DeKalb-----	100	Very limited Seepage	1.00	Somewhat limited Thin layer	0.86	Very limited Depth to water	1.00
		Slope	1.00	Seepage	0.03		

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to bedrock	0.86	Content of large stones	0.01		
EnB: Ernest-----	95	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.95 0.89	Somewhat limited Slow refill Cutbanks cave Depth to water	0.30 0.10 0.02
Atkins-----	5	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00
EnC: Ernest-----	100	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Depth to saturated zone Piping	0.95 0.89	Somewhat limited Slow refill Cutbanks cave Depth to water	0.30 0.10 0.02
EnD: Ernest-----	100	Somewhat limited Seepage Slope	0.70 0.12	Somewhat limited Depth to saturated zone Piping	0.95 0.89	Somewhat limited Slow refill Cutbanks cave Depth to water	0.30 0.10 0.02
EsC: Ernest-----	95	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.95 0.89	Somewhat limited Slow refill Cutbanks cave Depth to water	0.30 0.10 0.02
Atkins-----	5	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00
EsD: Ernest-----	100	Somewhat limited Seepage Slope	0.70 0.28	Somewhat limited Depth to saturated zone Piping	0.95 0.89	Somewhat limited Slow refill Cutbanks cave Depth to water	0.30 0.10 0.02
FaC: Faywood-----	100	Somewhat limited Depth to bedrock Seepage	0.86 0.02	Somewhat limited Thin layer Hard to pack	0.86 0.51	Very limited Depth to water	1.00
FaD: Faywood-----	100	Somewhat limited		Somewhat limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to bedrock	0.86	Thin layer	0.86	Depth to water	1.00
		Slope	0.04	Hard to pack	0.51		
		Seepage	0.02				
FaE: Faywood-----	100	Somewhat limited		Somewhat limited		Very limited	
		Depth to bedrock	0.86	Thin layer	0.86	Depth to water	1.00
		Slope	0.28	Hard to pack	0.51		
		Seepage	0.02				
FaF: Faywood-----	100	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.97	Thin layer	0.86	Depth to water	1.00
		Depth to bedrock	0.86	Hard to pack	0.51		
		Seepage	0.02				
Fo: Fluvaquents-----	95	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Depth to saturated zone	1.00	Cutbanks cave	0.10
				Piping	1.00		
Unnamed series-----	5	Not rated		Not rated		Not rated	
		Not rated; Slope		Not rated; Fragments > 75mm		Not rated; Fragments > 75mm	
				Not rated		Depth to water	1.00
				Not rated			
G1B: Gilpin-----	100	Somewhat limited		Very limited		Very limited	
		Seepage	0.70	Piping	1.00	Depth to water	1.00
		Depth to bedrock	0.11	Thin layer	0.86		
G1C: Gilpin-----	100	Somewhat limited		Very limited		Very limited	
		Seepage	0.70	Piping	1.00	Depth to water	1.00
		Depth to bedrock	0.11	Thin layer	0.86		
		Slope	0.01				
G1D: Gilpin-----	100	Somewhat limited		Very limited		Very limited	
		Seepage	0.70	Piping	1.00	Depth to water	1.00
		Slope	0.12	Thin layer	0.86		
		Depth to bedrock	0.11				
G1E: Gilpin-----	100	Somewhat limited		Very limited		Very limited	
		Seepage	0.70	Piping	1.00	Depth to water	1.00
		Slope	0.50	Thin layer	0.86		
		Depth to bedrock	0.11				
G1F: Gilpin-----	100	Somewhat limited		Very limited		Very limited	
		Slope	0.99	Piping	1.00	Depth to water	1.00
		Seepage	0.70	Thin layer	0.86		
		Depth to bedrock	0.11				

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GsC: Gilpin-----	100	Somewhat limited Seepage Depth to bedrock	 0.70 0.11	Somewhat limited Thin layer	 0.86	Very limited Depth to water	 1.00
GsE: Gilpin-----	100	Somewhat limited Seepage Slope Depth to bedrock	 0.70 0.28 0.11	Somewhat limited Thin layer	 0.86	Very limited Depth to water	 1.00
GtF: Gilpin-----	100	Very limited Slope Seepage Depth to bedrock	 1.00 0.70 0.11	Somewhat limited Thin layer	 0.86	Very limited Depth to water	 1.00
GuC: Gilpin-----	45	Somewhat limited Seepage Depth to bedrock Slope	 0.70 0.11 0.01	Very limited Piping Thin layer	 1.00 0.86	Very limited Depth to water	 1.00
Upshur-----	45	Somewhat limited Depth to bedrock Slope	 0.01 0.01	Somewhat limited Thin layer Hard to pack	 0.46 0.14	Very limited Depth to water	 1.00
Other soils-----	10	Not rated Not rated; Slope	 	Not rated Not rated; Fragments > 75mm Not rated Not rated	     	Not rated Not rated; Fragments > 75mm Depth to water	   1.00
GuC3: Gilpin-----	45	Somewhat limited Seepage Depth to bedrock Slope	 0.70 0.11 0.01	Very limited Piping Thin layer	 1.00 0.86	Very limited Depth to water	 1.00
Upshur-----	45	Somewhat limited Depth to bedrock Slope	 0.01 0.01	Somewhat limited Thin layer Hard to pack	 0.46 0.16	Very limited Depth to water	 1.00
Other soils-----	10	Not rated Not rated; Slope	 	Not rated Not rated; Fragments > 75mm Not rated Not rated	     	Not rated Not rated; Fragments > 75mm Depth to water	   1.00
GuD: Gilpin-----	45	Somewhat limited Seepage Slope Depth to bedrock	 0.70 0.12 0.11	Very limited Piping Thin layer	 1.00 0.86	Very limited Depth to water	 1.00
Upshur-----	45	Somewhat limited Slope	 0.12	Somewhat limited Thin layer	 0.46	Very limited Depth to water	 1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to bedrock	0.01	Hard to pack	0.14		
Other soils-----	10	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00
GuD3: Gilpin-----	45	Somewhat limited Seepage Slope Depth to bedrock	0.70 0.12 0.11	Very limited Piping Thin layer	1.00 0.86	Very limited Depth to water	1.00
Upshur-----	45	Somewhat limited Slope Depth to bedrock	0.12 0.01	Somewhat limited Thin layer Hard to pack	0.46 0.16	Very limited Depth to water	1.00
Other soils-----	10	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00
GuE: Gilpin-----	70	Somewhat limited Seepage Slope Depth to bedrock	0.70 0.50 0.11	Very limited Piping Thin layer	1.00 0.86	Very limited Depth to water	1.00
Upshur-----	20	Somewhat limited Slope Depth to bedrock	0.50 0.01	Somewhat limited Thin layer Hard to pack	0.46 0.14	Very limited Depth to water	1.00
Other soils-----	10	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00
GuE3: Gilpin-----	70	Somewhat limited Seepage Slope Depth to bedrock	0.70 0.50 0.11	Very limited Piping Thin layer	1.00 0.86	Very limited Depth to water	1.00
Upshur-----	20	Somewhat limited Slope Depth to bedrock	0.50 0.01	Somewhat limited Thin layer Hard to pack	0.46 0.16	Very limited Depth to water	1.00
Other soils-----	10	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
				Not rated			
GuF3: Gilpin-----	70	Very limited Slope Seepage Depth to bedrock	1.00 0.70 0.11	Very limited Piping Thin layer	1.00 0.86	Very limited Depth to water	1.00
Upshur-----	20	Very limited Slope Depth to bedrock	1.00 0.01	Somewhat limited Thin layer Hard to pack	0.46 0.16	Very limited Depth to water	1.00
Other soils-----	10	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00
GyB: Guernsey-----	100	Somewhat limited Seepage Depth to bedrock	0.02 0.01	Somewhat limited Depth to saturated zone Thin layer Hard to pack	0.95 0.11 0.02	Somewhat limited Slow refill Cutbanks cave Depth to water	0.98 0.10 0.02
GyC: Guernsey-----	100	Somewhat limited Seepage Slope Depth to bedrock	0.02 0.01 0.01	Somewhat limited Depth to saturated zone Thin layer Hard to pack	0.95 0.11 0.02	Somewhat limited Slow refill Cutbanks cave Depth to water	0.98 0.10 0.02
GyD: Guernsey-----	100	Somewhat limited Slope Seepage Depth to bedrock	0.12 0.02 0.01	Somewhat limited Depth to saturated zone Thin layer Hard to pack	0.95 0.11 0.02	Somewhat limited Slow refill Cutbanks cave Depth to water	0.98 0.10 0.02
GyD3: Guernsey-----	100	Somewhat limited Slope Seepage Depth to bedrock	0.12 0.02 0.01	Somewhat limited Depth to saturated zone Thin layer Hard to pack	0.95 0.11 0.02	Somewhat limited Slow refill Cutbanks cave Depth to water	0.98 0.10 0.02
Ha: Hackers-----	100	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Depth to water	1.00
Ln: Lindsay-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	0.99 0.95	Somewhat limited Cutbanks cave Depth to water	0.10 0.02
Melvin-----	5	Not rated		Not rated		Not rated	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Not rated; Slope		Not rated; Fragments > 75mm Not rated Not rated		Not rated; Fragments > 75mm Depth to water	1.00
Me: Melvin-----	100	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.93	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
MoB: Monongahela-----	100	Somewhat limited Seepage	0.70	Very limited Piping Depth to saturated zone	1.00 0.95	Somewhat limited Slow refill Cutbanks cave Depth to water	0.97 0.10 0.02
MoC: Monongahela-----	100	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping Depth to saturated zone	1.00 0.95	Somewhat limited Slow refill Cutbanks cave Depth to water	0.97 0.10 0.02
No: Nolin-----	100	Very limited Seepage	1.00	Somewhat limited Piping	0.95	Somewhat limited Depth to water Cutbanks cave	0.96 0.10
Ph: Philo-----	95	Very limited Seepage Depth to bedrock	1.00 0.46	Very limited Piping Depth to saturated zone Thin layer	1.00 0.95 0.46	Very limited Cutbanks cave Depth to hard bedrock Depth to water	1.00 1.00 0.02
Atkins-----	5	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00
Po: Pope-----	100	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to water	1.00
RaB: Rayne-----	100	Somewhat limited Seepage Depth to bedrock	0.70 0.01	Somewhat limited Thin layer	0.46	Very limited Depth to water	1.00
RaC: Rayne-----	100	Somewhat limited Seepage Depth to bedrock	0.70 0.01	Somewhat limited Thin layer	0.46	Very limited Depth to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.01				
Sm: Udorthents, mudstone,	100	Somewhat limited Slope	0.59	Somewhat limited Seepage	0.31	Very limited Depth to water	1.00
		Seepage	0.53				
Tg: Tygart-----	95	Not limited		Very limited Depth to saturated zone	1.00	Very limited Slow refill	1.00
				Piping	0.03	Cutbanks cave	0.10
Purdy-----	5	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
				Not rated Not rated Not rated		Depth to water	1.00
Uf: Fluvaquents-----	50	Not rated Not rated; Slope		Very limited Depth to saturated zone	1.00	Somewhat limited Cutbanks cave	0.10
		Seepage	1.00	Piping	1.00		
Fluvents-----	50	Not rated Not rated; Slope		Very limited Piping	1.00	Somewhat limited Depth to water	0.24
		Seepage	1.00	Depth to saturated zone	0.46	Cutbanks cave	0.10
UhC3: Upshur-----	100	Somewhat limited Depth to bedrock	0.01	Somewhat limited Thin layer	0.46	Very limited Depth to water	1.00
		Slope	0.01	Hard to pack	0.16		
UhD3: Upshur-----	100	Somewhat limited Slope	0.12	Somewhat limited Thin layer	0.46	Very limited Depth to water	1.00
		Depth to bedrock	0.01	Hard to pack	0.16		
U1: Urban land-----	100	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
				Not rated Not rated Thin layer	1.00	Depth to water	1.00
VaB: Vandalia-----	100	Somewhat limited Seepage	0.02	Not limited		Very limited Depth to water	1.00
VaC: Vandalia-----	100	Somewhat limited Seepage	0.02	Not limited		Very limited Depth to water	1.00
		Slope	0.01				

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
VaD: Vandalia-----	100	Somewhat limited Slope Seepage	 0.12 0.02	Not limited		Very limited Depth to water	 1.00
VaD3: Vandalia-----	100	Somewhat limited Slope Seepage	 0.12 0.02	Not limited		Very limited Depth to water	 1.00
WmC: Westmoreland-----	100	Somewhat limited Seepage Depth to bedrock Slope	 0.70 0.46 0.01	Very limited Piping Thin layer	 1.00 0.46	Very limited Depth to water	 1.00
WmC3: Westmoreland-----	100	Somewhat limited Seepage Depth to bedrock Slope	 0.70 0.46 0.01	Very limited Piping Thin layer	 1.00 0.46	Very limited Depth to water	 1.00
WmD: Westmoreland-----	100	Somewhat limited Seepage Depth to bedrock Slope	 0.70 0.46 0.12	Very limited Piping Thin layer	 1.00 0.46	Very limited Depth to water	 1.00
WmD3: Westmoreland-----	100	Somewhat limited Seepage Depth to bedrock Slope	 0.70 0.46 0.12	Very limited Piping Thin layer	 1.00 0.46	Very limited Depth to water	 1.00
WmE: Westmoreland-----	100	Somewhat limited Seepage Slope Depth to bedrock	 0.70 0.50 0.46	Very limited Piping Thin layer	 1.00 0.46	Very limited Depth to water	 1.00
WmE3: Westmoreland-----	100	Somewhat limited Seepage Slope Depth to bedrock	 0.70 0.50 0.46	Very limited Piping Thin layer	 1.00 0.46	Very limited Depth to water	 1.00
WmF: Westmoreland-----	100	Somewhat limited Slope Seepage Depth to bedrock	 0.94 0.70 0.46	Very limited Piping Thin layer	 1.00 0.46	Very limited Depth to water	 1.00
WrC: Wharton-----	95	Somewhat limited Seepage Depth to bedrock Slope	 0.02 0.01 0.01	Somewhat limited Depth to saturated zone Piping Thin layer	 0.95 0.89 0.46	Somewhat limited Slow refill Cutbanks cave Depth to water	 0.98 0.10 0.02

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Nolo-----	5	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00
WrD: Wharton-----	100	Somewhat limited Slope Seepage Depth to bedrock	0.12 0.02 0.01	Somewhat limited Depth to saturated zone Piping Thin layer	0.95 0.89 0.46	Somewhat limited Slow refill Cutbanks cave Depth to water	0.98 0.10 0.02
ZoB: Zoar-----	100	Somewhat limited Seepage	0.02	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Depth to water	0.98 0.10 0.01
ZoC: Zoar-----	100	Somewhat limited Seepage Slope	0.02 0.01	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Depth to water	0.98 0.10 0.01
ZZ900: Udorthents, sandstone	100	Not rated Not rated; Slope Seepage	1.00	Somewhat limited Seepage	0.31	Very limited Depth to water	1.00
ZZ901: Udorthents, dumps, low	100	Not rated Not rated; Slope Seepage	1.00	Somewhat limited Seepage	0.38	Very limited Depth to water	1.00
ZZ902: Ponds and lakes less	100	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm Not rated Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00