

Table A. - Acreage and Proportionate Extent of the Soils

Greenbrier County, West Virginia

Map Symbol	Soil Name	Acres	Percent
AIB	Allegheny loam, 3 to 8 percent slopes	687	0.1
AIC	Allegheny loam, 8 to 15 percent slopes	345	*
An	Atkins-philo-potomac complex	5,725	0.9
BaE	Belmont silt loam, 15 to 35 percent slopes, very rocky	131	*
BcC	Berks channery loam, 3 to 15 percent slopes, very stony	765	0.1
BcE	Berks channery loam, 15 to 35 percent slopes, very stony	2,735	0.4
BcF	Berks channery loam, 35 to 55 percent slopes, very stony	26,763	4.1
BkG	Berks, weikert and calvin soils, 55 to 80 percent slopes, very stony	9,734	1.5
BIC	Berks-dekalb complex, 3 to 15 percent slopes, very stony	6,128	0.9
BIE	Berks-dekalb complex, 15 to 35 percent slopes, very stony	13,551	2.1
BIF	Berks-dekalb complex, 35 to 55 percent slopes, very stony	27,688	4.2
BrE	Berks-weikert complex, 15 to 35 percent slopes, very stony	193	*
BrF	Berks-weikert complex, 35 to 55 percent slopes, very stony	1,292	0.2
BtC	Blackthorn very channery loam, 3 to 15 percent slopes, extremely stony	1,768	0.3
BiE	Blackthorn very channery loam, 15 to 35 percent slopes, extremely stony	4,568	0.7
BxF	Briery-rock outcrop complex, very steep	5,862	0.9
CbC	Calvin-dekalb-berks complex, 3 to 15 percent slopes, very stony	348	*
CbE	Calvin-dekalb-berks complex, 15 to 35 percent slopes, very stony	657	0.1
CbF	Calvin-dekalb-berks complex, 35 to 55 percent slopes, very stony	2,369	0.4
CeF	Caneyville-frederick-rock outcrop complex, karst, 35 to 60 percent slopes	14,843	2.3
CfB	Cateache silt loam, 3 to 8 percent slopes	1,549	0.2
CfC	Cateache silt loam, 8 to 15 percent slopes	6,458	1.0
CfD	Cateache silt loam, 15 to 25 percent slopes	5,729	0.9
CfE	Cateache silt loam, 25 to 35 percent slopes	4,098	0.6
CfF	Cateache silt loam, 35 to 55 percent slopes	4,988	0.8
CgC	Cateache silt loam, 3 to 15 percent slopes, very stony	2,003	0.3
CgE	Cateache silt loam, 15 to 35 percent slopes, very stony	8,077	1.2
CgF	Cateache silt loam, 35 to 55 percent slopes, very stony	33,640	5.1
Ch	Chavies fine sandy loam	2,642	0.4
CpB	Cookport loam, 3 to 8 percent slopes	1,719	0.3
CuB	Culleoka loam, 3 to 8 percent slopes	1,706	0.3
CuC	Culleoka loam, 8 to 15 percent slopes	7,167	1.1
CuD	Culleoka loam, 15 to 25 percent slopes	5,426	0.8
CyE	Culleoka loam, 25 to 35 percent slopes, very stony	8,963	1.4
CyF	Culleoka loam, 35 to 55 percent slopes, very stony	34,539	5.3
DeC	Dekalb channery sandy loam, 3 to 15 percent slopes, very stony	1,808	0.3
DeE	Dekalb channery sandy loam, 15 to 35 percent slopes, very stony	4,626	0.7
DeF	Dekalb channery sandy loam, 35 to 55 percent slopes, very stony	6,789	1.0
DhC	Dekalb-hazleton complex, 3 to 15 percent slopes, very stony	246	*
DhE	Dekalb-hazleton complex, 15 to 35 percent slopes, very stony	1,475	0.2
DhF	Dekalb-hazleton complex, 35 to 55 percent slopes, very stony	1,814	0.3
DkF	Dekalb-rock outcrop complex, 35 to 80 percent slopes, extremely stony	2,332	0.4
Du	Dunning silty clay loam, karst	1,316	0.2
EIF	Elliber extremely channery silt loam, 35 to 55 percent slopes	2,629	0.4
ErB	Ernest silt loam, 3 to 8 percent slopes	3,367	0.5
EsC	Ernest silt loam, 3 to 15 percent slopes, extremely stony	1,284	0.2
FaE	Faywood silt loam, 15 to 35 percent slopes, very rocky	86	*
FaF	Faywood silt loam, 35 to 55 percent slopes, very rocky	580	*
FkB	Frankstown silt loam, karst, 3 to 8 percent slopes	5,013	0.8
FkC	Frankstown silt loam, karst, 8 to 15 percent slopes	5,197	0.8

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Greenbrier County, West Virginia

Map Symbol	Soil Name	Acres	Percent
FkD	Frankstown silt loam, karst, 15 to 25 percent slopes	1,665	0.3
FoC	Frankstown silt loam, karst, 3 to 15 percent slopes, very rocky	862	0.1
FoE	Frankstown silt loam, karst, 15 to 35 percent slopes, very rocky	2,469	0.4
FrB	Frederick silt loam, karst, 3 to 8 percent slopes	5,498	0.8
FrC	Frederick silt loam, karst, 8 to 15 percent slopes	9,227	1.4
FrD	Frederick silt loam, karst, 15 to 25 percent slopes	3,096	0.5
FyC	Frederick-caneyville complex, karst, 3 to 15 percent slopes, very rocky	10,063	1.5
FyE	Frederick-caneyville complex, karst, 15 to 35 percent slopes, very rocky	25,100	3.8
GaC	Gauley channery sandy loam, 3 to 15 percent slopes, extremely stony	936	0.1
GaE	Gauley channery sandy loam, 15 to 35 percent slopes, extremely stony	70	*
GnC	Gilpin channery silt loam, 8 to 15 percent slopes	2,351	0.4
GnD	Gilpin channery silt loam, 15 to 25 percent slopes	801	0.1
GpC	Gilpin channery silt loam, 3 to 15 percent slopes, very stony	7,662	1.2
GpE	Gilpin channery silt loam, 15 to 35 percent slopes, very stony	9,142	1.4
Ho	Holly silt loam	294	*
KxF	Kaymine-rock outcrop complex, very steep	6,828	1.0
LcC	Leatherbark silt loam, 0 to 15 percent slopes, very stony	313	*
LgB	Lily sandy loam, 3 to 8 percent slopes	10,884	1.7
LgC	Lily sandy loam, 8 to 15 percent slopes	13,124	2.0
LhE	Lily sandy loam, 15 to 35 percent slopes, very stony	3,883	0.6
Lo	Lobdell silt loam	1,198	0.2
MaB	Macove channery silt loam, 3 to 8 percent slopes	229	*
MaC	Macove channery silt loam, 8 to 15 percent slopes	3,137	0.5
MaD	Macove channery silt loam, 15 to 25 percent slopes	134	*
McC	Macove channery silt loam, 3 to 15 percent slopes, very stony	13,812	2.1
McE	Macove channery silt loam, 15 to 35 percent slopes, very stony	19,641	3.0
MeF	Macove-gilpin complex, 35 to 55 percent slopes, very stony	40,917	6.2
MkC	Mandy channery silt loam, 3 to 15 percent slopes, very stony	9,652	1.5
MkE	Mandy channery silt loam, 15 to 35 percent slopes, very stony	13,057	2.0
MkF	Mandy channery silt loam, 35 to 55 percent slopes, very stony	25,860	3.9
MkG	Mandy channery silt loam, 55 to 80 percent slopes, very stony	266	*
Ml	Melvin-lindsay complex	10,688	1.6
MzC	Mertz channery silt loam, 8 to 15 percent slopes, very stony	1,925	0.3
MzE	Mertz channery silt loam, 15 to 35 percent slopes, very stony	1,795	0.3
No	Nolin silt loam	713	0.1
Ph	Philo silt loam	542	*
Po	Pope fine sandy loam	1,182	0.2
Pt	Potomac very gravelly fine sandy loam	950	0.1
PuA	Purdy silt loam, 0 to 3 percent slopes	440	*
Qu	Quarry, limestone	438	*
Se	Sensabaugh loam	1,282	0.2
SfB	Shouns channery silt loam, 3 to 8 percent slopes	982	0.1
SfC	Shouns channery silt loam, 8 to 15 percent slopes	1,922	0.3
ShC	Shouns channery silt loam, 3 to 15 percent slopes, extremely stony	2,875	0.4
ShE	Shouns channery silt loam, 15 to 35 percent slopes, extremely stony	6,319	1.0
ShF	Shouns channery silt loam, 35 to 55 percent slopes, extremely stony	983	0.1
SmC	Simoda silt loam, 3 to 15 percent slopes, very stony	1,096	0.2
SoC	Snowdog silt loam, 3 to 15 percent slopes, extremely stony	2,474	0.4
SoE	Snowdog silt loam, 15 to 35 percent slopes, extremely stony	15,619	2.4
SoF	Snowdog silt loam, 35 to 55 percent slopes, extremely stony	1,621	0.2

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Greenbrier County, West Virginia

Map Symbol	Soil Name	Acres	Percent
SvC	Summers very channery sandy loam, 0 to 15 percent slopes, very stony	2,618	0.4
Tp	Tioga-potomac complex	2,587	0.4
TrC	Trussel silt loam, 3 to 15 percent slopes, very stony	300	*
Uf	Udifluvents-fluvaquents complex	1,102	0.2
Ux	Udorthents, smoothed-rock outcrop complex	2,053	0.3
W	Water	2,827	0.4
WeC	Weikert channery silt loam, 8 to 15 percent slopes	1,509	0.2
WeD	Weikert channery silt loam, 15 to 25 percent slopes	5,698	0.9
WeF	Weikert channery silt loam, 25 to 55 percent slopes	42,375	6.5
WrG	Weikert-berks-rough complex, 55 to 80 percent slopes, very stony	492	*
ZoA	Zoar silt loam, 0 to 3 percent slopes	4,804	0.7
Total		655,800	100.0

* Less than 0.1 percent.