

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuB: Buchanan-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Depth to saturated zone	0.95	Too acid	1.00	Too acid	1.00
		Droughty	0.93	Depth to saturated zone	0.95	Depth to saturated zone	0.95
		Too acid	0.73	Droughty	0.93	Droughty	0.93
		Depth to cemented pan	0.68	Depth to cemented pan	0.68	Too steep for surface application	0.68
BuC: Buchanan-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Depth to saturated zone	0.95	Too acid	1.00	Too steep for surface application	1.00
		Droughty	0.93	Depth to saturated zone	0.95	Too acid	1.00
		Too acid	0.73	Droughty	0.93	Depth to saturated zone	0.95
		Depth to cemented pan	0.68	Depth to cemented pan	0.68	Droughty	0.93
BuD: Buchanan-----	100	Very limited		Very limited		Very limited	
		Slope	1.00	Low adsorption	1.00	Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Too acid	1.00	Too steep for sprinkler application	1.00
		Droughty	0.93	Depth to saturated zone	0.95	Too acid	1.00
		Too acid	0.73	Droughty	0.93	Depth to saturated zone	0.95
BvC: Buchanan-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Droughty	0.96	Too acid	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Droughty	0.96	Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Droughty	0.96
		Depth to cemented pan	0.68	Depth to cemented pan	0.68	Depth to saturated zone	0.95

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BvE:							
Buchanan-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Droughty	0.98	Too acid	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.95	Droughty	0.98	Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Droughty	0.98
CeF:							
Cedarcreek-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
		Cobble content	0.32	Cobble content	0.32	Too acid Cobble content	1.00 0.32
ChB:							
Chavies-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Too acid	0.08	Flooding	0.40	Too acid	0.31
				Too acid	0.31	Too steep for surface application	0.08
CoB:							
Cotaco-----	95	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Depth to saturated zone	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Too steep for surface application	0.68
Purdy-----							
	5	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
Cr:							
Craigsville-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	0.50	Too acid	1.00	Too acid	1.00
		Droughty	0.03	Flooding	0.40	Droughty	0.03
				Droughty	0.03		
DeC: DeKalb-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Droughty	1.00	Droughty	1.00
		Droughty	1.00	Low adsorption	1.00	Low adsorption	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Too steep for surface application	1.00
		Slope	0.63	Too acid	0.99	Filtering capacity	1.00
		Restricted permeability	0.50	Slope	0.63	Too acid	0.99
DeE: DeKalb-----	100	Very limited		Very limited		Very limited	
		Slope	1.00	Droughty	1.00	Droughty	1.00
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Droughty	1.00	Slope	1.00	Too steep for surface application	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Too steep for sprinkler application	1.00
		Restricted permeability	0.50	Too acid	0.99	Filtering capacity	1.00
DeF: DeKalb-----	100	Very limited		Very limited		Very limited	
		Slope	1.00	Droughty	1.00	Droughty	1.00
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Droughty	1.00	Slope	1.00	Too steep for surface application	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Too steep for sprinkler application	1.00
		Restricted permeability	0.50	Too acid	0.99	Filtering capacity	1.00
DRF: DeKalb-----	40	Very limited		Very limited		Very limited	
		Slope	1.00	Droughty	1.00	Droughty	1.00
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Droughty	1.00	Slope	1.00	Too steep for surface application	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Too steep for sprinkler application	1.00
		Restricted permeability	0.50	Too acid	0.99	Filtering capacity	1.00
Buchanan-----	30	Very limited		Very limited		Very limited	
		Slope	1.00	Low adsorption	1.00	Low adsorption	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Too acid	1.00	Too steep for sprinkler application	1.00
		Droughty	0.93	Depth to saturated zone	0.95	Too acid	1.00
		Too acid	0.73	Droughty	0.93	Depth to saturated zone	0.95
Other Soils-----	15	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
Ed: Elkins-----	100	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Flooding	1.00	Low adsorption	1.00
		Low adsorption	1.00	Low adsorption	1.00	Too acid	1.00
		Too acid	0.86	Too acid	1.00	Restricted permeability	1.00
		Flooding	0.60	Restricted permeability	1.00	Flooding	0.60
Ep: Elkins-----	100	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Flooding	1.00	Low adsorption	1.00
		Flooding	1.00	Low adsorption	1.00	Flooding	1.00
		Low adsorption	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.86	Restricted permeability	1.00	Restricted permeability	1.00
FeB: Fenwick-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Droughty	0.81	Droughty	0.81	Droughty	0.81
		Depth to bedrock	0.46	Depth to bedrock	0.46	Too steep for surface application	0.68

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	0.08	Too acid	0.31	Depth to bedrock	0.46
FeC: Fenwick-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Droughty	0.81	Droughty	0.81	Depth to saturated zone	1.00
		Slope	0.63	Slope	0.63	Droughty	0.81
		Depth to bedrock	0.46	Depth to bedrock	0.46	Too steep for sprinkler application	0.78
FvB: Fiveblock-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Cobble content	0.32	Cobble content	0.32	Too steep for surface application	0.68
		Droughty	0.01	Droughty	0.01	Cobble content	0.32
						Droughty	0.01
FvF: Fiveblock-----	100	Very limited		Very limited		Very limited	
		Slope	1.00	Low adsorption	1.00	Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Cobble content	0.32	Cobble content	0.32	Too steep for sprinkler application	1.00
		Droughty	0.01	Droughty	0.01	Cobble content	0.32
						Droughty	0.01
G1B: Gilpin-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Droughty	0.70	Droughty	0.70	Droughty	0.70
		Depth to bedrock	0.46	Depth to bedrock	0.46	Too steep for surface application	0.68
						Depth to bedrock	0.46
G1C: Gilpin-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.73	Too acid	1.00	Too steep for surface application	1.00
		Droughty	0.70	Droughty	0.70	Too acid	1.00
		Slope	0.63	Slope	0.63	Too steep for sprinkler application	0.78
		Depth to bedrock	0.46	Depth to bedrock	0.46	Droughty	0.70

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
G1D: Gilpin-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
		Droughty	0.70	Droughty	0.70	Too acid	1.00
		Depth to bedrock	0.46	Depth to bedrock	0.46	Droughty	0.70
G1E: Gilpin-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
		Droughty	0.70	Droughty	0.70	Too acid	1.00
		Depth to bedrock	0.46	Depth to bedrock	0.46	Droughty	0.70
G1F: Gilpin-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
		Droughty	0.70	Droughty	0.70	Too acid	1.00
		Depth to bedrock	0.46	Depth to bedrock	0.46	Droughty	0.70
GnC: Gilpin-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Droughty	0.76	Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.73	Droughty	0.76	Too acid	1.00
		Slope	0.63	Slope	0.63	Too steep for sprinkler application	0.78
		Cobble content	0.50	Cobble content	0.50	Droughty	0.76
GnE: Gilpin-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Droughty	0.76	Too acid	1.00	Too steep for sprinkler application	1.00
		Too acid	0.73	Droughty	0.76	Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
			Cobble content 0.50		Cobble content 0.50		Droughty 0.76
GnF: Gilpin-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Droughty	0.76	Too acid	1.00	Too steep for sprinkler application	1.00
		Too acid	0.73	Droughty	0.76	Too acid	1.00
		Cobble content	0.50	Cobble content	0.50	Droughty	0.76
GoF: Gilpin-----	65	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Droughty	0.76	Too acid	1.00	Too steep for sprinkler application	1.00
		Too acid	0.73	Droughty	0.76	Too acid	1.00
		Cobble content	0.50	Cobble content	0.50	Droughty	0.76
Buchanan-----	25	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Droughty	0.98	Too acid	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.95	Droughty	0.98	Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Droughty	0.98
Other Soils-----	10	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
GPF: Gilpin-----	40	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Droughty	0.76	Too acid	1.00	Too steep for sprinkler application	1.00
		Too acid	0.73	Droughty	0.76	Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pineville-----	30	Cobble content	0.50	Cobble content	0.50	Droughty	0.76
		Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.22	Too acid	0.77	Too steep for sprinkler application	1.00
Guyandotte-----	15	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.08	Too acid	0.31	Too steep for sprinkler application	1.00
						Too acid	0.31
Other Soils-----	15	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
GuD: Gilpin-----	70	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
		Droughty Depth to bedrock	0.70 0.46	Droughty Depth to bedrock	0.70 0.46	Too acid Droughty	1.00 0.70
Other Soils-----	15	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
Upshur-----	15	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Restricted permeability	1.00	Slope	1.00	Too steep for surface application	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GuE: Gilpin-----	70	Low adsorption	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Runoff limitation	0.40	Too acid	0.77	Restricted permeability	1.00
		Droughty	0.26	Droughty	0.26	Too acid	0.77
		Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
Other Soils-----	15	Droughty	0.70	Droughty	0.70	Too acid	1.00
		Depth to bedrock	0.46	Depth to bedrock	0.46	Droughty	0.70
		Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
Upshur-----	15	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Restricted permeability	1.00	Slope	1.00	Too steep for surface application	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Runoff limitation	0.40	Too acid	0.77	Restricted permeability	1.00
		Droughty	0.26	Droughty	0.26	Too acid	0.77
ItF: Itmann-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
KaB: Kaymine-----	100					Too acid	1.00
		Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Cobble content	0.32	Cobble content	0.32	Too steep for surface application	0.68
						Cobble content	0.32

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KaF: Kaymine-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Cobble content	0.32	Cobble content	0.32	Too steep for sprinkler application	1.00
						Cobble content	0.32
LlB: Lily-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Droughty	0.70	Droughty	0.70	Droughty	0.70
		Depth to bedrock	0.46	Depth to bedrock	0.46	Depth to bedrock	0.46
						Too steep for surface application	0.08
LlC: Lily-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Droughty	0.70	Droughty	0.70	Too steep for surface application	1.00
		Depth to bedrock	0.46	Depth to bedrock	0.46	Droughty	0.70
		Slope	0.04	Slope	0.04	Depth to bedrock	0.46
LlD: Lily-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Slope	1.00	Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.73	Slope	1.00	Too steep for sprinkler application	1.00
		Droughty	0.70	Droughty	0.70	Too acid	1.00
		Depth to bedrock	0.46	Depth to bedrock	0.46	Droughty	0.70
LlE: Lily-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
		Droughty	0.62	Droughty	0.62	Too acid	1.00
		Depth to bedrock	0.46	Depth to bedrock	0.46	Droughty	0.62
MoB: Monongahela-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.95	Too acid	1.00	Too acid	1.00
		Restricted permeability	0.81	Depth to saturated zone	0.95	Depth to saturated zone	0.95
		Too acid	0.50	Restricted permeability	0.68	Too steep for surface application	0.68
						Restricted permeability	0.68
Pc: Pope-----	50	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Low adsorption	1.00
		Low adsorption	1.00	Low adsorption	1.00	Flooding	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
Craigsville-----	35	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Low adsorption	1.00
		Low adsorption	1.00	Low adsorption	1.00	Flooding	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.50	Too acid	1.00	Too acid	1.00
		Droughty	0.03	Droughty	0.03	Droughty	0.03
Other Soils-----	10	Very limited		Very limited		Very limited	
		Slope	1.00	Low adsorption	1.00	Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
Elkins-----	5	Very limited		Very limited		Very limited	
		Slope	1.00	Low adsorption	1.00	Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
Pu: Purdy-----	100	Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Low adsorption	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Runoff limitation	0.40				
Ud: Udorthents-----	100	Very limited		Very limited		Very limited	
		Slope	1.00	Low adsorption	1.00	Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Too steep for sprinkler application	1.00
W: Water-----	100	Not rated		Not rated		Not rated	