

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuB: Buchanan-----	100	Very limited Depth to cemented pan	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to cemented pan	1.00
		Low adsorption	1.00	Depth to cemented pan	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Slope	0.50	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.68
BuC: Buchanan-----	100	Very limited Depth to cemented pan	1.00	Very limited Slope	1.00	Very limited Depth to cemented pan	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Seepage	1.00	Depth to cemented pan	1.00	Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
BuD: Buchanan-----	100	Very limited Depth to cemented pan	1.00	Very limited Slope	1.00	Very limited Depth to cemented pan	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Depth to cemented pan	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
BvC: Buchanan-----	100	Very limited Depth to cemented pan	1.00	Very limited Slope	1.00	Very limited Depth to cemented pan	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Depth to cemented pan	1.00	Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
BvE: Buchanan-----	100	Very limited Depth to cemented pan	1.00	Very limited Slope	1.00	Very limited Depth to cemented pan	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Depth to cemented pan	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
CeF: Cedarcreek-----	100	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid Cobble content	1.00 0.05	Cobble content	0.05	Too acid Cobble content	1.00 0.32
ChB: Chavies-----	100	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.32	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too acid	0.31
		Flooding	0.40			Too steep for surface application	0.08
		Too acid	0.31				
CoB: Cotaco-----	95	Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Slope	0.50	Depth to saturated zone	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Too acid	0.14	Too steep for surface application	0.68
Purdy-----	5	Very limited Too steep for surface application Low adsorption	1.00 1.00 1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application Too steep for sprinkler application	1.00 1.00
Cr: Craigsville-----	100	Very limited Seepage Low adsorption	1.00 1.00	Very limited Cobble content	1.00	Very limited Low adsorption Filtering capacity Too acid	1.00 1.00 1.00
		Cobble content Too acid Flooding	1.00 1.00 0.40				
DeC: Dekalb-----	100	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Slope Restricted permeability Depth to bedrock	1.00 1.00 1.00	Very limited Depth to bedrock Low adsorption	1.00 1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Too steep for surface application Too acid	1.00 0.99	Cobble content Too acid	0.16 0.14	Too steep for sprinkler application Filtering capacity	1.00 1.00
DeE: Dekalb-----	100	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Slope Restricted permeability Depth to bedrock	1.00 1.00 1.00	Very limited Depth to bedrock Low adsorption	1.00 1.00
		Too steep for surface application Low adsorption	1.00 1.00			Too steep for surface application Too steep for sprinkler application	1.00 1.00
		Too acid	0.99	Cobble content Too acid	0.16 0.14	Too steep for sprinkler application Filtering capacity	1.00 1.00
DeF: Dekalb-----	100	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Depth to bedrock Low adsorption	1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Low adsorption	1.00	Cobble content	0.16	Too steep for sprinkler application	1.00
		Too acid	0.99	Too acid	0.14	Filtering capacity	1.00
DRF:							
Dekalb-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Depth to bedrock	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Low adsorption	1.00	Cobble content	0.16	Too steep for sprinkler application	1.00
		Too acid	0.99	Too acid	0.14	Filtering capacity	1.00
Buchanan-----	30	Very limited Depth to cemented pan	1.00	Very limited Slope	1.00	Very limited Depth to cemented pan	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Depth to cemented pan	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Other Soils-----	15	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
Ed:							
Elkins-----	100	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ep: Elkins-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Flooding	0.60	Too acid	1.00
		Seepage	1.00	Too acid	0.42	Restricted permeability	0.96
		Too acid	1.00			Flooding	0.60
		Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Seepage	1.00	Too acid	0.42	Too acid	1.00
		Too acid	1.00			Restricted permeability	0.96
FeB: Fenwick-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.50	Too steep for surface application	0.68
		Too acid	0.31	Too acid	0.21	Too acid	0.31
FeC: Fenwick-----	100	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	1.00	Too acid	0.21	Depth to saturated zone	1.00
FvB: Fiveblock-----	100	Very limited Seepage	1.00	Somewhat limited Slope	0.50	Very limited Low adsorption	1.00
		Low adsorption	1.00	Cobble content	0.05	Too steep for surface application	0.68
		Cobble content	0.06			Cobble content	0.32
FvF: Fiveblock-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Cobble content	0.05	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
G1B: Gilpin-----	100	Low adsorption	1.00			Too steep for sprinkler application	1.00
		Cobble content	0.06			Cobble content	0.32
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
G1C: Gilpin-----	100	Seepage	1.00	Slope	0.50	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.68
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
G1D: Gilpin-----	100	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
G1E: Gilpin-----	100	Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
G1F: Gilpin-----	100	Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
GnC: Gilpin-----	100	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Too steep for surface application	1.00	Cobble content	0.01	Too steep for sprinkler application	1.00
GnE: Gilpin-----	100	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00	Cobble content	0.01	Too acid	1.00
GnF: Gilpin-----	100	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00	Cobble content	0.01	Too acid	1.00
GoF: Gilpin-----	65	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Buchanan-----	25	Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00	Cobble content	0.01	Too acid	1.00
		Very limited Depth to cemented pan	1.00	Very limited Slope	1.00	Very limited Depth to cemented pan	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Depth to cemented pan	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
Other Soils-----	10	Too acid	1.00	Too acid	0.14	Too acid	1.00
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
GPF: Gilpin-----	40	Seepage	1.00			Too steep for sprinkler application	1.00
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
Pineville-----	30	Too acid	1.00	Cobble content	0.01	Too acid	1.00
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Guyandotte-----	15	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00	Cobble content	0.07	Too steep for sprinkler application	1.00
		Too acid	0.31			Too acid	0.31
		Cobble content	0.05				
Other Soils-----	15	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
GuD: Gilpin-----	70	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Other Soils-----	15	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Upshur-----	15	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to bedrock	1.00			Depth to bedrock	1.00
		Too acid	0.77			Restricted permeability	0.96
GuE: Gilpin-----	70	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Other Soils-----	15	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Upshur-----	15	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
		Depth to bedrock	1.00			Depth to bedrock	1.00
		Too acid	0.77			Restricted permeability	0.96
ItF: Itmann-----	100	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
KaB: Kaymine-----	100	Very limited		Somewhat limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KaF: Kaymine-----	100	Low adsorption	1.00	Restricted permeability	0.62	Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too steep for surface application	0.68
		Cobble content	0.05	Cobble content	0.05	Cobble content	0.32
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
LlB: Lily-----	100	Seepage	1.00	Cobble content	0.05	Too steep for sprinkler application	1.00
		Cobble content	0.05			Cobble content	0.32
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
LlC: Lily-----	100	Too acid	1.00			Too steep for surface application	0.08
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	0.62	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
LlD: Lily-----	100	Too steep for surface application	0.50			Too steep for sprinkler application	0.50
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
LlE: Lily-----	100	Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
MoB:							
Monongahela-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Slope	0.50	Depth to saturated zone	0.95
		Depth to saturated zone	0.95			Too steep for surface application	0.68
						Restricted permeability	0.50
Pc:							
Pope-----	50	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	0.62	Flooding	1.00
		Low adsorption	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00				
Craigsville-----	35	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Low adsorption	1.00
		Seepage	1.00	Cobble content	1.00	Flooding	1.00
		Low adsorption	1.00			Filtering capacity	1.00
		Cobble content	1.00			Too acid	1.00
		Too acid	1.00				
Other Soils-----	10	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Elkins-----	5	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Pu: Purdy-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Seepage	0.62			Restricted permeability	0.96
Ud: Udorthents-----	100	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
W: Water-----	100	Not rated		Not rated		Not rated	