

Table ENG-5. - Sanitary Facilities

Pocahontas County, West Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AIB: Allegheny	100	Somewhat limited Restricted	0.50	Somewhat limited Slope Seepage	0.92 0.50
AIC: Allegheny	100	Somewhat limited Slope Restricted	0.63 0.50	Very limited Slope Seepage	1.00 0.50
At: Atkins	100	Very limited Flooding Depth to saturated zone Restricted	1.00 1.00 0.79	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
BaB: Belmont	100	Somewhat limited Depth to bedrock Restricted	0.78 0.50	Somewhat limited Slope Seepage Depth to hard	0.92 0.50 0.42
BaC: Belmont	100	Somewhat limited Depth to bedrock Slope Restricted	0.78 0.63 0.50	Very limited Slope Seepage Depth to hard	1.00 0.50 0.42
BaD: Belmont	100	Very limited Slope Depth to bedrock Restricted	1.00 0.78 0.50	Very limited Slope Seepage Depth to hard	1.00 0.50 0.42
BbC: Belmont	100	Somewhat limited Depth to bedrock Restricted Slope	0.78 0.50 0.04	Very limited Slope Seepage Depth to hard	1.00 0.50 0.42
BbE: Belmont	100	Very limited Slope Depth to bedrock Restricted	1.00 0.78 0.50	Very limited Slope Seepage Depth to hard	1.00 0.50 0.42
BbF: Belmont	100	Very limited Slope Depth to bedrock Restricted	1.00 0.78 0.50	Very limited Slope Seepage Depth to hard	1.00 0.50 0.42
BeB: Berks	100	Very limited Depth to bedrock	1.00	Very limited Depth to soft Seepage Slope	1.00 1.00 0.92
BeC: Berks	100	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
BeD: Berks	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
BeE: Berks	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
BfC: Berks	100	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to soft Seepage Slope	1.00 1.00 1.00
BfE: Berks	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
BfF: Berks	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
BgC: Berks	60	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to soft Seepage Slope	1.00 1.00 1.00
Dekalb	30	Very limited Depth to bedrock Filtering capacity Slope	1.00 1.00 0.04	Very limited Depth to hard Seepage Slope	1.00 1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
BgE: Berks	55	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
BgE: Dekalb	35	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
BgF: Berks	45	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Dekalb	40	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
BhG: Berks	35	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Weikert	25	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Calvin	20	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
BIC: Blackthorn	100	Somewhat limited Restricted Slope	0.73 0.04	Very limited Slope Seepage Content of large stones	1.00 1.00 0.02

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
BIE: Blackthorn	100	Very limited Slope Restricted	1.00 0.73	Very limited Slope Seepage Content of large stones	1.00 1.00 0.02
BIF: Blackthorn	100	Very limited Slope Restricted	1.00 0.73	Very limited Slope Seepage Content of large stones	1.00 1.00 0.02
BoB: Blairton	100	Very limited Depth to bedrock Depth to saturated zone Restricted	1.00 1.00 1.00	Very limited Depth to soft Depth to saturated zone Slope	1.00 1.00 0.92
BrF: Briery	70	Very limited Slope	1.00	Very limited Seepage Slope	1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
Rock Outcrop	15	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard Slope	1.00 1.00
CaC: Calvin	100	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
CbC: Calvin	100	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to soft Seepage Slope	1.00 1.00 1.00
CbE: Calvin	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CbF: Calvin	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
CdC: Calvin	45	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to soft Seepage Slope	1.00 1.00 1.00
Dekalb	25	Very limited Depth to bedrock Filtering capacity Slope	1.00 1.00 0.04	Very limited Depth to hard Seepage Slope	1.00 1.00 1.00
Berks	20	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to soft Seepage Slope	1.00 1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
CdE: Calvin	35	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Dekalb	30	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Berks	20	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
CdF: Calvin	35	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CdF: Dekalb	25	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Berks	20	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
CeB: Cateache	100	Very limited Depth to bedrock Restricted	1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 0.92 0.50
CeC: Cateache	100	Very limited Depth to bedrock Slope Restricted	1.00 0.63 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
CeD: Cateache	100	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
CfC: Cateache	100	Very limited Depth to bedrock Restricted Slope	1.00 0.50 0.04	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
CfE: Cateache	100	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
CfF: Cateache	100	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CfG: Cateache	100	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Ch: Chavies	100	Somewhat limited Flooding	0.40	Very limited Seepage Flooding	1.00 0.40
CuB: Culleoka	100	Very limited Depth to bedrock	1.00	Very limited Depth to soft Seepage Slope	1.00 1.00 0.92
CuC: Culleoka	100	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
CuD: Culleoka	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
CuE: Culleoka	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
CuF: Culleoka	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
DhC: Dekalb	55	Very limited Depth to bedrock Filtering capacity Slope	1.00 1.00 0.04	Very limited Depth to hard Seepage Slope	1.00 1.00 1.00

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
DhC: Hazleton	35	Very limited Filtering capacity Depth to bedrock Content of large stones	1.00 1.00 0.08	Very limited Seepage Slope Depth to hard	1.00 1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
DhE: Dekalb	55	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Hazleton	35	Very limited Slope Filtering capacity Depth to bedrock	1.00 1.00 1.00	Very limited Slope Seepage Depth to hard	1.00 1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
DhF: Dekalb	55	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Hazleton	35	Very limited Slope Filtering capacity Depth to bedrock	1.00 1.00 1.00	Very limited Slope Seepage Depth to hard	1.00 1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
DuB: Duffield	100	Somewhat limited Restricted	0.50	Somewhat limited Slope Seepage	0.92 0.50
DuC: Duffield	100	Somewhat limited Slope Restricted	0.63 0.50	Very limited Slope Seepage	1.00 0.50

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
EIF: Elliber	100	Very limited Slope Content of large stones	1.00 0.05	Very limited Slope Seepage Content of large stones	1.00 1.00 0.54
FaC: Faywood	100	Very limited Depth to bedrock Restricted Slope	1.00 1.00 0.04	Very limited Depth to hard Slope	1.00 1.00
FaE: Faywood	100	Very limited Depth to bedrock Slope Restricted	1.00 1.00 1.00	Very limited Depth to hard Slope	1.00 1.00
FaF: Faywood	100	Very limited Depth to bedrock Slope Restricted	1.00 1.00 1.00	Very limited Depth to hard Slope	1.00 1.00
GaC: Gauley	95	Very limited Depth to bedrock Content of large stones Slope	1.00 0.11 0.04	Very limited Depth to hard Seepage Slope	1.00 1.00 1.00
Trussel	5	Very limited Slope	1.00	Very limited Slope	1.00
GaE: Gauley	100	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 0.11	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Ho: Holly	100	Very limited Flooding Depth to saturated zone Restricted	1.00 1.00 0.73	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
LeC: Leatherbark	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 1.00
LIB: Lily	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard Seepage Slope	1.00 1.00 0.92
LIC: Lily	100	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
LID: Lily	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Lo: Lobdell	95	Very limited Flooding Depth to saturated zone Restricted	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Holly	5	Very limited Slope	1.00	Very limited Slope	1.00
LyB: Lodi	100	Somewhat limited Restricted	0.50	Somewhat limited Slope Seepage	0.92 0.50
LyC: Lodi	100	Somewhat limited Slope Restricted	0.63 0.50	Very limited Slope Seepage	1.00 0.50
MaB: Macove	100	Very limited Content of large stones	1.00	Very limited Seepage Content of large stones Slope	1.00 1.00 0.92

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MaC: Macove	100	Very limited Content of large stones Slope	1.00 0.63	Very limited Slope Seepage Content of large stones	1.00 1.00 1.00
MaD: Macove	100	Very limited Slope Content of large stones	1.00 1.00	Very limited Slope Seepage Content of large stones	1.00 1.00 1.00
McC: Macove	100	Very limited Content of large stones Slope	1.00 0.04	Very limited Seepage Slope Content of large stones	1.00 1.00 0.63
McE: Macove	100	Very limited Slope Content of large stones	1.00 1.00	Very limited Slope Seepage Content of large stones	1.00 1.00 0.63
MdC: Mandy	95	Very limited Depth to bedrock Slope Restricted	1.00 0.63 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Trussel	5	Very limited Slope	1.00	Very limited Slope	1.00
MdD: Mandy	100	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
MfC: Mandy	95	Very limited Depth to bedrock Restricted Slope	1.00 0.50 0.04	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Trussel	5	Very limited Slope	1.00	Very limited Slope	1.00

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MfE: Mandy	95	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Trussel	5	Very limited Slope	1.00	Very limited Slope	1.00
MfF: Mandy	100	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
MfG: Mandy	100	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Mh: Medihemists	100	Not limited		Not limited	
MrB: Mertz	100	Very limited Restricted	1.00	Somewhat limited Slope	0.92
MzC: Mertz	100	Very limited Restricted Slope	1.00 0.63	Very limited Slope	1.00
MzE: Mertz	100	Very limited Slope Restricted	1.00 1.00	Very limited Slope	1.00
Or: Orrville	95	Very limited Flooding Depth to saturated zone Restricted	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Holly	5	Very limited Slope	1.00	Very limited Slope	1.00

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ph: Philo	95	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage Depth to saturated zone	1.00
		Filtering capacity	1.00		
Atkins	5	Very limited Slope	1.00	Very limited Slope	1.00
Po: Potomac	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Flooding	0.40	Flooding	0.40
Holly	5	Very limited Slope	1.00	Very limited Slope	1.00
Pt: Potomac	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Flooding	0.40	Flooding	0.40
Fluvaquents	5	Very limited Slope	1.00	Very limited Slope	1.00
Holly	5	Very limited Slope	1.00	Very limited Slope	1.00
Pu: Purdy	100	Very limited Restricted Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Sc: Sees	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to bedrock	1.00	Depth to hard	1.00
Unnamed Series	5	Very limited Slope	1.00	Very limited Slope	1.00
Se: Sensabaugh	100	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	0.40	Seepage	1.00

Distribution Generation Date: 5/20/02

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
ShB: Shouns	100	Somewhat limited Restricted	0.50	Somewhat limited Slope Seepage	0.92 0.50
ShC: Shouns	100	Somewhat limited Slope Restricted	0.63 0.50	Very limited Slope Seepage	1.00 0.50
SsC: Shouns	100	Somewhat limited Restricted Slope	0.50 0.04	Very limited Slope Seepage	1.00 0.50
SsE: Shouns	100	Very limited Slope Restricted	1.00 0.50	Very limited Slope Seepage	1.00 0.50
SsF: Shouns	100	Very limited Slope Restricted	1.00 0.50	Very limited Slope Seepage	1.00 0.50
SwE: Snowdog	100	Very limited Depth to saturated zone Slope Restricted	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
Tg: Tioga	100	Very limited Flooding Filtering capacity Depth to saturated zone	1.00 1.00 0.84	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.17
TrC: Trussel	100	Very limited Depth to saturated zone Restricted Slope	1.00 1.00 0.04	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
Uf: Udfluvents	45	Not limited		Not limited	
Fluvaquents	35	Not limited		Not limited	

Table ENG-5. - Sanitary Facilities - Continued

Pocahontas County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Uf: Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
Us: Udorthents	100	Very limited Slope	1.00	Very limited Slope	1.00
W: Water	100	Very limited Slope	1.00	Very limited Slope	1.00
WeC: Weikert	100	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
WeD: Weikert	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
WeF: Weikert	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00