

Table A-4.--Important Farmland

(Only the soils considered prime farmland, unique farmland, or farmland of local importance are listed. Urban or built-up areas of the soils listed are not considered prime farmland.)

The following map units are Prime Farmland:

Symbol	Map Unit Name
Cd	Chagrin loam, rarely flooded
GfB	Glenford silt loam, 2 to 6 percent slopes
GmA	Glenford silt loam, 0 to 3 percent slopes
GyB	Gallipolis silt loam, 2 to 6 percent slopes
HcA	Hackers silt loam, 0 to 3 percent slopes
He	Hartshorn silt loam
KeB	Keene silt loam, 2 to 6 percent slopes
LcB	Licking silt loam, 2 to 6 percent slopes
OmB	Omulga silt loam, 2 to 6 percent slopes
PaB	Parke silt loam, 2 to 6 percent slopes
WqB	Westmore silt loam, 2 to 6 percent slopes

The following map units are Prime Farmland if drained:

Symbol	Map Unit Name
DxA	Doles silt loam, 0 to 3 percent slopes
EcA	Euclid silt loam, rarely flooded
FcA	Fitchville silt loam, 0 to 3 percent slopes
McA	McGary silt loam, 0 to 3 percent slopes

The following map units are Prime Farmland if protected from flooding or not frequently flooded during the growing season:

Symbol	Map Unit Name
Cg	Chagrin silt loam, frequently flooded
Mp	Moshannon silt loam, frequently flooded
No	Nolin silt loam, frequently flooded

The following map units are Prime Farmland if drained and either protected from flooding or not frequently flooded during the growing season:

Symbol	Map Unit Name
Mh	Melvin silt loam, frequently flooded
Nn	Newark silt loam, frequently flooded
Or	Orrville silt loam, frequently flooded

The following map units are Farmland of Local Importance:

Symbol	Map Unit Name
AaC2	Aaron silt loam, 6 to 12 percent slopes, eroded
BkD	Berks-Westmoreland silt loams, 15 to 25 percent slopes
BoD	Bethesda shaly silty clay loam, 8 to 25 percent slopes
BrC	Brookside silt loam, 8 to 15 percent slopes
BrD	Brookside silt loam, 15 to 25 percent slopes
CmC	Clymer loam, 8 to 15 percent slopes
DtD	Dekalb-Westmoreland complex, 15 to 25 percent slopes
FaD	Fairpoint silt loam, 8 to 25 percent slopes
GaC	Gallia loam, 8 to 15 percent slopes
GhD2	Gilpin-Upshur complex, 12 to 20 percent slopes, eroded
GmB	Glenford silt loam, 3 to 8 percent slopes
GmC	Glenford silt loam, 8 to 15 percent slopes
GsB	Guernsey silt loam, 3 to 8 percent slopes
GsC	Guernsey silt loam, 8 to 15 percent slopes
GuC	Guernsey-Upshur complex, 8 to 15 percent slopes
GuD	Guernsey-Upshur complex, 15 to 25 percent slopes
GwC	Guernsey-Westmoreland silt loams, 8 to 15 percent slopes
GwD	Guernsey-Westmoreland silt loams, 15 to 25 percent slopes
LhC2	Licking silt loam, 6 to 12 percent slopes, eroded
LkB	Licking silt loam, 3 to 8 percent slopes
LkC	Licking silt loam, 8 to 15 percent slopes
NeC	Negley loam, 8 to 15 percent slopes
OtB	Omulga silt loam, 3 to 8 percent slopes
OtC	Omulga silt loam, 8 to 15 percent slopes
RcC	Richland loam, 8 to 15 percent slopes
RcD	Richland loam, 15 to 25 percent slopes
StD	Steinsburg sandy loam, 15 to 25 percent slopes
UpC	Upshur silty clay loam, 8 to 15 percent slopes
UpD	Upshur silty clay loam, 15 to 25 percent slopes
UsC	Upshur-Elba silty clay loams, 8 to 15 percent slopes
UsD	Upshur-Elba silty clay loams, 15 to 25 percent slopes
VaC	Vandalia silty clay loam, 8 to 15 percent slopes
VbD	Vandalia-Brookside complex, 15 to 25 percent slopes
VcD	Vandalia-Richland complex, 15 to 25 percent slopes
VtC	Vincent silt loam, 6 to 12 percent slopes
WdB	Wellston silt loam, 3 to 8 percent slopes
WdC	Wellston silt loam, 8 to 15 percent slopes
WeB	Westmore silt loam, 3 to 8 percent slopes
WeC	Westmore silt loam, 8 to 15 percent slopes
WhC	Westmoreland-Guernsey silt loams, 8 to 15 percent slopes
WhD	Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
WmC	Westmoreland-Upshur complex, 8 to 15 percent slopes
WmD	Westmoreland-Upshur complex, 15 to 25 percent slopes
WpB	Wheeling loam, 3 to 10 percent slopes
WtB	Woodsfield silt loam, 3 to 8 percent slopes
WtC	Woodsfield silt loam, 8 to 15 percent slopes
ZnB	Zanesville silt loam, 3 to 8 percent slopes

