

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95
41B: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.50
41D: Sparta-----	95	Somewhat limited Too sandy Slope	0.95 0.16	Somewhat limited Too sandy Slope	0.95 0.16	Very limited Slope Too sandy	1.00 0.95
51B: Vesser-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding Slope	1.00 0.60 0.50
63B: Chelsea-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.13
63C: Chelsea-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
63D: Chelsea-----	100	Somewhat limited Too sandy Slope	0.95 0.63	Somewhat limited Too sandy Slope	0.95 0.63	Very limited Slope Too sandy	1.00 0.95
63E: Chelsea-----	95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95
63G: Chelsea-----	95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95
65D2: Lindley-----	100	Somewhat limited		Somewhat limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.16	Slope	0.16	Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
65E2: Lindley-----	100	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
65F: Lindley-----	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
65G: Lindley-----	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
118: Garwin-----	95	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
119: Muscatine-----	90	Not limited		Not limited		Not limited	
120B: Tama-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
120B2: Tama-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
120C: Tama-----	100	Not limited		Not limited		Very limited Slope	1.00
120C2: Tama-----	100	Not limited		Not limited		Very limited Slope	1.00
120C3: Tama-----	100	Not limited		Not limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	1.00
120D2: Tama-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
120D3: Tama-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
122: Sperry-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
133: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.40	Flooding	1.00
133B: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00			Flooding	0.60
						Slope	0.50
135B: Coland-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00			Flooding	0.60
						Slope	0.50
136: Ankeny-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
139: Perks-----	90	Very limited Flooding	1.00	Somewhat limited Too sandy	0.87	Very limited Flooding	1.00
		Too sandy	0.87	Flooding	0.40	Too sandy	0.87
						Slope	0.01

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
141: Watseka-----	95	Somewhat limited Too sandy Depth to saturated zone	0.76 0.39	Somewhat limited Too sandy Depth to saturated zone	0.76 0.19	Somewhat limited Too sandy Depth to saturated zone	0.76 0.39
152: Marshan-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
160: Walford-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
162B: Downs-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
162C: Downs-----	100	Not limited		Not limited		Very limited Slope	1.00
162C2: Downs-----	100	Not limited		Not limited		Very limited Slope	1.00
162C3: Downs-----	100	Not limited		Not limited		Very limited Slope	1.00
162D2: Downs-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
162D3: Downs-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163B: Fayette-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
163C: Fayette-----	100	Not limited		Not limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	1.00
163C2: Fayette-----	100	Not limited		Not limited		Very limited Slope	1.00
163D: Fayette-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163D2: Fayette-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163E: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163E2: Fayette-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163F: Fayette-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163G: Fayette-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
164: Traer-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94
165: Stronghurst-----	95	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone Slope	0.39 0.01
173: Hoopeston-----	95	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
174: Bolan-----	90	Not limited		Not limited		Not limited	
174B: Bolan-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
175: Dickinson-----	95	Not limited		Not limited		Not limited	
175B: Dickinson-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
175C: Dickinson-----	100	Not limited		Not limited		Very limited Slope	1.00
179D2: Gara-----	95	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
179F: Gara-----	95	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
212: Kennebec-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
249B: Zwingle-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 1.00 1.00
291: Atterberry-----	90	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
291B: Atterberry-----	90	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Slope Depth to saturated zone	0.50  0.39
293G: Chelsea-----	50	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 1.00 0.95
Fayette-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
313G: Gosport-----	90	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.07	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.03	Very limited Slope Restricted permeability Depth to bedrock Depth to saturated zone	1.00 1.00 0.46 0.07
315: Aquolls-----	90	Not rated		Not rated		Not rated	
352B: Whittier-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
352C: Whittier-----	95	Not limited		Not limited		Very limited Slope	1.00
352C2: Whittier-----	95	Not limited		Not limited		Very limited Slope	1.00
352D2: Whittier-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
450B: Pillot-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
450C2: Pillot-----	95	Not limited		Not limited		Very limited Slope	1.00
467: Radford-----	98	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
467B: Radford-----	98	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Slope	0.50
						Depth to saturated zone	0.39
479G: Gale-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock	1.00 0.46
480C2: Orwood-----	90	Not limited		Not limited		Very limited Slope	1.00
480D2: Orwood-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
480F2: Orwood-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
481D2: Russell-----	95	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
481E2: Russell-----	100	Very limited		Very limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	1.00	Slope	1.00	Slope	1.00
485: Spillville-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
485B: Spillville-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
488C2: Newvienna-----	90	Not limited		Not limited		Very limited Slope	1.00
488C3: Newvienna-----	100	Not limited		Not limited		Very limited Slope	1.00
488D2: Newvienna-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
488D3: Newvienna-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
490: Caneek-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
539: Perks-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
566B: Moingona-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
566C: Moingona-----	95	Not limited		Not limited		Very limited Slope	1.00
567B: Moingona Variant----	95	Not limited		Not limited		Somewhat limited Slope	0.50

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
623C2: Rozetta-----	100	Not limited		Not limited		Very limited Slope	1.00
623D2: Rozetta-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
653: Tuskeego-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
680G: Lindley-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
Douds-----	20	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Orwood-----	20	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
684: Elrick-----	90	Very limited Flooding	1.00	Not limited		Not limited	
727: Udolpho-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
753B: Thebes-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
753C: Thebes-----	95	Not limited		Not limited		Very limited Slope	1.00
753C2: Thebes-----	95	Not limited		Not limited		Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
753D2: Thebes-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
759: Fruitfield-----	95	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Too sandy	1.00
759B: Fruitfield-----	100	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Too sandy Slope	1.00 0.50
763E3: Exette-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
763F3: Exette-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
771C2: Waubeek-----	95	Not limited		Not limited		Very limited Slope	1.00
771D2: Waubeek-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
793: Bertrand-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
826: Rowley-----	90	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39
916B: Downs-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
916B2: Downs-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
916C: Downs-----	100	Not limited		Not limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	1.00
916C2: Downs-----	95	Not limited		Not limited		Very limited Slope	1.00
917B: Fayette-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
917C: Fayette-----	100	Not limited		Not limited		Very limited Slope	1.00
917C2: Fayette-----	95	Not limited		Not limited		Very limited Slope	1.00
917D2: Fayette-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
920B: Tama-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
920B2: Tama-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
920C: Tama-----	100	Not limited		Not limited		Very limited Slope	1.00
920C2: Tama-----	95	Not limited		Not limited		Very limited Slope	1.00
920C3: Tama-----	95	Not limited		Not limited		Very limited Slope	1.00
925: Toolesboro-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
930: Orion-----	95	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone Slope	0.39 0.01
960: Shaffton-----	95	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
961: Ambraw-----	98	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
963: Elvers-----	90	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
977: Richwood-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
977B2: Richwood-----	100	Not limited		Not limited		Somewhat limited Slope	0.13
1043: Bremer-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
1212: Kennebec-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
1490: Caneek-----	98	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Flooding	1.00	Flooding	0.40	Flooding	1.00
1520: Coppock-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1621: Houghton-----	100	Very limited Depth to saturated zone Content of organic matter	1.00	Very limited Depth to saturated zone Content of organic matter	1.00	Very limited Depth to saturated zone Content of organic matter	1.00
1926: Canoe-----	90	Not limited		Not limited		Not limited	
2221: Palms-----	95	Very limited Depth to saturated zone Content of organic matter	1.00	Very limited Depth to saturated zone Content of organic matter	1.00	Very limited Depth to saturated zone Content of organic matter	1.00
2226: Elrin-----	90	Not limited		Not limited		Not limited	
2490: Caneek Variant-----	95	Somewhat limited Too sandy	0.87	Somewhat limited Too sandy	0.87	Somewhat limited Too sandy Slope	0.87 0.01
2587: Dolbee-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
2636: Radford-----	50	Very limited Flooding Depth to saturated zone	1.00 0.39	Somewhat limited Flooding Depth to saturated zone	0.40 0.19	Very limited Flooding Depth to saturated zone	1.00 0.39
Hanlon-----	30	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
3133: Colo-----	100	Very limited		Very limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
3134: Zook-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
3135: Coland-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
3960: Shaffton-----	95	Not limited		Not limited		Not limited	
3961: Ambraw-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
4160: Walford-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
Urban Land-----	25	Not rated		Not rated		Not rated	
4162C: Downs-----	50	Not limited		Not limited		Very limited Slope	1.00
Urban Land-----	45	Not rated		Not rated		Not rated	
4163D: Fayette-----	50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Urban Land-----	45	Not rated		Not rated		Not rated	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
4636: Radford-----	50	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
Urban Land-----	45	Not rated		Not rated		Not rated	
4759: Fruitfield-----	45	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Too sandy	1.00
Urban Land-----	45	Not rated		Not rated		Not rated	
4960: Shaffton-----	50	Not limited		Not limited		Not limited	
Urban Land-----	40	Not rated		Not rated		Not rated	
4977B: Richwood-----	50	Not limited		Not limited		Somewhat limited Slope	0.50
Urban Land-----	40	Not rated		Not rated		Not rated	
5010: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	100	Not rated		Not rated		Not rated	