

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Osceola County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
4: Knoke-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
6: Okoboji-----	98	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
27B: Terril-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
28B: Dickman-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
28B2: Dickman-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
31: Afton-----	100	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 0.60 0.15
32: Spicer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
48: Knoke-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Osceola County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
55: Nicollet-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
62C2: Storden-----	90	Not limited		Not limited		Very limited Slope	1.00
62D2: Storden-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
62E2: Storden-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
62G: Storden-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
77: Sac-----	95	Not limited		Not limited		Not limited	
77B: Sac-----	98	Not limited		Not limited		Somewhat limited Slope	0.50
77B2: Sac-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
77C2: Sac-----	95	Not limited		Not limited		Very limited Slope	1.00
90: Okoboji-----	98	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
91: Primghar-----	90	Not limited		Not limited		Not limited	
91B: Primghar-----	90	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Osceola County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.13
92: Marcus-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
95: Harps-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
107: Webster-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
108: Wadena-----	95	Not limited		Not limited		Not limited	
108B: Wadena-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
108B2: Wadena-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
135: Coland-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00			Flooding	0.60
138B: Clarion-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
138B2: Clarion-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
138C: Clarion-----	90	Not limited		Not limited		Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Osceola County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
138C2: Clarion-----	90	Not limited		Not limited		Very limited Slope	1.00
138D2: Clarion-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
201B: Coland-----	60	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding Slope	1.00 0.60 0.50
Terril-----	40	Not limited		Not limited		Somewhat limited Slope	0.50
202: Cylinder-----	90	Not limited		Not limited		Not limited	
203: Cylinder-----	90	Not limited		Not limited		Not limited	
259: Biscay-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
272: Kananranzi Variant---	100	Not limited		Not limited		Not limited	
272B: Kananranzi Variant---	100	Not limited		Not limited		Somewhat limited Slope	0.50
272C2: Kananranzi Variant---	100	Not limited		Not limited		Very limited Slope	1.00
274: Rolfe-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Osceola County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
282: Ransom-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability Slope	0.15 0.01
308: Wadena-----	95	Not limited		Not limited		Not limited	
308B: Wadena-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
309: Allendorf-----	100	Not limited		Not limited		Not limited	
309B: Allendorf-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
310: Galva-----	95	Not limited		Not limited		Not limited	
310B: Galva-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
311: Galva-----	100	Not limited		Not limited		Not limited	
311B: Galva-----	99	Not limited		Not limited		Somewhat limited Slope	0.50
354: Aquolls-----	100	Very limited Not Rated (miscellaneous unit) Depth to saturated zone	1.00 1.00	Very limited Not Rated (miscellaneous unit) Depth to saturated zone	1.00 1.00	Very limited Not Rated (miscellaneous unit) Depth to saturated zone	1.00 1.00
384: Collinwood-----	90	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability Slope	0.60 0.01

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Osceola County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
387B: Kamrar-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability Slope	0.15 0.13
390: Waldorf-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.60	Very limited Depth to saturated zone Restricted permeability	1.00 0.60	Very limited Depth to saturated zone Restricted permeability	1.00 0.60
396: Letri-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
397: Letri-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
433D2: Storden-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
433E2: Storden-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
433G: Storden-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
456: Wilmington-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability Slope	0.15 0.01
507: Canisteo-----	90	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Osceola County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
559: Talcot-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
577: Everly-----	95	Not limited		Not limited		Not limited	
577B: Everly-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
577B2: Everly-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
577C: Everly-----	90	Not limited		Not limited		Very limited Slope	1.00
577C2: Everly-----	90	Not limited		Not limited		Very limited Slope	1.00
577D2: Everly-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
638C2: Clarion-----	70	Not limited		Not limited		Very limited Slope	1.00
638D2: Clarion-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Storden-----	35	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
638E2: Clarion-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Storden-----	40	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Osceola County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	1.00	Slope	1.00	Slope	1.00
655: Crippin-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
735: Havelock-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
744: Revere-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
878B: Ocheyedan-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
879: Fostoria-----	90	Not limited		Not limited		Not limited	
2573: Hoopeston Variant---	90	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39
5010: Pits, Sand And Grave	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	