

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Shelby County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdD2: Adair-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
						Slope	0.01
AdF2: Adair-----	100	Somewhat limited Slope	0.01	Not limited		Very limited Slope	1.00
						Depth to saturated zone	0.19
AdH2: Adair-----	100	Somewhat limited Slope	0.92	Not limited		Very limited Slope	1.00
						Depth to saturated zone	0.19
AsD3: Adair-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
						Slope	0.01
AsF3: Adair-----	100	Somewhat limited Slope	0.01	Not limited		Very limited Slope	1.00
						Depth to saturated zone	0.19
CdD2: Clarinda-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
						Slope	0.01
CdF2: Clarinda-----	100	Somewhat limited Slope	0.01	Not limited		Very limited Slope	1.00
						Depth to saturated zone	0.19
Cm: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
						Flooding	0.60

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Shelby County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CnD3: Clarinda-----	100	Very limited Too clayey	1.00	Very limited Too clayey	1.00	Very limited Too clayey Depth to saturated zone Slope	1.00 0.19 0.01
CnF3: Clarinda-----	100	Very limited Too clayey Slope	1.00 0.01	Very limited Too clayey	1.00	Very limited Too clayey Slope Depth to saturated zone	1.00 1.00 0.19
Co: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Cr: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Cs: Corley-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Ct: Corley-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
DoE3: Dow-----	100	Not limited		Not limited		Somewhat limited Slope	0.37
DoF3: Dow-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
IdC3: Ida-----	100	Not limited		Not limited		Not limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Shelby County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
IdD3: Ida-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
IdE3: Ida-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
IdF3: Ida-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
IdG3: Ida-----	100	Somewhat limited Slope	0.68	Not limited		Very limited Slope	1.00
IdH3: Ida-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.01	Very limited Slope	1.00
IdI3: Ida-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.68	Very limited Slope	1.00
JdA: Judson-----	100	Not limited		Not limited		Not limited	
JdB: Judson-----	100	Not limited		Not limited		Not limited	
JdC: Judson-----	100	Not limited		Not limited		Not limited	
JnB: Judson-----	30	Not limited		Not limited		Not limited	
Nodaway-----	30	Not limited		Not limited		Somewhat limited Flooding	0.60
Colo-----	20	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
JnC: Judson-----	65	Not limited		Not limited		Not limited	
Nodaway-----	20	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Shelby County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Flooding	0.60
Colo-----	15	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
JzB: Judson-----	30	Not limited		Not limited		Not limited	
Nodaway-----	30	Not limited		Not limited		Somewhat limited Flooding	0.60
Zook-----	20	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey Flooding	1.00 1.00 0.60
JzC: Judson-----	60	Not limited		Not limited		Not limited	
Nodaway-----	20	Not limited		Not limited		Somewhat limited Flooding	0.60
Zook-----	20	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Kb: Kennebec-----	98	Not limited		Not limited		Somewhat limited Flooding	0.60
Kc: Kennebec-----	96	Not limited		Not limited		Somewhat limited Flooding	0.60
MaA: Marshall-----	100	Not limited		Not limited		Not limited	
MaB: Marshall-----	100	Not limited		Not limited		Not limited	
MaC2: Marshall-----	100	Not limited		Not limited		Not limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Shelby County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MaD2: Marshall-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
MaE2: Marshall-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
MaF2: Marshall-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
MaH2: Marshall-----	100	Somewhat limited Slope	0.92	Not limited		Very limited Slope	1.00
MbA: Marshall-----	100	Not limited		Not limited		Not limited	
MbB: Marshall-----	100	Not limited		Not limited		Not limited	
MbC2: Marshall-----	100	Not limited		Not limited		Not limited	
MbD2: Marshall-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
McC3: Marshall-----	100	Not limited		Not limited		Not limited	
McD3: Marshall-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
McE3: Marshall-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
McF3: Marshall-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
McG3: Marshall-----	100	Somewhat limited Slope	0.68	Not limited		Very limited Slope	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Shelby County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
McI3: Marshall-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.08	Very limited Slope	1.00
MdD3: Marshall-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
MdE3: Marshall-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
Me: Minden-----	98	Not limited		Not limited		Not limited	
Mn: Minden-----	98	Not limited		Not limited		Not limited	
MoB2: Monona-----	100	Not limited		Not limited		Not limited	
MoC2: Monona-----	100	Not limited		Not limited		Not limited	
MoC3: Monona-----	100	Not limited		Not limited		Not limited	
MoD2: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
MoD3: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
MoE2: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
MoE3: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
MoF2: Monona-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Shelby County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MoF3: Monona-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
MoG2: Monona-----	100	Somewhat limited Slope	0.68	Not limited		Very limited Slope	1.00
MoG3: Monona-----	100	Somewhat limited Slope	0.68	Not limited		Very limited Slope	1.00
MoI3: Monona-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.08	Very limited Slope	1.00
MtB: Monona-----	100	Not limited		Not limited		Not limited	
MtC2: Monona-----	100	Not limited		Not limited		Not limited	
MtD2: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
MtE3: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
No: Nodaway-----	98	Not limited		Not limited		Somewhat limited Flooding	0.60
Ns: Nodaway-----	98	Not limited		Not limited		Somewhat limited Flooding	0.60
ShD2: Shelby-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
ShE2: Shelby-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
ShF2: Shelby-----	100	Somewhat limited		Not limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Shelby County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.02			Slope	1.00
ShG2: Shelby-----	100	Somewhat limited Slope	0.68	Not limited		Very limited Slope	1.00
ShH2: Shelby-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.08	Very limited Slope	1.00
SoD3: Shelby-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
SoE3: Shelby-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
SoF3: Shelby-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
SoG3: Shelby-----	100	Somewhat limited Slope	0.68	Not limited		Very limited Slope	1.00
SrD2: Steinauer-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
SrE2: Steinauer-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
SrF2: Steinauer-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
SrG2: Steinauer-----	100	Somewhat limited Slope	0.92	Not limited		Very limited Slope	1.00
SsD3: Steinauer-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
SsE3: Steinauer-----	100	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Shelby County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SsF3: Steinauer-----	100	Somewhat limited Slope	0.02	Not limited		Slope	0.63
Zc: Zook-----	100	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey Flooding	1.00 1.00 1.00 0.60
Zo: Zook-----	96	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey Flooding	1.00 1.00 1.00 0.60
Zs: Zook-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 1.00 0.60
Zy: Zook-----	96	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 1.00 0.60