

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.08
41B: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.08
41D: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Slope Droughty	0.16 0.08
51B: Vesser-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
63B: Chelsea-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.37
63C: Chelsea-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.37
63D: Chelsea-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Slope Droughty	0.63 0.37
63E: Chelsea-----	95	Somewhat limited Too sandy Slope	0.95 0.50	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	1.00 0.37
63G: Chelsea-----	95	Very limited Slope Too sandy	1.00 0.95	Somewhat limited Too sandy Slope	0.95 0.78	Very limited Slope Droughty	1.00 0.37
65D2: Lindley-----	100	Not limited		Not limited		Somewhat limited Slope	0.16
65E2: Lindley-----	100	Somewhat limited		Not limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.02			Slope	1.00
65F: Lindley-----	90	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
65G: Lindley-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
118: Garwin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
119: Muscatine-----	90	Not limited		Not limited		Not limited	
120B: Tama-----	100	Not limited		Not limited		Not limited	
120B2: Tama-----	100	Not limited		Not limited		Not limited	
120C: Tama-----	100	Not limited		Not limited		Not limited	
120C2: Tama-----	100	Not limited		Not limited		Not limited	
120C3: Tama-----	100	Not limited		Not limited		Not limited	
120D2: Tama-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
120D3: Tama-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
122: Sperry-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
133: Colo-----	95	Very limited		Very limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
133B: Colo-----	95	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
135B: Coland-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
136: Ankeny-----	100	Not limited		Not limited		Not limited	
139: Perks-----	90	Somewhat limited Too sandy	0.87	Somewhat limited Too sandy	0.87	Very limited Flooding Droughty	1.00 1.00
		Flooding	0.40	Flooding	0.40		
141: Watseka-----	95	Somewhat limited Too sandy	0.76	Somewhat limited Too sandy	0.76	Somewhat limited Depth to saturated zone Droughty	0.19 0.07
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
152: Marshan-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
160: Walford-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
162B: Downs-----	95	Not limited		Not limited		Not limited	
162C: Downs-----	100	Not limited		Not limited		Not limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
162C2: Downs-----	100	Not limited		Not limited		Not limited	
162C3: Downs-----	100	Not limited		Not limited		Not limited	
162D2: Downs-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
162D3: Downs-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
163B: Fayette-----	95	Not limited		Not limited		Not limited	
163C: Fayette-----	100	Not limited		Not limited		Not limited	
163C2: Fayette-----	100	Not limited		Not limited		Not limited	
163D: Fayette-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
163D2: Fayette-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
163E: Fayette-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
163E2: Fayette-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
163F: Fayette-----	90	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
163G: Fayette-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
164: Traer-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
165: Stronghurst-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
173: Hoopeston-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
174: Bolan-----	90	Not limited		Not limited		Not limited	
174B: Bolan-----	95	Not limited		Not limited		Not limited	
175: Dickinson-----	95	Not limited		Not limited		Not limited	
175B: Dickinson-----	100	Not limited		Not limited		Not limited	
175C: Dickinson-----	100	Not limited		Not limited		Not limited	
179D2: Gara-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
179F: Gara-----	95	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
212: Kennebec-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60
249B: Zwingle-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
291: Atterberry-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
291B: Atterberry-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
293G: Chelsea-----	50	Very limited Slope Too sandy	1.00 0.95	Somewhat limited Too sandy Slope	0.95 0.56	Very limited Slope Droughty	1.00 0.53
Fayette-----	35	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
313G: Gosport-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope Depth to bedrock Depth to saturated zone Droughty	1.00 0.46 0.03 0.01
315: Aguolls-----	90	Not rated		Not rated		Not rated	
352B: Whittier-----	95	Not limited		Not limited		Not limited	
352C: Whittier-----	95	Not limited		Not limited		Not limited	
352C2: Whittier-----	95	Not limited		Not limited		Not limited	
352D2: Whittier-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
450B: Pillot-----	95	Not limited		Not limited		Not limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
450C2: Pillot-----	95	Not limited		Not limited		Not limited	
467: Radford-----	98	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
467B: Radford-----	98	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
479G: Gale-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope Depth to bedrock	1.00 0.46
480C2: Orwood-----	90	Not limited		Not limited		Not limited	
480D2: Orwood-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
480F2: Orwood-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
481D2: Russell-----	95	Not limited		Not limited		Somewhat limited Slope	0.37
481E2: Russell-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
485: Spillville-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60
485B: Spillville-----	95	Not limited		Not limited		Not limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
488C2: Newvienna-----	90	Not limited		Not limited		Not limited	
488C3: Newvienna-----	100	Not limited		Not limited		Not limited	
488D2: Newvienna-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
488D3: Newvienna-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
490: Caneek-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
539: Perks-----	85	Not limited		Not limited		Very limited Droughty Flooding	1.00 0.60
566B: Moingona-----	95	Not limited		Not limited		Not limited	
566C: Moingona-----	95	Not limited		Not limited		Not limited	
567B: Moingona Variant----	95	Not limited		Not limited		Not limited	
623C2: Rozetta-----	100	Not limited		Not limited		Not limited	
623D2: Rozetta-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
653: Tuskeego-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
680G: Lindley-----	50	Very limited		Somewhat limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	1.00	Slope	0.14	Slope	1.00
Douds-----	20	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope	1.00
Orwood-----	20	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope	1.00
684: Elrick-----	90	Not limited		Not limited		Somewhat limited Droughty	0.08
727: Udolpho-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
753B: Thebes-----	95	Not limited		Not limited		Not limited	
753C: Thebes-----	95	Not limited		Not limited		Not limited	
753C2: Thebes-----	95	Not limited		Not limited		Not limited	
753D2: Thebes-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
759: Fruitfield-----	95	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Too sandy Droughty	1.00 1.00
759B: Fruitfield-----	100	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Too sandy Droughty	1.00 1.00
763E3: Exette-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
763F3: Exette-----	100	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
771C2: Waubeek-----	95	Not limited		Not limited		Not limited	
771D2: Waubeek-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
793: Bertrand-----	100	Not limited		Not limited		Not limited	
826: Rowley-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
916B: Downs-----	100	Not limited		Not limited		Not limited	
916B2: Downs-----	95	Not limited		Not limited		Not limited	
916C: Downs-----	100	Not limited		Not limited		Not limited	
916C2: Downs-----	95	Not limited		Not limited		Not limited	
917B: Fayette-----	95	Not limited		Not limited		Not limited	
917C: Fayette-----	100	Not limited		Not limited		Not limited	
917C2: Fayette-----	95	Not limited		Not limited		Not limited	
917D2: Fayette-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
920B: Tama-----	95	Not limited		Not limited		Not limited	
920B2: Tama-----	95	Not limited		Not limited		Not limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
920C: Tama-----	100	Not limited		Not limited		Not limited	
920C2: Tama-----	95	Not limited		Not limited		Not limited	
920C3: Tama-----	95	Not limited		Not limited		Not limited	
925: Toolesboro-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
930: Orion-----	95	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
960: Shaffton-----	95	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
961: Ambraw-----	98	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
963: Elvers-----	90	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
977: Richwood-----	100	Not limited		Not limited		Not limited	
977B2: Richwood-----	100	Not limited		Not limited		Not limited	
1043: Bremer-----	95	Very limited		Very limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1212: Kennebec-----	85	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
1490: Caneek-----	98	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
1520: Coppock-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1621: Houghton-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Content of organic matter	1.00	Content of organic matter	1.00	Content of organic matter	1.00
1926: Canoe-----	90	Not limited		Not limited		Not limited	
2221: Palms-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Content of organic matter	1.00	Content of organic matter	1.00	Content of organic matter	1.00
2226: Elrin-----	90	Not limited		Not limited		Not limited	
2490: Caneek Variant-----	95	Somewhat limited Too sandy	0.87	Somewhat limited Too sandy	0.87	Somewhat limited Droughty	0.29
2587: Dolbee-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
2636: Radford-----	50	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding Depth to saturated zone	1.00 0.19
Hanlon-----	30	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
3133: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
3134: Zook-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
3135: Coland-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
3960: Shaffton-----	95	Not limited		Not limited		Not limited	
3961: Ambraw-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
4160: Walford-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Urban Land-----	25	Not rated		Not rated		Not rated	
4162C: Downs-----	50	Not limited		Not limited		Not limited	
Urban Land-----	45	Not rated		Not rated		Not rated	
4163D: Fayette-----	50	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	45	Not rated		Not rated		Slope	0.63
4636: Radford-----	50	Not limited		Not limited		Not rated	
Urban Land-----	45	Not rated		Not rated		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
4759: Fruitfield-----	45	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Too sandy Droughty	1.00 1.00
Urban Land-----	45	Not rated		Not rated		Not rated	
4960: Shaffton-----	50	Not limited		Not limited		Not limited	
Urban Land-----	40	Not rated		Not rated		Not rated	
4977B: Richwood-----	50	Not limited		Not limited		Not limited	
Urban Land-----	40	Not rated		Not rated		Not rated	
5010: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Muscatine County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	100	Not rated		Not rated		Not rated	