

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
11B: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Ely-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.17	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
20C2: Killduff-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.34	Very limited Deep to water	1.00
20C3: Killduff-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.34	Very limited Deep to water	1.00
20D2: Killduff-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.34	Very limited Deep to water	1.00
20D3: Killduff-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.34	Very limited Deep to water	1.00
24D3: Shelby-----	Somewhat limited Seepage Slope	0.05 0.01	Not limited		Very limited Deep to water	1.00
24E2: Shelby-----	Somewhat limited Seepage Slope	0.05 0.04	Not limited		Very limited Deep to water	1.00
24E3: Shelby-----	Somewhat limited Seepage Slope	0.05 0.04	Not limited		Very limited Deep to water	1.00
41: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41B: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
41C: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
41D: Sparta-----	Very limited Seepage Slope	1.00 0.01	Very limited Seepage	1.00	Very limited Deep to water	1.00
54: Zook-----	Somewhat limited Seepage	0.01	Very limited Depth to saturated zone Hard to pack	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
63C: Chelsea-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
63E: Chelsea-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
65E2: Lindley-----	Somewhat limited Seepage Slope	0.05 0.04	Somewhat limited Piping	0.47	Very limited Deep to water	1.00
65F: Lindley-----	Somewhat limited Slope Seepage	0.18 0.05	Somewhat limited Piping	0.47	Very limited Deep to water	1.00
65G: Lindley-----	Somewhat limited Slope Seepage	0.64 0.05	Somewhat limited Piping	0.47	Very limited Deep to water	1.00
83B: Kenyon-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
83C2: Kenyon-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
83D2: Kenyon-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
83D3: Kenyon-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
84: Clyde-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 0.62	Somewhat limited Cutbanks cave	0.10
118: Garwin-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Hard to pack	1.00 0.42	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
119: Muscatine-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.93	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.03
119B: Muscatine-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
120B: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.02	Very limited Deep to water	1.00
120B2: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.02	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
120C: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.02	Very limited Deep to water	1.00
120C2: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.02	Very limited Deep to water	1.00
120C3: Tama-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
120D2: Tama-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.02	Very limited Deep to water	1.00
120D3: Tama-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
120E2: Tama-----	Somewhat limited Seepage Slope	0.70 0.04	Somewhat limited Piping	0.02	Very limited Deep to water	1.00
120E3: Tama-----	Somewhat limited Seepage Slope	0.70 0.04	Not limited		Very limited Deep to water	1.00
133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
139: Perks-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
151: Marshan-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.95	Very limited Cutbanks cave	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
160: Walford-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
162B: Downs-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
162C2: Downs-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
162C3: Downs-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
162D2: Downs-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
162D3: Downs-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
162E2: Downs-----	Somewhat limited Seepage Slope	0.70 0.04	Not limited		Very limited Deep to water	1.00
162E3: Downs-----	Somewhat limited Seepage Slope	0.70 0.04	Not limited		Very limited Deep to water	1.00
162F2: Downs-----	Somewhat limited Seepage Slope	0.70 0.18	Not limited		Very limited Deep to water	1.00
163B2: Fayette-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
163C: Fayette-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
163C2: Fayette-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
163C3: Fayette-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
163D: Fayette-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
163D2: Fayette-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
163D3: Fayette-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
163E: Fayette-----	Somewhat limited Seepage Slope	0.70 0.04	Not limited		Very limited Deep to water	1.00
163E2: Fayette-----	Somewhat limited Seepage Slope	0.70 0.04	Not limited		Very limited Deep to water	1.00
163E3: Fayette-----	Somewhat limited Seepage Slope	0.70 0.04	Not limited		Very limited Deep to water	1.00
163F: Fayette-----	Somewhat limited Seepage Slope	0.70 0.18	Not limited		Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
163F2: Fayette-----	Somewhat limited Seepage Slope	0.70 0.18	Not limited		Very limited Deep to water	1.00
163F3: Fayette-----	Somewhat limited Seepage Slope	0.70 0.18	Not limited		Very limited Deep to water	1.00
163G: Fayette-----	Somewhat limited Seepage Slope	0.70 0.64	Not limited		Very limited Deep to water	1.00
174: Bolan-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
175: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.62	Very limited Deep to water	1.00
175B: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.62	Very limited Deep to water	1.00
175C: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.62	Very limited Deep to water	1.00
179D2: Gara-----	Somewhat limited Seepage Slope	0.05 0.01	Not limited		Very limited Deep to water	1.00
179E2: Gara-----	Somewhat limited Seepage Slope	0.05 0.04	Not limited		Very limited Deep to water	1.00
179E3: Gara-----	Somewhat limited Seepage Slope	0.05 0.04	Not limited		Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
179F2: Gara-----	Somewhat limited Slope Seepage	0.18 0.05	Not limited		Very limited Deep to water	1.00
179F3: Gara-----	Somewhat limited Slope Seepage	0.18 0.05	Not limited		Very limited Deep to water	1.00
184: Klinger-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.01	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
220: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
225: Lawler-----	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.93 0.43	Very limited Cutbanks cave Deep to water	1.00 0.03
254: Zook-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Hard to pack Seepage	1.00 0.99 0.21	Very limited Cutbanks cave	1.00
273C: Olmitz-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.41	Very limited Deep to water	1.00
284: Flagler-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
291: Atterberry-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
293C: Chelsea-----	Very limited Seepage Slope	1.00 0.18	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage Slope	1.00 0.18	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
Fayette-----	Somewhat limited Seepage Slope	0.70 0.18	Not limited		Very limited Deep to water	1.00
293E: Chelsea-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
Fayette-----	Somewhat limited Seepage Slope	0.70 0.02	Not limited		Very limited Deep to water	1.00
293F: Chelsea-----	Very limited Seepage Slope	1.00 0.18	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage Slope	1.00 0.18	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
313G: Gosport-----	Somewhat limited Slope Depth to bedrock	0.64 0.11	Very limited Hard to pack Depth to saturated zone Thin layer	1.00 0.95 0.86	Very limited Slow refill Cutbanks cave Deep to water	1.00 0.10 0.02

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
352B: Whittier-----	Very limited Seepage	1.00	Somewhat limited Seepage Piping	0.99 0.97	Very limited Deep to water	1.00
352C2: Whittier-----	Very limited Seepage	1.00	Somewhat limited Seepage Piping	0.99 0.97	Very limited Deep to water	1.00
354: Aquolls-----	Not rated		Not rated		Not rated	
377B: Dinsdale-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.16	Very limited Deep to water	1.00
377C: Dinsdale-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.16	Very limited Deep to water	1.00
377C2: Dinsdale-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.16	Very limited Deep to water	1.00
382: Maxfield-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
420B: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.02	Very limited Deep to water	1.00
426B: Aredale-----	Very limited Seepage	1.00	Somewhat limited Piping	0.90	Very limited Deep to water	1.00
426C: Aredale-----	Very limited Seepage	1.00	Somewhat limited Piping	0.90	Very limited Deep to water	1.00
426C2: Aredale-----	Very limited Seepage	1.00	Somewhat limited Piping	0.90	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
426D2: Aredale-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Piping	0.90	Very limited Deep to water	1.00
428B: Ely-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.17	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
430: Ackmore-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.01	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
430B: Ackmore-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.01	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
442C2: Tama-----	Very limited Seepage	1.00	Somewhat limited Seepage Piping	0.98 0.86	Very limited Deep to water	1.00
Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.62	Very limited Deep to water	1.00
442D2: Tama-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage Piping	0.98 0.86	Very limited Deep to water	1.00
Dickinson-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.62	Very limited Deep to water	1.00
442E2: Tama-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage Piping	0.98 0.86	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Dickinson-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.62	Very limited Deep to water	1.00
450B: Pillot-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
450C2: Pillot-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
484: Lawson-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.96	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
499G: Nordness-----	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.45	Very limited Thin layer	1.00	Very limited Deep to water	1.00
539: Perks-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
673D3: Timula-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
673E3: Timula-----	Somewhat limited Seepage Slope	0.70 0.04	Very limited Piping	1.00	Very limited Deep to water	1.00
673F3: Timula-----	Somewhat limited Seepage Slope	0.70 0.18	Very limited Piping	1.00	Very limited Deep to water	1.00
763E3: Exette-----	Somewhat limited Seepage Slope	0.70 0.04	Somewhat limited Piping	0.98	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
763F3: Exette-----	Somewhat limited Seepage Slope	0.70 0.18	Somewhat limited Piping	0.98	Very limited Deep to water	1.00
767E3: Mula-----	Somewhat limited Seepage Slope	0.70 0.04	Very limited Piping	1.00	Very limited Deep to water	1.00
767F3: Mula-----	Somewhat limited Seepage Slope	0.70 0.18	Very limited Piping	1.00	Very limited Deep to water	1.00
814: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Piping Thin layer	0.98 0.86	Very limited Deep to water	1.00
820: Dockery-----	Somewhat limited Seepage	0.70	Very limited Piping Depth to saturated zone	1.00 0.86	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.06
820B: Dockery-----	Somewhat limited Seepage	0.70	Very limited Piping Depth to saturated zone	1.00 0.86	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.06
826: Rowley-----	Very limited Seepage	1.00	Very limited Seepage Depth to saturated zone Piping	1.00 1.00 0.92	Very limited Cutbanks cave Deep to water	1.00 0.01
916B: Downs-----	Very limited Seepage	1.00	Somewhat limited Seepage Piping	0.98 0.33	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
916C2: Downs-----	Very limited Seepage	1.00	Somewhat limited Seepage Piping	0.98 0.33	Very limited Deep to water	1.00
916D2: Downs-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage Piping	0.98 0.33	Very limited Deep to water	1.00
920B: Tama-----	Very limited Seepage	1.00	Somewhat limited Seepage Piping	0.98 0.45	Very limited Deep to water	1.00
920C2: Tama-----	Very limited Seepage	1.00	Somewhat limited Seepage Piping	0.98 0.86	Very limited Deep to water	1.00
920D2: Tama-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage Piping	0.98 0.86	Very limited Deep to water	1.00
926: Canoe-----	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone	0.81 0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
950: Niota-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.82	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
950B: Niota-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.82	Somewhat limited Slow refill Cutbanks cave	0.95 0.10

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
960: Shaffton-----	Very limited Seepage	1.00	Very limited Seepage Piping Depth to saturated zone	1.00 1.00 0.43	Very limited Cutbanks cave Deep to water	1.00 0.25
961: Ambraw-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping Seepage	1.00 0.42 0.03	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
977: Richwood-----	Very limited Seepage	1.00	Very limited Seepage Piping	1.00 0.90	Very limited Deep to water	1.00
1118: Garwin-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Hard to pack	1.00 0.42	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
1119: Muscatine-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.93	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.03
1539: Ambraw-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping Seepage	1.00 0.42 0.03	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Perks-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
Lawson-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.96	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1730B: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
Perks-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
4000: Urban Land-----	Not rated		Not rated		Not rated	
4133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Urban Land-----	Not rated		Not rated		Not rated	
4162C: Downs-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
Urban Land-----	Not rated		Not rated		Not rated	
4162D: Downs-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
Urban Land-----	Not rated		Not rated		Not rated	
4163E: Fayette-----	Somewhat limited Seepage Slope	0.70 0.12	Not limited		Very limited Deep to water	1.00
Urban Land-----	Not rated		Not rated		Not rated	

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
4220: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
Urban Land-----	Not rated		Not rated		Not rated	
4291: Atterberry-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
Urban Land-----	Not rated		Not rated		Not rated	
4977B: Richwood-----	Very limited Seepage	1.00	Very limited Seepage Piping	1.00 0.90	Very limited Deep to water	1.00
Urban Land-----	Not rated		Not rated		Not rated	
5010: Pits-----	Not rated		Not rated		Not rated	
5030: Pits-----	Not rated		Not rated		Not rated	
5040: Orthents, Loamy-----	Not rated		Not rated		Not rated	
INT: Intermittent Water--	Not rated		Not rated		Not rated	
SL: Sewage Lagoon-----	Not rated		Not rated		Not rated	

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	Not rated		Not rated		Not rated	