

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
5B: Ackmore-----	50	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 0.50 0.33
Colo-----	40	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 0.50 0.33
7: Wiota-----	95	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
7B: Wiota-----	95	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
8B: Judson-----	90	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
11B: Colo-----	50	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 0.50 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ely-----	40	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	0.50
				Slope	0.33
20C2: Killduff-----	95	Not limited		Very limited	
		restricted permeability	0.25	Slope	1.00
				Seepage	0.50
20D2: Killduff-----	95	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		restricted permeability	0.25	Seepage	0.50
20D3: Killduff-----	95	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		restricted permeability	0.25	Seepage	0.50
20E2: Killduff-----	95	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		restricted permeability	0.25	Seepage	0.50
20E3: Killduff-----	95	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		restricted permeability	0.25	Seepage	0.50
24D2: Shelby-----	90	Somewhat limited		Very limited	
		Restricted permeability	0.91	Slope	1.00
		Slope	0.63		
		Depth to saturated zone	0.43		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
24D3: Shelby-----	90	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.91 0.63 0.43	Very limited Slope	1.00
24E2: Shelby-----	90	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.91 0.43	Very limited Slope	1.00
24E3: Shelby-----	90	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.91 0.43	Very limited Slope	1.00
43: Bremer-----	95	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.91	Very limited Flooding Depth to saturated zone	1.00 1.00
63D: Chelsea-----	100	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00
63F: Chelsea-----	100	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
65D2: Lindley-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
65E2: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
65E3: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
65F: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
65F2: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
65F3: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
65G: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
83B: Kenyon-----	95	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
83C2: Kenyon-----	95	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Very limited Slope Seepage	1.00 0.50
88: Nevin-----	90	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
110C: Lamont-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
118: Garwin-----	90	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
119: Muscatine-----	90	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
119B: Muscatine-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
120: Tama-----	95	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
120B: Tama-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
120B2: Tama-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
120C: Tama-----	100	Not limited restricted permeability	0.25	Very limited Slope Seepage	1.00 0.50
120C2: Tama-----	100	Not limited restricted permeability	0.25	Very limited Slope Seepage	1.00 0.50
120C3: Tama-----	95	Not limited restricted permeability	0.25	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
120D2: Tama-----	100	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
120D3: Tama-----	95	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
120E2: Tama-----	95	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope Seepage	1.00 0.50
122: Sperry-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.99	Very limited Depth to saturated zone Seepage	1.00 0.50
133: Colo-----	90	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
133+: Colo-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
134: Zook-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone	1.00 1.00
162B: Downs-----	100	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage Slope	0.50 0.33
162C: Downs-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50
162C2: Downs-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50
162D: Downs-----	100	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
162D2: Downs-----	100	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
162D3: Downs-----	100	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
162E2: Downs-----	100	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
162E3: Downs-----	100	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
162F: Downs-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
162F2: Downs-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
162F3: Downs-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163B: Fayette-----	95	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage Slope	0.50 0.33
163C: Fayette-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
163C2: Fayette-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50
163D: Fayette-----	90	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
163D2: Fayette-----	90	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
163D3: Fayette-----	90	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
163E: Fayette-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163E2: Fayette-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163E3: Fayette-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
163F: Fayette-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163F2: Fayette-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163F3: Fayette-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163G: Fayette-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
164: Traer-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
174B: Bolan-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage Slope	1.00 0.33
174C: Bolan-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
175B: Dickinson-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
175C: Dickinson-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
179D2: Gara-----	95	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
179D3: Gara-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
179E2: Gara-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
179E3: Gara-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
179F2: Gara-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
179F3: Gara-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
220: Nodaway-----	90	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.50
222D2: Clarinda-----	95	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
226: Lawler-----	100	Very limited Filtering capacity Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
269: Humeston-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.32
291: Atterberry-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
293D: Chelsea-----	50	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	1.00
Lamont-----	30	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	1.00
293D2: Chelsea-----	50	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	1.00
Lamont-----	30	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	1.00
293E: Chelsea-----	50	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Lamont-----	30	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
293E2: Chelsea-----	50	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Lamont-----	30	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
293F: Chelsea-----	50	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Lamont-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
293F2: Chelsea-----	50	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Lamont-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
293G: Chelsea-----	45	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Lamont-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
350: Waukegan-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00
350B: Waukegan-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage Slope	1.00 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
350C: Waukegan-----	100	Very limited Filtering capacity restricted permeability	1.00	Very limited Seepage	1.00
			0.25	Slope	1.00
354: Aquolls-----	100	Not rated		Not rated	
377B: Dinsdale-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
				Slope	0.33
377B2: Dinsdale-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
				Slope	0.33
377C: Dinsdale-----	100	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50
377C2: Dinsdale-----	90	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50
377D2: Dinsdale-----	90	Somewhat limited Slope restricted permeability	0.63	Very limited Slope	1.00
			0.25	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
377D3: Dinsdale-----	95	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
420B: Tama-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
420C: Tama-----	100	Not limited restricted permeability	0.25	Very limited Slope Seepage	1.00 0.50
424E2: Lindley-----	70	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
Keswick-----	30	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00
424F2: Lindley-----	70	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
Keswick-----	30	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
424F3: Lindley-----	70	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
Keswick-----	30	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00
428B: Ely-----	90	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
429D2: Downs-----	60	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
Lamont-----	30	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
429E2: Downs-----	60	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
Lamont-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
429E3: Downs-----	60	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
Lamont-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
429F2: Downs-----	60	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
Lamont-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
430: Ackmore-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
430B: Ackmore-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 0.50 0.33
462B: Downs-----	100	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage Slope	0.50 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
462C: Downs-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50
478G: Emeline-----	60	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Rock Outcrop-----	40	Not rated		Not rated	
484: Lawson-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	0.50
485: Spillville-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		restricted permeability	0.25	Depth to saturated zone	0.71
673D2: Timula-----	100	Somewhat limited Slope	0.63	Very limited Slope	1.00
		restricted permeability	0.25	Seepage	0.50
673D3: Timula-----	100	Somewhat limited Slope	0.63	Very limited Slope	1.00
		restricted permeability	0.25	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
673E2: Timula-----	95	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope Seepage	1.00 0.50
673E3: Timula-----	95	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope Seepage	1.00 0.50
673F2: Timula-----	95	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope Seepage	1.00 0.50
673F3: Timula-----	95	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope Seepage	1.00 0.50
673G: Timula-----	100	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope Seepage	1.00 0.50
683C2: Liscomb-----	95	Not limited restricted permeability	0.25	Very limited Slope Seepage	1.00 0.50
683D2: Liscomb-----	95	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
683D3: Liscomb-----	95	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
683E2: Liscomb-----	95	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope Seepage	1.00 0.50
683E3: Liscomb-----	100	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope Seepage	1.00 0.50
771B: Waubeek-----	95	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage Slope	0.50 0.33
771C: Waubeek-----	95	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50
771C2: Waubeek-----	95	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50
771D2: Waubeek-----	95	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
926: Canoe-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage	1.00 0.50
933B: Sawmill-----	95	Very limited Depth to saturated zone Flooding restricted permeability	1.00 0.40 0.25	Very limited Depth to saturated zone Seepage Flooding Slope	1.00 0.50 0.40 0.09
978: Festina-----	100	Somewhat limited restricted permeability	0.35	Very limited Seepage	1.00
993E2: Armstrong-----	50	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00
Gara-----	50	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.43	Very limited Slope	1.00
993E3: Armstrong-----	50	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Gara-----	50	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00		
		Depth to saturated zone	0.43		
1133: Colo-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	0.50
1220: Nodaway-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.71
		restricted permeability	0.25	Seepage	0.50
1485: Spillville-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		restricted permeability	0.25	Depth to saturated zone	0.71
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated	
5030: Pits, Limestone Quarry-----	100	Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
 WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Tama County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
5040: Orthents-----	100	Not rated		Not rated	
5080: Orthents-----	100	Not rated		Not rated	