

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Olmitz-----	35	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
				Slope	0.33
Vesser-----	33	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
				Slope	0.33
Zook-----	32	Very limited Depth to saturated zone Restricted permeability	1.00 0.99	Very limited Depth to saturated zone	1.00
23C2: Arispe-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.99	Very limited Depth to saturated zone Slope	1.00 1.00
51: Vesser-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
51+: Vesser-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
51B: Vesser-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	0.50
				Slope	0.33
54: Zook-----	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.99		
58D: Douds-----	100	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		Depth to saturated zone	0.40	Seepage	1.00
		restricted permeability	0.35		
58D2: Douds-----	100	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		Depth to saturated zone	0.40	Seepage	1.00
		restricted permeability	0.35		
58E2: Douds-----	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to saturated zone	0.40	Seepage	1.00
		restricted permeability	0.35		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
58F2: Douds-----	100	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to saturated zone restricted permeability	0.40 0.35	Seepage	1.00
58G: Douds-----	100	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to saturated zone restricted permeability	0.40 0.35	Seepage	1.00
65D: Lindley-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63		
65D2: Lindley-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63		
65E: Lindley-----	95	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00		
65E2: Lindley-----	95	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00		
65F2: Lindley-----	95	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
65G: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
80B: Clinton-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 0.40	Somewhat limited Seepage Slope	0.50 0.33
80C: Clinton-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 0.40	Very limited Slope Seepage	1.00 0.50
80C2: Clinton-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 0.40	Very limited Slope Seepage	1.00 0.50
80D: Clinton-----	90	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.63 0.40	Very limited Slope Seepage	1.00 0.50
80D2: Clinton-----	90	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.63 0.40	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
130: Belinda-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
131B: Pershing-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.33
131B2: Pershing-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.33
131C: Pershing-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
131C2: Pershing-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
132B: Weller-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
132C: Weller-----	90	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	1.00
132C2: Weller-----	90	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	1.00
139: Perks-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00
		Filtering capacity	1.00	Seepage	1.00
139B: Perks-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33
172: Wabash-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00		
173: Hoopeston-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
179D2: Gara-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
179E2: Gara-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
197: Reeds creek-----	100	Very limited Flooding Filtering capacity Content of large stones Depth to saturated zone Depth to bedrock	1.00 1.00 1.00 0.43 0.01	Very limited Flooding Seepage Content of large stones Slope	1.00 1.00 1.00 0.01
208: Klum-----	95	Very limited Flooding Filtering capacity Depth to saturated zone	1.00 1.00 0.84	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.17
211: Edina-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
220: Nodaway-----	90	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.50
222C2: Clarinda-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
223C2: Rinda-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
231: Edina-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
260: Beckwith-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
261: Appanoose-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
263: Okaw-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
273B: Olmitz-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
273C: Olmitz-----	100	Somewhat limited		Very limited	
		Depth to	0.43	Slope	1.00
		saturated zone			
		restricted	0.25	Seepage	0.50
		permeability			
312B: Seymour-----	100	Very limited		Very limited	
		Restricted	1.00	Depth to	1.00
		permeability		saturated zone	
		Depth to	1.00	Slope	0.33
		saturated zone			
312B2: Seymour-----	100	Very limited		Very limited	
		Restricted	1.00	Depth to	1.00
		permeability		saturated zone	
		Depth to	1.00	Slope	0.33
		saturated zone			
313D2: Gosport-----	95	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
				bedrock	
		Restricted	1.00	Slope	1.00
		permeability			
		Slope	0.63		
		Depth to	0.43		
		saturated zone			
313E2: Gosport-----	95	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
				bedrock	
		Restricted	1.00	Slope	1.00
		permeability			
		Slope	1.00		
		Depth to	0.43		
		saturated zone			

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
313F2: Gosport-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope Depth to saturated zone	1.00 0.43	Slope	1.00
313G: Gosport-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to saturated zone Slope	1.00 1.00	Slope Depth to saturated zone	1.00 1.00
315: Nodaway-----	40	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 0.71 0.50 0.01
Klum-----	30	Very limited Flooding Filtering capacity Depth to saturated zone	1.00 1.00 0.84	Very limited Flooding Seepage Depth to saturated zone Slope	1.00 1.00 0.17 0.01
Perks-----	20	Very limited Flooding Filtering capacity	1.00 1.00	Very limited Flooding Seepage Slope	1.00 1.00 0.01
362: Haig-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.99	Very limited Depth to saturated zone Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
363: Haig-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.99	Seepage	0.50
364B: Grundy-----	100	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.33
		Restricted permeability	0.99	Depth to saturated zone	0.06
364B2: Grundy-----	100	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.33
		Restricted permeability	0.99	Depth to saturated zone	0.06
423D2: Bucknell-----	95	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
424D2: Lindley-----	60	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63		
Keswick-----	30	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
424E2: Lindley-----	65	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
Keswick-----	35	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00
425D: Keswick-----	90	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
425D2: Keswick-----	90	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
432C2: Gorin-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.91
432D: Gorin-----	95	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
432D2: Gorin-----	95	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
453: Tuskeego-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
460: Mtsterling-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
520: Coppock-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.35	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
520B: Coppock-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
531B: Kniffin-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
531B2: Kniffin-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.33
531C2: Kniffin-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	1.00
532B: Rathbun-----	95	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.33
532C: Rathbun-----	90	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	1.00
532C2: Rathbun-----	90	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	1.00
534: Carlow-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
592D2: Mystic-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
594D2: Galland-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
598G: Bucklick-----	90	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	0.78	Depth to hard bedrock	0.42
		restricted permeability	0.35		
599G: Nordness-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Gosport-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Slope	1.00	Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
632B: Adco-----	100	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
		Depth to saturated zone	1.00	Slope	0.33
				Depth to saturated zone	0.06
699G: Nordness-----	70	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Bentonsport-----	25	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	0.97	Content of large stones	1.00
		restricted permeability	0.25	Seepage	0.50
		Depth to bedrock	0.01		
719B: Creal-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.33
720: Racoon-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
729: Nodaway-----	65	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.71
		restricted permeability	0.25	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Coppock-----	35	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.35	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
730B: Nodaway-----	40	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 0.71 0.50 0.33
Coppock-----	35	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
Cantril-----	25	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
792D2: Armstrong-----	95	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
795C2: Ashgrove-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
795D: Ashgrove-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
795D2: Ashgrove-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
831B: Pershing-----	100	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.33
831C2: Pershing-----	100	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	1.00
832B: Weller-----	100	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.33
832C: Weller-----	90	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
832C2: Weller-----	90	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	1.00
832D2: Weller-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
880B: Clinton-----	95	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
		Depth to saturated zone	0.40	Slope	0.33
880C: Clinton-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.40	Seepage	0.50
880C2: Clinton-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.40	Seepage	0.50
880D: Clinton-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
		Depth to saturated zone	0.40		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
880D2: Clinton-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
		Depth to saturated zone	0.40		
977: Richwood-----	100	Not limited restricted permeability	0.25	Very limited Seepage	1.00
993D2: Gara-----	60	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63		
Armstrong-----	30	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
994D2: Galland-----	65	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
Douds-----	35	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Depth to saturated zone	0.40	Seepage	1.00
		restricted permeability	0.35		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
994E2: Galland-----	65	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00
Douds-----	35	Very limited Slope Depth to saturated zone restricted permeability	1.00 0.40 0.35	Very limited Slope Seepage	1.00 1.00
1130: Belinda-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
1260: Beckwith-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
1715: Nodaway-----	40	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.50
Vesser-----	35	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mtsterling-----	25	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.99	Seepage	0.50
1977: Keosauqua-----	100	Not limited restricted permeability	0.25	Very limited Seepage	1.00
				Slope	0.01
3051: Vesser-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	0.50
3054: Zook-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.99		
3133: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	0.50
3139: Perks-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
3208: Klum-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Depth to saturated zone	0.84	Depth to saturated zone	0.17

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
3220: Nodaway-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Somewhat limited Depth to saturated zone Seepage	0.71 0.50
3315: Nodaway-----	45	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Somewhat limited Depth to saturated zone Seepage Slope	0.71 0.50 0.01
Klum-----	30	Very limited Filtering capacity Depth to saturated zone	1.00 0.84	Very limited Seepage Depth to saturated zone Slope	1.00 0.17 0.01
Perks-----	20	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.01
3484: Lawson-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
3520: Coppock-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
3587: Chequest-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.91	Very limited Depth to saturated zone	1.00
3720: Racoon-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated	
5020: Pits And Dumps-----	100	Not rated		Not rated	
5030: Pits, Limestone Quarries-----	100	Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated	
5047: Aquments-----	100	Not rated		Not rated	
AW: Animal Waste-----	100	Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Van Buren County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SL: Sewage Lagoon-----	100	Not rated		Not rated	
W: Water-----	100	Not rated		Not rated	