

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1C: Ida-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
1C3: Ida-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
1D: Ida-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
1D3: Ida-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
1E: Ida-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
1E3: Ida-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
1F: Ida-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
1F3: Ida-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
1G: Ida-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
2G: Hamburg-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
3E: Castana-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8B: Judson-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell	0.50
8C: Judson-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Slope Shrink-swell	0.88 0.50
9: Marshall-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
9B: Marshall-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
9C: Marshall-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.88 0.50
9C2: Marshall-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.88 0.50
9D: Marshall-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
9D2: Marshall-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
10: Monona-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
10B: Monona-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
10C: Monona-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Slope Shrink-swell	0.88 0.50
10C2: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
10C3: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
10D: Monona-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope	0.63	Very limited Slope Shrink-swell	1.00 0.50
10D2: Monona-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
10D3: Monona-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
10E: Monona-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
10E2: Monona-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
10E3: Monona-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
10F: Monona-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
10G: Monona-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
11B: Ackmore-----	35	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39
Colo-----	25	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
Judson-----	25	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell	0.50
12B: Napier-----	100	Not limited		Not limited		Not limited	
12C: Napier-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
12D: Napier-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
22C3: Dow-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
22D3: Dow-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
22E3: Dow-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
24D2: Shelby-----	95	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
24E2: Shelby-----	95	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
24E3: Shelby-----	95	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
33D2: Steinauer-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
33E2: Steinauer-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
36: Salix-----	100	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.16	Very limited Flooding	1.00
43: Bremer-----	95	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
44: Blencoe-----	90	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
46: Keg-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
54: Zook-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
54+: Zook-----	95	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
60D2: Malvern-----	100	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.39	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.63 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.39
66: Luton-----	95	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
66+: Luton-----	95	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
70: Mcpaul-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
76C: Ladoga-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Slope Shrink-swell	0.88 0.50
76D: Ladoga-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
76F: Ladoga-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
88: Nevin-----	95	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.95 0.50	Very limited Flooding Shrink-swell	1.00 0.50
93D2: Shelby-----	50	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
Adair-----	40	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
93D3: Shelby-----	50	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
Adair-----	40	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
99C2: Exira-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.88 0.50
99D2: Exira-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
99D3: Exira-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
99E2: Exira-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
99E3: Exira-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
133: Colo-----	90	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
133+: Colo-----	90	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
137: Haynie-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
144: Blake-----	95	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 0.95	Very limited Flooding Shrink-swell	1.00 0.50
146: Onawa-----	95	Very limited Flooding Shrink-swell	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.95	Very limited Flooding Shrink-swell	1.00 1.00
149: Modale-----	95	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 0.07	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 0.07
156: Albaton-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
156+: Albaton-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
179F: Gara-----	95	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
192C2: Adair-----	100	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.88 0.39
192D2: Adair-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
212: Kennebec-----	95	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Flooding Shrink-swell	1.00 0.50
212+: Kennebec-----	90	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Flooding Shrink-swell	1.00 0.50
220: Nodaway-----	90	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Flooding Shrink-swell	1.00 0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
222D2: Clarinda-----	100	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.63	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone Shrink-swell	1.00 1.00 1.00
234: Nishna-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
237: Sarpy-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
255: Cooper-----	90	Very limited Flooding Shrink-swell	1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 0.82	Very limited Flooding Shrink-swell	1.00 1.00
275: Merville-----	95	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39
430: Ackmore-----	95	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39
436: Lakeport-----	95	Very limited Flooding Shrink-swell	1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 0.95	Very limited Flooding Shrink-swell	1.00 1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
509: Marshall-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
509B: Marshall-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
509C2: Marshall-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.88 0.50
510: Monona-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
510B: Monona-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
510C2: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
514: Grable-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
515: Percival-----	95	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.95	Very limited Flooding	1.00
670: Rawles-----	95	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Flooding Shrink-swell	1.00 0.50
717C: Napier-----	75	Not limited		Not limited		Somewhat limited Slope	0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Gullied Land-----	25	Not rated		Not rated		Not rated	
1233: Corley-----	95	Very limited Depth to saturated zone Ponding Shrink-swell	1.00 1.00 0.50	Very limited Depth to saturated zone Shrink-swell Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Shrink-swell	1.00 1.00 0.50
1299: Minden-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Somewhat limited Shrink-swell	0.50
4001C: Ida-----	50	Not limited		Not limited		Somewhat limited Slope	0.88
Urban Land-----	40	Not rated		Not rated		Not rated	
4001D: Ida-----	50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Urban Land-----	40	Not rated		Not rated		Not rated	
4001E: Ida-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Urban Land-----	40	Not rated		Not rated		Not rated	
4012B: Napier-----	50	Not limited		Not limited		Not limited	
Urban Land-----	40	Not rated		Not rated		Not rated	

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
4046: Keg-----	50	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
Urban Land-----	40	Not rated		Not rated		Not rated	
4156: Albaton-----	50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
Urban Land-----	40	Not rated		Not rated		Not rated	
4170C: Castana-----	50	Not limited		Not limited		Somewhat limited Slope	0.88
Urban Land-----	40	Not rated		Not rated		Not rated	
4237: Sarpy-----	50	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
Urban Land-----	40	Not rated		Not rated		Not rated	
4255: Cooper-----	50	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 0.82	Very limited Flooding Shrink-swell	1.00 0.50
Urban Land-----	40	Not rated		Not rated		Not rated	

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Pottawattamie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5030: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
5053: Psammaquents-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
5080: Orthents-----	100	Not rated		Not rated		Not rated	
INT: Intermittent Water--	100	Not rated		Not rated		Not rated	
SL: Sewage Lagoon-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

