

HYDRIC SOILS LIST

Page County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
8B: JUDSON SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	Judson	90	No	---	---	---	---	---
	KENNEBEC	5	No	---	---	---	---	---
	OLMITZ	5	No	---	---	---	---	---
9B: MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	Marshall	100	No	---	---	---	---	---
9B2: MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Marshall	100	No	---	---	---	---	---
9C: MARSHALL SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	Marshall	95	No	---	---	---	---	---
	NORTHBORO	5	No	---	---	---	---	---
9C2: MARSHALL SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Marshall	95	No	---	---	---	---	---
	NORTHBORO	5	No	---	---	---	---	---
11B: COLO-JUDSON SILTY CLAY LOAMS, 2 TO 5 PERCENT SLOPES	Colo	65	Yes	flood plain	2B3	Yes	No	No
	Judson	35	No	---	---	---	---	---
24D: SHELBY CLAY LOAM, 9 TO 14 PERCENT SLOPES	Shelby	90	No	---	---	---	---	---
	ADAIR	5	No	---	---	---	---	---
	GARA	5	No	---	---	---	---	---
24D2: SHELBY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Shelby	100	No	---	---	---	---	---
24E: SHELBY CLAY LOAM, 14 TO 18 PERCENT SLOPES	Shelby	95	No	---	---	---	---	---
	GARA	5	No	---	---	---	---	---

Page County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
24E2: SHELBY CLAY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	Shelby	100	No	---	---	---	---	---
24F2: SHELBY CLAY LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	Shelby	100	No	---	---	---	---	---
41D: SPARTA LOAMY FINE SAND, 5 TO 14 PERCENT SLOPES	Sparta	90	No	---	---	---	---	---
	LADOGA	5	No	---	---	---	---	---
	SHARPSBURG	5	No	---	---	---	---	---
43: BREMER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Bremer	85	Yes	terrace	2B3	Yes	No	No
	Colo	5	Yes	flood plain	2B3	Yes	No	No
	Wabash	5	Yes	flood plain	2B3,3	Yes	No	Yes
	Zook	5	Yes	flood plain	2B3	Yes	No	No
54: ZOOK SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Zook	90	Yes	flood plain	2B3	Yes	No	No
	Colo	5	Yes	flood plain	2B3	Yes	No	No
	Wabash	5	Yes	flood plain	3,2B3	Yes	No	Yes
54+: ZOOK SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	Zook	100	Yes	flood plain	2B3	Yes	No	No
76B: LADOGA SILT LOAM, 2 TO 5 PERCENT SLOPES	Ladoga	90	No	---	---	---	---	---
	MARSHALL	5	No	---	---	---	---	---
	SHARPSBURG	5	No	---	---	---	---	---
76C: LADOGA SILT LOAM, 5 TO 9 PERCENT SLOPES	Ladoga	90	No	---	---	---	---	---
	MARSHALL	5	No	---	---	---	---	---
	SHARPSBURG	5	No	---	---	---	---	---

Page County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
76C2: LADOGA SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Ladoga	90	No	---	---	---	---	---
	MARSHALL	5	No	---	---	---	---	---
	SHARPSBURG	5	No	---	---	---	---	---
76D: LADOGA SILT LOAM, 9 TO 14 PERCENT SLOPES	Ladoga	90	No	---	---	---	---	---
	MARSHALL	5	No	---	---	---	---	---
	SHARPSBURG	5	No	---	---	---	---	---
76D2: LADOGA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Ladoga	90	No	---	---	---	---	---
	MARSHALL	5	No	---	---	---	---	---
	SHARPSBURG	5	No	---	---	---	---	---
88: NEVIN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Nevin	95	No	---	---	---	---	---
	Bremer	5	Yes	terrace	2B3	Yes	No	No
93D: SHELBY-ADAIR CLAY LOAMS, 9 TO 14 PERCENT SLOPES	Shelby	50	No	---	---	---	---	---
	Adair	40	No	---	---	---	---	---
	MAYBERRY	5	No	---	---	---	---	---
	NORTHBORO	5	No	---	---	---	---	---
93D2: SHELBY-ADAIR CLAY LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Shelby	50	No	---	---	---	---	---
	Adair	40	No	---	---	---	---	---
	MAYBERRY	5	No	---	---	---	---	---
	NORTHBORO	5	No	---	---	---	---	---
93E2: SHELBY-ADAIR CLAY LOAMS, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	Shelby	50	No	---	---	---	---	---
	Adair	40	No	---	---	---	---	---

Page County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	MAYBERRY	5	No	---	---	---	---	---
	NORTHBORO	5	No	---	---	---	---	---
99C: MARSHALL SILTY CLAY LOAM, MOTTLED SUBSOIL, 5 TO 9 PERCENT SLOPE	Marshall	95	No	---	---	---	---	---
	NORTHBORO	5	No	---	---	---	---	---
99C2: MARSHALL SILTY CLAY LOAM, MOTTLED SUBSOIL, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Marshall	95	No	---	---	---	---	---
	NORTHBORO	5	No	---	---	---	---	---
99D: MARSHALL SILTY CLAY LOAM, MOTTLED SUBSOIL, 9 TO 14 PERCENT SLOPES	Marshall	90	No	---	---	---	---	---
	ADAIR	5	No	---	---	---	---	---
	SHELBY	5	No	---	---	---	---	---
99D2: MARSHALL SILTY CLAY LOAM, MOTTLED SUBSOIL, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Marshall	90	No	---	---	---	---	---
	ADAIR	5	No	---	---	---	---	---
	SHELBY	5	No	---	---	---	---	---
133: COLO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Colo	85	Yes	flood plain	2B3	Yes	No	No
	KENNEBEC	5	No	---	---	---	---	---
	Wabash	5	Yes	flood plain	3,2B3	Yes	No	Yes
	Zook	5	Yes	flood plain	2B3	Yes	No	No
133+: COLO SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	Colo	85	Yes	flood plain	2B3	Yes	No	No
	KENNEBEC	5	No	---	---	---	---	---
	Wabash	5	Yes	flood plain	2B3,3	Yes	No	Yes
	Zook	5	Yes	flood plain	2B3	Yes	No	No

Page County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
172: WABASH SILTY CLAY, 0 TO 2 PERCENT SLOPES	Wabash	95	Yes	flood plain	2B3,3	Yes	No	Yes
	Zook	5	Yes	flood plain	2B3	Yes	No	No
179D: GARA LOAM, 9 TO 14 PERCENT SLOPES	Gara	95	No	---	---	---	---	---
	SHELBY	5	No	---	---	---	---	---
179D2: GARA LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Gara	95	No	---	---	---	---	---
	SHELBY	5	No	---	---	---	---	---
179E2: GARA LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	Gara	95	No	---	---	---	---	---
	SHELBY	5	No	---	---	---	---	---
179F2: GARA LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	Gara	95	No	---	---	---	---	---
	SHELBY	5	No	---	---	---	---	---
179G2: GARA LOAM, 25 TO 40 PERCENT SLOPES, MODERATELY ERODED	Gara	95	No	---	---	---	---	---
	SHELBY	5	No	---	---	---	---	---
192C: ADAIR CLAY LOAM, 5 TO 9 PERCENT SLOPES	Adair	90	No	---	---	---	---	---
	MAYBERRY	5	No	---	---	---	---	---
	SHELBY	5	No	---	---	---	---	---
192C2: ADAIR CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Adair	90	No	---	---	---	---	---
	MAYBERRY	5	No	---	---	---	---	---
	SHELBY	5	No	---	---	---	---	---
192D: ADAIR CLAY LOAM, 9 TO 14 PERCENT SLOPES	Adair	100	No	---	---	---	---	

Page County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
192D2: ADAIR CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Adair	90	No	---	---	---	---	---
	MAYBERRY	5	No	---	---	---	---	---
	SHELBY	5	No	---	---	---	---	---
212: KENNEBEC SILT LOAM, 0 TO 2 PERCENT SLOPES	Kennebec	85	No	---	---	---	---	---
	Colo	5	Yes	flood plain	2B3	Yes	No	No
	JUDSON	5	No	---	---	---	---	---
	NODAWAY	5	No	---	---	---	---	---
220: NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES	Nodaway	85	No	---	---	---	---	---
	KENNEBEC	5	No	---	---	---	---	---
	Other	5	Yes	flood plain	2B3	Yes	No	No
	SANDY ALLUVIAL LAND	5	No	---	---	---	---	---
248: WABASH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	Wabash	95	Yes	flood plain	3,2B3	Yes	No	Yes
	Zook	5	Yes	flood plain	2B3	Yes	No	No
248+: WABASH SILT LOAM, OVERWASH, 0 TO 1 PERCENT SLOPES	Wabash	95	Yes	flood plain	4,3,2B3	Yes	Yes	Yes
	Zook	5	Yes	flood plain	2B3	Yes	No	No
273B: OLMITZ LOAM, 2 TO 5 PERCENT SLOPES	Olmitz	95	No	---	---	---	---	---
	JUDSON	5	No	---	---	---	---	---
273C: OLMITZ LOAM, 5 TO 9 PERCENT SLOPES	Olmitz	95	No	---	---	---	---	---
	JUDSON	5	No	---	---	---	---	---
370: SHARPSBURG SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Sharpsburg	100	No	---	---	---	---	---

Page County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
370B: SHARPSBURG SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	Sharpsburg	100	No	---	---	---	---	---
370B2: SHARPSBURG SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Sharpsburg	100	No	---	---	---	---	---
370C: SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	Sharpsburg	100	No	---	---	---	---	---
370C2: SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Sharpsburg	100	No	---	---	---	---	---
370D: SHARPSBURG SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES	Sharpsburg	100	No	---	---	---	---	---
370D2: SHARPSBURG SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Sharpsburg	100	No	---	---	---	---	---
692C2: MAYBERRY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Mayberry	90	No	---	---	---	---	---
	ADAIR	5	No	---	---	---	---	---
	CLAYEY SUBSOIL	5	No	---	---	---	---	---
692D: MAYBERRY CLAY LOAM, 9 TO 14 PERCENT SLOPES	Mayberry	90	No	---	---	---	---	---
	ADAIR	5	No	---	---	---	---	---
	CLAYEY SUBSOIL	5	No	---	---	---	---	---
692D2: MAYBERRY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Mayberry	90	No	---	---	---	---	---
	ADAIR	5	No	---	---	---	---	---
	CLAYEY SUBSOIL	5	No	---	---	---	---	---

Page County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
715: ALLUVIAL LAND, SANDY	Alluvial land	90	No	---	---	---	---	---
	Other	5	Yes	flood plain	4	No	Yes	No
	Other	5	Yes	oxbow	4,3,2B3	Yes	Yes	Yes
751C: NORTHBORO SILT LOAM, 5 TO 9 PERCENT SLOPES	Northboro	90	No	---	---	---	---	---
	MARSHALL	5	No	---	---	---	---	---
	SHARPSBURG	5	No	---	---	---	---	---
751C2: NORTHBORO SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Northboro	90	No	---	---	---	---	---
	MARSHALL	5	No	---	---	---	---	---
	SHARPSBURG	5	No	---	---	---	---	---
751D: NORTHBORO SILT LOAM, 9 TO 14 PERCENT SLOPES	Northboro	90	No	---	---	---	---	---
	MARSHALL	5	No	---	---	---	---	---
	SHARPSBURG	5	No	---	---	---	---	---
751D2: NORTHBORO SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Northboro	90	No	---	---	---	---	---
	MARSHALL	5	No	---	---	---	---	---
	SHARPSBURG	5	No	---	---	---	---	---
T9: MARSHALL SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Marshall	95	No	---	---	---	---	---
	MINDEN	5	No	---	---	---	---	---
T9B: MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT COMPLEX SLOPES	Marshall	95	No	---	---	---	---	---
	MINDEN	5	No	---	---	---	---	---
T299: MINDEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Minden	95	No	---	---	---	---	---
	Other	5	Yes	depression	2B3	Yes	No	No

Page County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
T368: MACKSBURG SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Macksburg	90	No	---	---	---	---	---
	Other	5	Yes	depression	2B3	Yes	No	No
	SHARPSBURG	5	No	---	---	---	---	---
T369: WINTERSET SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Winterset	90	Yes	depression	2B3	Yes	No	No
	Depressions	5	Yes	depression	2B3,3	Yes	No	Yes
	MACKSBURG	5	No	---	---	---	---	---
T370B: SHARPSBURG SILTY CLAY LOAM, 2 TO 5 PERCENT COMPLEX SLOPES	Sharpsburg	100	No	---	---	---	---	---
T370C: SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT COMPLEX SLOPES	Sharpsburg	100	No	---	---	---	---	---