

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5: Ackmore-----	40	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Colo-----	40	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
7: Wiota-----	90	Very limited Flooding	1.00	Not limited		Not limited	
8B: Judson-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
8C: Judson-----	100	Not limited		Not limited		Very limited Slope	1.00
11B: Colo-----	50	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ely-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.50
20C: Killduff-----	90	Not limited		Not limited		Very limited Slope	1.00
20C2: Killduff-----	95	Not limited		Not limited		Very limited Slope	1.00
20D2: Killduff-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
24D2: Shelby-----	85	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
24E: Shelby-----	85	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
24E2: Shelby-----	85	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
24F: Shelby-----	85	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
41C: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
41D: Sparta-----	100	Somewhat limited Slope Too sandy	0.96 0.95	Somewhat limited Slope Too sandy	0.96 0.95	Very limited Slope Too sandy	1.00 0.95
43: Bremer-----	90	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
51: Vesser-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
54: Zook-----	95	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.94 0.60
65D: Lindley-----	100	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
65E: Lindley-----	95	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65E3: Lindley-----	95	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65F: Lindley-----	95	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65F3: Lindley-----	95	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65G: Lindley-----	95	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75: Givin-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
76B: Ladoga-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
76C: Ladoga-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
76C2: Ladoga-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
76D: Ladoga-----	95	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
76D2: Ladoga-----	85	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
80C: Clinton-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
80C2: Clinton-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
80D: Clinton-----	90	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope	1.00
						Restricted permeability	0.15
80D2: Clinton-----	90	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope	1.00
						Restricted permeability	0.15
80E2: Clinton-----	90	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope	1.00
						Restricted permeability	0.15
88: Nevin-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
93D2: Shelby-----	60	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope	1.00
						Restricted permeability	0.15
Adair-----	30	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Slope	1.00 1.00
						Restricted permeability Gravel content	0.94 0.06

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
93E2: Shelby-----	70	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
Adair-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.06
118: Garwin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
119: Muscatine-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
120: Tama-----	95	Not limited		Not limited		Not limited	
120B: Tama-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
120C: Tama-----	95	Not limited		Not limited		Very limited Slope	1.00
120C2: Tama-----	90	Not limited		Not limited		Very limited Slope	1.00
120D2: Tama-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
122: Sperry-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
133: Colo-----	85	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133+: Colo-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
162B: Downs-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
162C2: Downs-----	100	Not limited		Not limited		Very limited Slope	1.00
162D: Downs-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
162D2: Downs-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163C: Fayette-----	95	Not limited		Not limited		Very limited Slope	1.00
163C2: Fayette-----	95	Not limited		Not limited		Very limited Slope	1.00
163D2: Fayette-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163E2: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
179D: Gara-----	95	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
179D2: Gara-----	95	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
179E: Gara-----	95	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
179E2: Gara-----	95	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
179F: Gara-----	100	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
192D2: Adair-----	100	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Slope Restricted permeability Gravel content	1.00 1.00 0.94 0.06
220: Nodaway-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
222C: Clarinda-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
222C2: Clarinda-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.60	Very limited Depth to saturated zone Restricted permeability	1.00 0.60	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.60
222D2: Clarinda-----	95	Very limited Depth to saturated zone Slope Restricted permeability	1.00 0.63 0.60	Very limited Depth to saturated zone Slope Restricted permeability	1.00 0.63 0.60	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.60
273B: Olmitz-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
273C: Olmitz-----	90	Not limited		Not limited		Very limited Slope	1.00
279: Taintor-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
280: Mahaska-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
281B: Otley-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
281C: Otley-----	95	Not limited		Not limited		Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
281C2: Otley-----	95	Not limited		Not limited		Very limited Slope	1.00
281D2: Otley-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
291: Atterberry-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
293D2: Chelsea-----	65	Somewhat limited Too sandy Slope	0.95 0.63	Somewhat limited Too sandy Slope	0.95 0.63	Very limited Slope Too sandy	1.00 0.95
Ladoga-----	30	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
293E2: Chelsea-----	60	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95
Ladoga-----	30	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
293F: Chelsea-----	60	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95
Ladoga-----	30	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
377C2: Dinsdale-----	95	Not limited		Not limited		Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
377D2: Dinsdale-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
422: Amana-----	85	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
424D2: Lindley-----	60	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
Keswick-----	30	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.94
425D2: Keswick-----	90	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.94
428B: Ely-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.50
430: Ackmore-----	90	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
442E2: Downs-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Chelsea-----	30	Somewhat limited Slope Too sandy	0.96 0.95	Somewhat limited Slope Too sandy	0.96 0.95	Very limited Slope Too sandy	1.00 0.95
451D2: Caleb-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
453: Tuskeego-----	95	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
462B: Downs-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
462C2: Downs-----	85	Not limited		Not limited		Very limited Slope	1.00
484: Lawson-----	85	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
488C2: Downs Variant-----	90	Not limited		Not limited		Very limited Slope	1.00
488D2: Downs Variant-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
570C2: Nira-----	100	Not limited		Not limited		Very limited Slope	1.00
570D2: Nira-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
571C2: Hedrick-----	90	Not limited		Not limited		Very limited Slope	1.00
571D2: Hedrick-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
592D2: Mystic-----	90	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.94
683D2: Liscomb-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
687: Watkins-----	90	Very limited Flooding	1.00	Not limited		Not limited	
688: Koszta-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
792D2: Armstrong-----	95	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Slope Restricted permeability Gravel content	1.00 1.00 0.94 0.04
822D2: Lamoni-----	90	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.94

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
822E2: Lamoni-----	90	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.94	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.94	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.94
876B: Ladoga-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
876C2: Ladoga-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
881B: Otley-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
881C2: Otley-----	100	Not limited		Not limited		Very limited Slope	1.00
993D2: Gara-----	55	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
Armstrong-----	35	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.63	Very limited Depth to saturated zone Slope Restricted permeability Gravel content	1.00 1.00 0.94 0.04

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
993E2: Gara-----	60	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
Armstrong-----	30	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.94	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.94	Very limited Depth to saturated zone Slope Restricted permeability Gravel content	1.00 1.00 0.94 0.04
1220: Nodaway-----	50	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Ackmore-----	35	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
5030: Quarry-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	