

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5: Ackmore-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Colo-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
7: Wiota-----	90	Not limited		Not limited		Not limited	
8B: Judson-----	90	Not limited		Not limited		Not limited	
8C: Judson-----	100	Not limited		Not limited		Not limited	
11B: Colo-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ely-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
20C: Killduff-----	90	Not limited		Not limited		Not limited	
20C2: Killduff-----	95	Not limited		Not limited		Not limited	
20D2: Killduff-----	95	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
24D2: Shelby-----	85	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
24E: Shelby-----	85	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
24E2: Shelby-----	85	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
24F: Shelby-----	85	Very limited Slope Water erosion	1.00 0.53	Somewhat limited Water erosion Slope	0.53 0.14	Very limited Slope	1.00
41C: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.18
41D: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	0.96 0.18
43: Bremer-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
51: Vesser-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
54: Zook-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
65D: Lindley-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
65E: Lindley-----	95	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
65E3: Lindley-----	95	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
65F: Lindley-----	95	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
65F3: Lindley-----	95	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
65G: Lindley-----	95	Very limited Slope Water erosion	1.00 0.80	Somewhat limited Water erosion Slope	0.80 0.56	Very limited Slope	1.00
75: Givin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
76B: Ladoga-----	90	Not limited		Not limited		Not limited	
76C: Ladoga-----	95	Not limited		Not limited		Not limited	
76C2: Ladoga-----	95	Not limited		Not limited		Not limited	
76D: Ladoga-----	95	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
76D2: Ladoga-----	85	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
80C: Clinton-----	95	Not limited		Not limited		Not limited	
80C2: Clinton-----	95	Not limited		Not limited		Not limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
80D: Clinton-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
80D2: Clinton-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
80E2: Clinton-----	90	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
88: Nevin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
93D2: Shelby-----	60	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
Adair-----	30	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
93E2: Shelby-----	70	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
Adair-----	30	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope Depth to saturated zone	1.00 0.19
118: Garwin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
119: Muscatine-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
120: Tama-----	95	Not limited		Not limited		Not limited	
120B: Tama-----	95	Not limited		Not limited		Not limited	
120C: Tama-----	95	Not limited		Not limited		Not limited	
120C2: Tama-----	90	Not limited		Not limited		Not limited	
120D2: Tama-----	90	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
122: Sperry-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
133: Colo-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133+: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
162B: Downs-----	100	Not limited		Not limited		Not limited	
162C2: Downs-----	100	Not limited		Not limited		Not limited	
162D: Downs-----	85	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
162D2: Downs-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
163C: Fayette-----	95	Not limited		Not limited		Not limited	
163C2: Fayette-----	95	Not limited		Not limited		Not limited	
163D2: Fayette-----	95	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
163E2: Fayette-----	95	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
179D: Gara-----	95	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
179D2: Gara-----	95	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
179E: Gara-----	95	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
179E2: Gara-----	95	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
179F: Gara-----	100	Somewhat limited Slope Water erosion	0.82 0.53	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
192D2: Adair-----	100	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
220: Nodaway-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
222C: Clarinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
222C2: Clarinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
222D2: Clarinda-----	95	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
273B: Olmitz-----	100	Not limited		Not limited		Not limited	
273C: Olmitz-----	90	Not limited		Not limited		Not limited	
279: Taintor-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
280: Mahaska-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
281B: Otley-----	90	Not limited		Not limited		Not limited	
281C: Otley-----	95	Not limited		Not limited		Not limited	
281C2: Otley-----	95	Not limited		Not limited		Not limited	
281D2: Otley-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
291: Atterberry-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
293D2:							
Chelsea-----	65	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Slope Droughty	0.63 0.01
Ladoga-----	30	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
293E2:							
Chelsea-----	60	Somewhat limited Too sandy Slope	0.95 0.02	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	1.00 0.01
Ladoga-----	30	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
293F:							
Chelsea-----	60	Somewhat limited Too sandy Slope	0.95 0.82	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	1.00 0.01
Ladoga-----	30	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
377C2:							
Dinsdale-----	95	Not limited		Not limited		Not limited	
377D2:							
Dinsdale-----	90	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
422:							
Amana-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
424D2:							
Lindley-----	60	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
Keswick-----	30	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
425D2: Keswick-----	90	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
428B: Ely-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
430: Ackmore-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
442E2: Downs-----	60	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
Chelsea-----	30	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	0.96 0.01
451D2: Caleb-----	100	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
453: Tuskeego-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
462B: Downs-----	100	Not limited		Not limited		Not limited	
462C2: Downs-----	85	Not limited		Not limited		Not limited	
484: Lawson-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
488C2: Downs Variant-----	90	Not limited		Not limited		Not limited	
488D2: Downs Variant-----	90	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
570C2: Nira-----	100	Not limited		Not limited		Not limited	
570D2: Nira-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
571C2: Hedrick-----	90	Not limited		Not limited		Not limited	
571D2: Hedrick-----	90	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
592D2: Mystic-----	90	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
683D2: Liscomb-----	90	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
687: Watkins-----	90	Not limited		Not limited		Not limited	
688: Koszta-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
792D2: Armstrong-----	95	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
822D2: Lamoni-----	90	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
822E2: Lamoni-----	90	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.02	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
876B: Ladoga-----	90	Not limited		Not limited		Not limited	
876C2: Ladoga-----	95	Not limited		Not limited		Not limited	
881B: Otley-----	100	Not limited		Not limited		Not limited	
881C2: Otley-----	100	Not limited		Not limited		Not limited	
993D2: Gara-----	55	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
Armstrong-----	35	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
993E2: Gara-----	60	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
Armstrong-----	30	Very limited Depth to saturated zone Water erosion Slope	1.00 0.80 0.02	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Poweshiek County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1220: Nodaway-----	50	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Ackmore-----	35	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00 1.00
5030: Quarry-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	