

HYDRIC SOILS LIST

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
5B: ACKMORE-COLO COMPLEX, 2 TO 5 PERCENT SLOPES	ACKMORE	50	No	---	---	---	---	---
	COLO	40	Yes	drainageway	2B3	Yes	No	No
	ELY	5	No	---	---	---	---	---
	JUDSON	5	No	---	---	---	---	---
7: WIOTA SILT LOAM, 0 TO 2 PERCENT SLOPES	WIOTA	95	No	---	---	---	---	---
	NEVIN	5	No	---	---	---	---	---
7B: WIOTA SILT LOAM, 2 TO 5 PERCENT SLOPES	WIOTA	95	No	---	---	---	---	---
	NEVIN	5	No	---	---	---	---	---
8B: JUDSON SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	JUDSON	90	No	---	---	---	---	---
	Colo	5	Yes	flood plain	2B3	Yes	No	No
	ELY	5	No	---	---	---	---	---
11B: COLO-ELY COMPLEX, 2 TO 5 PERCENT SLOPES	COLO	50	Yes	drainageway	2B3	Yes	No	No
	ELY	40	No	---	---	---	---	---
	JUDSON	10	No	---	---	---	---	---
20C2: KILLDUFF SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KILLDUFF	95	No	---	---	---	---	---
	Clarinda	5	Yes	hill	2B3	Yes	No	No
20D2: KILLDUFF SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	KILLDUFF	95	No	---	---	---	---	---
	Clarinda	5	Yes	hill	2B3	Yes	No	No
20D3: KILLDUFF SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	KILLDUFF	95	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
20E2: KILLDUFF SILTY CLAY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	Clarinda	5	Yes	hill	2B3	Yes	No	No
	KILLDUFF	95	No	---	---	---	---	---
20E3: KILLDUFF SILTY CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	Clarinda	5	Yes	hill	2B3	Yes	No	No
	KILLDUFF	95	No	---	---	---	---	---
24D2: SHELBY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Clarinda	5	Yes	hill	2B3	Yes	No	No
	SHELBY	90	No	---	---	---	---	---
	ADAIR	5	No	---	---	---	---	---
24D3: SHELBY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	Clarinda	5	Yes	hill	2B3	Yes	No	No
	SHELBY	90	No	---	---	---	---	---
	ADAIR	5	No	---	---	---	---	---
24E2: SHELBY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	Clarinda	5	Yes	hill	2B3	Yes	No	No
	SHELBY	90	No	---	---	---	---	---
	ADAIR	5	No	---	---	---	---	---
24E3: SHELBY CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	Clarinda	5	Yes	hill	2B3	Yes	No	No
	SHELBY	90	No	---	---	---	---	---
	ADAIR	5	No	---	---	---	---	---
43: BREMER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Clarinda	5	Yes	hill	2B3	Yes	No	No
	BREMER	95	Yes	terrace	2B3	Yes	No	No
	Tuskeego	5	Yes	terrace	2B3	Yes	No	No

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
63D: CHELSEA LOAMY FINE SAND, 5 TO 14 PERCENT SLOPES	CHELSEA	100	No	---	---	---	---	---
63F: CHELSEA LOAMY FINE SAND, 14 TO 25 PERCENT SLOPES	CHELSEA	100	No	---	---	---	---	---
65D2: LINDLEY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	100	No	---	---	---	---	---
65E2: LINDLEY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	95	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
65E3: LINDLEY CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	LINDLEY	95	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
65F: LINDLEY LOAM, 18 TO 25 PERCENT SLOPES	LINDLEY	95	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
65F2: LINDLEY LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	95	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
65F3: LINDLEY CLAY LOAM, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	LINDLEY	95	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
65G: LINDLEY LOAM, 25 TO 40 PERCENT SLOPES	LINDLEY	95	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
83B: KENYON LOAM, 2 TO 5 PERCENT SLOPES	KENYON	95	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
83C2: KENYON LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KENYON	95	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
88: NEVIN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	NEVIN	90	No	---	---	---	---	---
	Bremer	5	Yes	terrace	2B3	Yes	No	No
	WIOTA	5	No	---	---	---	---	---
110C: LAMONT FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES	LAMONT	95	No	---	---	---	---	---
	CHELSEA	5	No	---	---	---	---	---
118: GARWIN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	GARWIN	90	Yes	flat	2B3	Yes	No	No
	MUSCATINE	5	No	---	---	---	---	---
	Sperry	5	Yes	depression	2B3,3	Yes	No	Yes
119: MUSCATINE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	MUSCATINE	90	No	---	---	---	---	---
	Garwin	5	Yes	flat	2B3	Yes	No	No
	Sperry	5	Yes	depression	2B3,3	Yes	No	Yes
119B: MUSCATINE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	MUSCATINE	95	No	---	---	---	---	---
	Garwin	5	Yes	flat	2B3	Yes	No	No
120: TAMA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	TAMA	95	No	---	---	---	---	---
	MUSCATINE	5	No	---	---	---	---	---
120B: TAMA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	TAMA	100	No	---	---	---	---	---
120B2: TAMA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	TAMA	100	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
120C: TAMA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	TAMA	100	No	---	---	---	---	---
120C2: TAMA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	TAMA	100	No	---	---	---	---	---
120C3: TAMA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	TAMA	95	No	---	---	---	---	---
	LISCOMB	5	No	---	---	---	---	---
120D2: TAMA SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	TAMA	100	No	---	---	---	---	---
120D3: TAMA SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	TAMA	95	No	---	---	---	---	---
	LISCOMB	5	No	---	---	---	---	---
120E2: TAMA SILTY CLAY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	TAMA	95	No	---	---	---	---	---
	LISCOMB	5	No	---	---	---	---	---
122: SPERRY SILT LOAM, 0 TO 1 PERCENT SLOPES	SPERRY	95	Yes	depression	3,2B3	Yes	No	Yes
	Calc	5	Yes	flat	2B3	Yes	No	No
133: COLO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	COLO	90	Yes	flood plain	2B3	Yes	No	No
	NEVIN	5	No	---	---	---	---	---
	WIOTA	5	No	---	---	---	---	---
133+: COLO SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	COLO	95	Yes	flood plain	2B3	Yes	No	No
	ACKMORE	5	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
134: ZOOK SILTY CLAY, 0 TO 2 PERCENT SLOPES	ZOOK	100	Yes	flood plain	2B3	Yes	No	No
162B: DOWNS SILT LOAM, 2 TO 5 PERCENT SLOPES	DOWNS	100	No	---	---	---	---	---
162C: DOWNS SILT LOAM, 5 TO 9 PERCENT SLOPES	DOWNS	100	No	---	---	---	---	---
162C2: DOWNS SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	DOWNS	100	No	---	---	---	---	---
162D: DOWNS SILT LOAM, 9 TO 14 PERCENT SLOPES	DOWNS	100	No	---	---	---	---	---
162D2: DOWNS SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	DOWNS	100	No	---	---	---	---	---
162D3: DOWNS SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	DOWNS	100	No	---	---	---	---	---
162E2: DOWNS SILT LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	DOWNS	100	No	---	---	---	---	---
162E3: DOWNS SILTY CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	DOWNS	100	No	---	---	---	---	---
162F: DOWNS SILT LOAM, 18 TO 25 PERCENT SLOPES	DOWNS	95	No	---	---	---	---	---
	GARA	5	No	---	---	---	---	---
162F2: DOWNS SILT LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	DOWNS	95	No	---	---	---	---	---
	GARA	5	No	---	---	---	---	---
162F3: DOWNS SILTY CLAY LOAM, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	DOWNS	95	No	---	---	---	---	---
	GARA	5	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
163B: FAYETTE SILT LOAM, 2 TO 5 PERCENT SLOPES	FAYETTE	95	No	---	---	---	---	---
	Traer	5	Yes	flat	2B3	Yes	No	No
163C: FAYETTE SILT LOAM, 5 TO 9 PERCENT SLOPES	FAYETTE	100	No	---	---	---	---	---
163C2: FAYETTE SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	100	No	---	---	---	---	---
163D: FAYETTE, SILT LOAM, 9 TO 14 PERCENT SLOPES	FAYETTE	90	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
163D2: FAYETTE SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	90	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
163D3: FAYETTE SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	FAYETTE	90	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
163E: FAYETTE SILT LOAM, 14 TO 18 PERCENT SLOPES	FAYETTE	90	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
163E2: FAYETTE SILT LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	90	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
163E3: FAYETTE SILTY CLAY LOAM, 14 TO 18 PERCENT SLOPES SEVERELY ERODED	FAYETTE	95	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
163F: FAYETTE SILT LOAM, 18 TO 25 PERCENT SLOPES	FAYETTE	90	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
	TIMULA	5	No	---	---	---	---	---
163F2: FAYETTE SILT LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	95	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
163F3: FAYETTE SILTY CLAY LOAM, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	FAYETTE	95	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
163G: FAYETTE SILT LOAM, 25 TO 40 PERCENT SLOPES	FAYETTE	95	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
164: TRAER SILT LOAM, 0 TO 2 PERCENT SLOPES	TRAER	100	Yes	flat	2B3	Yes	No	No
174B: BOLAN LOAM, 2 TO 5 PERCENT SLOPES	BOLAN	100	No	---	---	---	---	---
174C: BOLAN LOAM, 5 TO 9 PERCENT SLOPES	BOLAN	100	No	---	---	---	---	---
175B: DICKINSON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	DICKINSON	100	No	---	---	---	---	---
175C: DICKINSON FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES	DICKINSON	100	No	---	---	---	---	---
179D2: GARA LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	GARA	95	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	ARMSTRONG	5	No	---	---	---	---	---
179D3: GARA CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	GARA	100	No	---	---	---	---	---
179E2: GARA LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	GARA	95	No	---	---	---	---	---
	ARMSTRONG	5	No	---	---	---	---	---
179E3: GARA CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	GARA	95	No	---	---	---	---	---
	ARMSTRONG	5	No	---	---	---	---	---
179F2: GARA LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	GARA	95	No	---	---	---	---	---
	ARMSTRONG	5	No	---	---	---	---	---
179F3: GARA CLAY LOAM, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	GARA	95	No	---	---	---	---	---
	ARMSTRONG	5	No	---	---	---	---	---
220: NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES	NODAWAY	90	No	---	---	---	---	---
	ACKMORE	5	No	---	---	---	---	---
	Colo	5	Yes	flood plain	2B3	Yes	No	No
222D2: CLARINDA SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES MODERATELY ERODED	CLARINDA	95	Yes	hill	2B3	Yes	No	No
	KILLDUFF	5	No	---	---	---	---	---
226: LAWLER LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	LAWLER	95	No	stream terrace	---	---	---	---
	Other	5	Yes	terrace	2B3	Yes	No	No
269: HUMESTON SILT LOAM, 0 TO 2 PERCENT SLOPES	HUMESTON	95	Yes	flood plain	2B3	Yes	No	No

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	Other	5	Yes	flood plain	4,2B3	Yes	Yes	No
291: ATTERBERRY SILT LOAM, 0 TO 2 PERCENT SLOPES	ATTERBERRY	95	No	---	---	---	---	---
	Poor	5	Yes	flat	2B3	Yes	No	No
293D: CHELSEA-LAMONT-FAYETTE COMPLEX, 9 TO 14 PERCENT SLOPES	CHELSEA	50	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---
	FAYETTE	20	No	---	---	---	---	---
293D2: CHELSEA-LAMONT-FAYETTE COMPLEX, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	CHELSEA	50	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---
	FAYETTE	20	No	---	---	---	---	---
293E: CHELSEA-LAMONT-FAYETTE COMPLEX, 14 TO 18 PERCENT SLOPES	CHELSEA	50	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---
	FAYETTE	20	No	---	---	---	---	---
293E2: CHELSEA-LAMONT-FAYETTE COMPLEX, 14 TO 18 PERCENT SLOPES MODERATELY ERODED	CHELSEA	50	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---
	FAYETTE	20	No	---	---	---	---	---
293F: CHELSEA-LAMONT-FAYETTE COMPLEX, 18 TO 25 PERCENT SLOPES	CHELSEA	50	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---
	FAYETTE	20	No	---	---	---	---	---
293F2: CHELSEA-LAMONT-FAYETTE COMPLEX, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	CHELSEA	50	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
293G: CHELSEA-LAMONT-FAYETTE	FAYETTE	20	No	---	---	---	---	---
	CHELSEA	45	No	---	---	---	---	---
COMPLEX, 25 TO 40 PERCENT SLOPES	LAMONT	30	No	---	---	---	---	---
	FAYETTE	20	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
350: WAUKEGAN SILT LOAM, 0 TO 2 PERCENT SLOPES	WAUKEGAN	100	No	---	---	---	---	---
350B: WAUKEGAN SILT LOAM, 2 TO 5 PERCENT SLOPES	WAUKEGAN	100	No	---	---	---	---	---
350C: WAUKEGAN SILT LOAM, 5 TO 9 PERCENT SLOPES	WAUKEGAN	100	No	---	---	---	---	---
354: AQUOLLS, PONDED	Aquolls	100	Yes	depression	2B3,3	Yes	No	Yes
377B: DINSDALE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	DINSDALE	100	No	---	---	---	---	---
377B2: DINSDALE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	DINSDALE	100	No	---	---	---	---	---
377C: DINSDALE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	DINSDALE	100	No	---	---	---	---	---
377C2: DINSDALE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	DINSDALE	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
377D2: DINSDALE SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LISCOMB	5	No	---	---	---	---	---
	DINSDALE	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
377D3: DINSDALE SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	LISCOMB	5	No	---	---	---	---	---
	DINSDALE	95	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
420B: TAMA SILTY CLAY LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	TAMA	100	No	---	---	---	---	---
420C: TAMA SILTY CLAY LOAM, BENCHES, 5 TO 9 PERCENT SLOPES	TAMA	100	No	---	---	---	---	---
424E2: LINDLEY-KESWICK COMPLEX, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	70	No	---	---	---	---	---
	KESWICK	30	No	---	---	---	---	---
424F2: LINDLEY-KESWICK COMPLEX, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	70	No	---	---	---	---	---
	KESWICK	30	No	---	---	---	---	---
424F3: LINDLEY-KESWICK COMPLEX, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	LINDLEY	70	No	---	---	---	---	---
	KESWICK	30	No	---	---	---	---	---
428B: ELY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	ELY	90	No	---	---	---	---	---
	Colo	5	Yes	drainageway	2B3	Yes	No	No
429D2: DOWNS-LAMONT COMPLEX, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	JUDSON	5	No	---	---	---	---	---
	DOWNS	60	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---
	CHELSEA	5	No	---	---	---	---	---
	GARA	5	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
429E2: DOWNS-LAMONT COMPLEX, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	DOWNS	60	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---
	CHELSEA	5	No	---	---	---	---	---
	GARA	5	No	---	---	---	---	---
429E3: DOWNS-LAMONT COMPLEX, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	DOWNS	60	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---
	CHELSEA	10	No	---	---	---	---	---
429F2: DOWNS-LAMONT COMPLEX, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	DOWNS	60	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---
	CHELSEA	10	No	---	---	---	---	---
430: ACKMORE SILT LOAM, 0 TO 2 PERCENT SLOPES	ACKMORE	95	No	---	---	---	---	---
	Colo	5	Yes	flood plain	2B3	Yes	No	No
430B: ACKMORE SILT LOAM, 2 TO 5 PERCENT SLOPES	ACKMORE	95	No	---	---	---	---	---
	Colo	5	Yes	drainageway	2B3	Yes	No	No
462B: DOWNS SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	DOWNS	100	No	---	---	---	---	---
462C: DOWNS SILT LOAM, BENCHES, 5 TO 9 PERCENT SLOPES	DOWNS	100	No	---	---	---	---	---
478G: EMELINE-ROCK OUTCROP COMPLEX, 25 TO 60 PERCENT SLOPES	EMELINE	60	No	---	---	---	---	---
	ROCK OUTCROP	40	Unranked	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
484: LAWSON SILT LOAM, 0 TO 2 PERCENT SLOPES	LAWSON	95	No	---	---	---	---	---
	Colo	5	Yes	flood plain	2B3	Yes	No	No
485: SPILLVILLE LOAM, 0 TO 2 PERCENT SLOPES	SPILLVILLE	95	No	---	---	---	---	---
	Colo	5	Yes	flood plain	2B3	Yes	No	No
673D2: TIMULA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	TIMULA	100	No	---	---	---	---	---
673D3: TIMULA SILT LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	TIMULA	100	No	---	---	---	---	---
673E2: TIMULA SILT LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	TIMULA	95	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
673E3: TIMULA SILT LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	TIMULA	95	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
673F2: TIMULA SILT LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	TIMULA	95	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
673F3: TIMULA SILT LOAM, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	TIMULA	95	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
673G: TIMULA SILT LOAM, 25 TO 40 PERCENT SLOPES	TIMULA	100	No	---	---	---	---	---
683C2: LISCOMB LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	LISCOMB	95	No	---	---	---	---	---
	DINSDALE	5	No	---	---	---	---	---

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
683D2: LISCOMB LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LISCOMB	95	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
683D3: LISCOMB LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	LISCOMB	95	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
683E2: LISCOMB LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	LISCOMB	95	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
683E3: LISCOMB LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	LISCOMB	100	No	---	---	---	---	---
771B: WAUBEEK SILT LOAM, 2 TO 5 PERCENT SLOPES	WAUBEEK	95	No	---	---	---	---	---
	LISCOMB	5	No	---	---	---	---	---
771C: WAUBEEK SILT LOAM, 5 TO 9 PERCENT SLOPES	WAUBEEK	95	No	---	---	---	---	---
	LISCOMB	5	No	---	---	---	---	---
771C2: WAUBEEK SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	WAUBEEK	95	No	---	---	---	---	---
	LISCOMB	5	No	---	---	---	---	---
771D2: WAUBEEK SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	WAUBEEK	95	No	---	---	---	---	---
	LISCOMB	5	No	---	---	---	---	---
926: CANOE SILT LOAM, 0 TO 2 PERCENT SLOPES	CANOE	95	No	---	---	---	---	---
	Humeston	5	Yes	flood plain	2B3	Yes	No	No
933B: SAWMILL SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	SAWMILL	95	Yes	flood plain	2B3	Yes	No	No

Tama County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
978: FESTINA SILT LOAM, 0 TO 2 PERCENT SLOPES	ELY	5	No	---	---	---	---	---
	FESTINA	100	No	---	---	---	---	---
993E2: GARA-ARMSTRONG COMPLEX, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	ARMSTRONG	50	No	---	---	---	---	---
	GARA	50	No	---	---	---	---	---
993E3: GARA-ARMSTRONG COMPLEX, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	ARMSTRONG	50	No	---	---	---	---	---
	GARA	50	No	---	---	---	---	---
1133: COLO SILTY CLAY LOAM, CHANNELED, 0 TO 2 PERCENT SLOPES	COLO	95	Yes	flood plain	2B3,4	Yes	Yes	No
	Zook	5	Yes	flood plain	2B3	Yes	No	No
1220: NODAWAY SILT LOAM, CHANNELED, 0 TO 2 PERCENT SLOPES	NODAWAY	85	No	---	---	---	---	---
	ACKMORE	5	No	---	---	---	---	---
	Colo	5	Yes	flood plain	3,2B3	Yes	No	Yes
	Other	5	Yes	flood plain	4	No	Yes	No
1485: SPILLVILLE LOAM, CHANNELED, 0 TO 2 PERCENT SLOPES	SPILLVILLE	90	No	---	---	---	---	---
	Other	5	Yes	oxbow	2B3,3	Yes	No	Yes
	Perks	5	No	flood plain	---	---	---	---
5010: PITS, SAND AND GRAVEL	PITS, SAND AND GRAVEL	100	Unranked	---	---	---	---	---
5030: PITS, LIMESTONE QUARRIES	PITS, LIMESTONE QUARRY	100	Unranked	---	---	---	---	---
5040: ORTHENTS, LOAMY	ORTHENTS	100	Unranked	---	---	---	---	---

