

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AaC: Adair-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
AaC2: Adair-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
AaD: Adair-----	100	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
AaD2: Adair-----	100	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
AdC3: Adair-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
AdD3: Adair-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to saturated zone	0.63 0.19
AsD2: Adair-----	55	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
Shelby-----	35	Not limited		Not limited		Somewhat limited Slope	0.63
AsD3: Adair-----	55	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to saturated zone	0.63 0.19

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Shelby-----	35	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
CaD2: Caleb-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
CaE2: Caleb-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
CbD3: Caleb-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
CbE3: Caleb-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Ch: Chequest-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
ClC: Clarinda-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
ClC2: Clarinda-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
ClD2: Clarinda-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to saturated zone	0.63 0.19
CmC3: Clarinda-----	100	Very limited Too clayey	1.00	Very limited Too clayey	1.00	Very limited Too clayey Depth to saturated zone	1.00 0.19

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Co: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
CoB: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Cz: Colo-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Zook-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ed: Edina-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
GaD2: Gara-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
GaE: Gara-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
GaE2: Gara-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
GaF: Gara-----	100	Somewhat limited Slope	0.68	Not limited		Very limited Slope	1.00
GaF2: Gara-----	100	Somewhat limited Slope	0.68	Not limited		Very limited Slope	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GrE3: Gara-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
GuB: Grundy-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
GuC: Grundy-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
GuC2: Grundy-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Ha: Haig-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Hu: Humeston-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
HuB: Humeston-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
KnB: Kniffin-----	100	Not limited		Not limited		Not limited	
KnC: Kniffin-----	100	Not limited		Not limited		Not limited	
KnC2: Kniffin-----	100	Not limited		Not limited		Not limited	
LaC2: Lamoni-----	100	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.19
LaD2: Lamoni-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to saturated zone	0.63 0.19
LmD3: Lamoni-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to saturated zone	0.63 0.19
Ln: Lawson-----	55	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
Nodaway-----	35	Not limited		Not limited		Somewhat limited Flooding	0.60
LoF2: Lindley-----	100	Somewhat limited Slope	0.98	Not limited		Very limited Slope	1.00
LvC: Lineville-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
LvC2: Lineville-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
MyC2: Mystic-----	100	Not limited		Not limited		Not limited	
OmB: Olmitz-----	100	Not limited		Not limited		Not limited	
OvB: Olmitz-----	35	Not limited		Not limited		Not limited	
Vesser-----	30	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Flooding Depth to saturated zone	0.60 0.19
Colo-----	25	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
PeC: Pershing-----	100	Not limited		Not limited		Not limited	
PeC2: Pershing-----	100	Not limited		Not limited		Not limited	
PhB: Pershing-----	100	Not limited		Not limited		Not limited	
PhC2: Pershing-----	100	Not limited		Not limited		Not limited	
RaC: Rathbun-----	100	Not limited		Not limited		Not limited	
RaC2: Rathbun-----	100	Not limited		Not limited		Not limited	
SeB: Seymour-----	100	Not limited		Not limited		Not limited	
SfC: Seymour-----	100	Not limited		Not limited		Not limited	
SfC2: Seymour-----	100	Not limited		Not limited		Not limited	
ShD: Shelby-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
ShD2: Shelby-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
ShE: Shelby-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShE2: Shelby-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
ShF2: Shelby-----	100	Somewhat limited Slope	0.68	Not limited		Very limited Slope	1.00
SoD3: Shelby-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
SoE3: Shelby-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
Ve: Vesser-----	95	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
VeB: Vesser-----	95	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
W: Water-----	100	Not rated		Not rated		Not rated	
Wa: Wabash-----	95	Very limited Depth to saturated zone Too clayey Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Too clayey Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Too clayey Ponding Flooding	1.00 1.00 1.00 1.00 0.60
Zo: Zook-----	100	Very limited		Very limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Flooding	0.60

