

RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	95	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.15	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.15	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.15
28B: Dickman-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
55: Nicollet-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
62C2: Storden-----	90	Not limited		Not limited		Very limited Slope	1.00
62D2: Storden-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
62E2: Storden-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
73B: Salida-----	100	Somewhat limited Gravel content	0.12	Somewhat limited Gravel content	0.12	Very limited Gravel content Slope	1.00 0.88
73E: Salida-----	100	Somewhat limited Slope Gravel content	0.96 0.12	Somewhat limited Slope Gravel content	0.96 0.12	Very limited Slope Gravel content	1.00 1.00
90: Okoboji-----	100	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.15	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.15	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.15

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
95: Harps-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
107: Webster-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
135: Coland-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
135B: Coland-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.50
138B: Clarion-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
138C: Clarion-----	100	Not limited		Not limited		Very limited Slope	1.00
138C2: Clarion-----	85	Not limited		Not limited		Very limited Slope	1.00
138D2: Clarion-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
150: Hanska-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
168B: Hayden-----	100	Not limited		Not limited		Somewhat limited Slope	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
168C: Hayden-----	90	Not limited		Not limited		Very limited Slope	1.00
168D2: Hayden-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
168E: Hayden-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
175B: Dickinson-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
221: Palms-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Content of organic matter	1.00	Content of organic matter	1.00	Content of organic matter	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
224: Linder-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
236B: Lester-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
236C2: Lester-----	95	Not limited		Not limited		Very limited Slope	1.00
236D2: Lester-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
236E2: Lester-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
236F: Lester-----	95	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
307: Dundas-----	95	Slope	1.00	Slope	1.00	Slope	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
321: Boots-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
325: Le Sueur-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
349: Darfur-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
384: Collinwood-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.60	Restricted permeability	0.60	Restricted permeability	0.60
384B: Collinwood-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.60	Restricted permeability	0.60	Restricted permeability	0.60
						Slope	0.50
386: Cordova-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
390: Waldorf-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.60	Very limited Depth to saturated zone Restricted permeability	1.00 0.60	Very limited Depth to saturated zone Restricted permeability	1.00 0.60
485B: Spillville-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
507: Canisteo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
511: Blue Earth-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
583: Minnetonka-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94
585B: Coland-----	60	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Spillville-----	40	Not limited		Not limited		Somewhat limited Slope	0.50
621: Houghton-----	100	Very limited Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00
638B2: Clarion-----	60	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.50
Storden-----	35	Not limited		Not limited		Somewhat limited Slope	0.50
638C2: Clarion-----	60	Not limited		Not limited		Very limited Slope	1.00
Storden-----	30	Not limited		Not limited		Very limited Slope	1.00
638D2: Clarion-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Storden-----	30	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
638E2: Clarion-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Storden-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
655: Crippin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
658: Mayer-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
777: Wapsie-----	95	Not limited		Not limited		Not limited	
777B: Wapsie-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
777C: Wapsie-----	90	Not limited		Not limited		Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
787B: Vinje-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
787C2: Vinje-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
787D2: Vinje-----	95	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
811: Muskego-----	100	Very limited Depth to saturated zone Content of organic matter Ponding Restricted permeability	1.00 1.00 1.00 0.94	Very limited Depth to saturated zone Content of organic matter Ponding Restricted permeability	1.00 1.00 1.00 0.94	Very limited Depth to saturated zone Content of organic matter Ponding Restricted permeability	1.00 1.00 1.00 0.94
823: Ridgeport-----	95	Not limited		Not limited		Not limited	
823B: Ridgeport-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
836B: Kilkenny-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
836C2: Kilkenny-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.15
836D2: Kilkenny-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
836E2: Kilkenny-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
836F: Kilkenny-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
855: Shorewood-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.60	Restricted permeability	0.60	Restricted permeability	0.60
1133: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.40	Flooding	1.00
2811: Muskego-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Content of organic matter	1.00	Content of organic matter	1.00	Content of organic matter	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
5010: Pits-----	100	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	