Map symbol	Soil name	Acres	Percent
7	Wiota silt loam, 1 to 3 percent slopes	635	0.2
11B	Colo-ely complex, 2 to 5 percent slopes	18,675	4.7
41	Sparta loamy fine sand, 0 to 2 percent slopes	1,715	0.4
41B	Sparta loamy fine sand, 2 to 5 percent slopes	2,075	0.5
41C	Sparta loamy fine sand, 5 to 9 percent slopes	1,175	0.3
41D	Sparta loamy fine sand, 9 to 18 percent slopes	440	0.1
43	Bremer silty clay loam, 0 to 2 percent slopes	1,220	0.3
54	Zook silty clay loam, 0 to 2 percent slopes	1,225	0.3
63B	Chelsea loamy fine sand, 2 to 5 percent slopes	445	0.1
63C	Chelsea loamy fine sand, 5 to 9 percent slopes	680	0.2
63E	Chelsea loamy fine sand, 9 to 18 percent slopes	1,160	0.3
65D2	Lindley loam, 9 to 14 percent slopes, moderately eroded	675	0.2
65E2	Lindley loam, 14 to 18 percent slopes, moderately eroded	1,850	0.5
65F	Lindley loam, 18 to 25 percent slopes	595	0.1
65F2	Lindley loam, 18 to 25 percent slopes, moderately eroded	330	*
75	Givin silt loam, 0 to 2 percent slopes	1,000	0.3
76B	Ladoga silt loam, 2 to 5 percent slopes	7,725	1.9
76C2	Ladoga silt loam, 5 to 9 percent slopes, moderately eroded	7,575	1.9
76D2	Ladoga silt loam, 9 to 14 percent slopes, moderately eroded	3,275	0.8
80B	Clinton silt loam, 2 to 5 percent slopes	3,600	0.9
80C	Clinton silt loam, 5 to 9 percent slopes	725	0.2
80C2	Clinton silt loam, 5 to 9 percent slopes, moderately eroded	6,850	1.7
80D	Clinton silt loam, 9 to 14 percent slopes	450	0.1
80D2	Clinton silt loam, 9 to 14 percent slopes, moderately eroded	4,405	1.1
80D3	Clinton silty clay loam, 9 to 14 percent slopes, severely erode	2,325	0.6
83B	Kenyon loam, 2 to 5 percent slopes	1,875	0.5
83C2	Kenyon loam, 5 to 9 percent slopes, moderately eroded	2,075	0.5
88	Nevin silty clay loam, 0 to 2 percent slopes	1,180	0.3
110B	Lamont fine sandy loam, 2 to 5 percent slopes	725	0.2
110C	Lamont fine sandy loam, 5 to 9 percent slopes	925	0.2
110E	Lamont fine sandy loam, 9 to 18 percent slopes	365	*
118	Garwin silty clay loam, 0 to 2 percent slopes	4,800	1.2
119	Muscatine silt loam, 0 to 2 percent slopes	10,300	2.6
119B	Muscatine silt loam, 2 to 5 percent slopes	2,735	0.7
120B	Tama silt loam, 2 to 5 percent slopes	29,800	7.5
120C	Tama silt loam, 5 to 9 percent slopes	1,755	0.4
120C2	Tama silt loam, 5 to 9 percent slopes, moderately eroded	7,850	2.0
120D2	Tama silt loam, 9 to 14 percent slopes, moderately eroded	2,395	0.6
122	Sperry silt loam, 0 to 1 percent slopes	5,825	1.5
133	Colo silty clay loam, 0 to 2 percent slopes	5,100	1.3
133+	Colo silt loam, overwash, 0 to 2 percent slopes	6,525	1.6
135	Coland silty clay loam, 0 to 2 percent slopes	2,240	0.6
140	Sparta loamy fine sand, thick surface, 0 to 2 percent slopes	1,825	0.5
141	Watseka loamy fine sand, 0 to 2 percent slopes	780	0.2
152	Marshan loam, 32 to 40 inches to sand and gravel, 0 to 2 percen slopes	1,045	0.3
160	Walford silt loam, 0 to 1 percent slopes	4,175	1.0
161	Walford-atterberry silt loams, 1 to 3 percent slopes	1,070	0.3
162B	Downs silt loam, 2 to 5 percent slopes	3,585	0.9
162C	Downs silt loam, 5 to 9 percent slopes	845	0.2
162C2	Downs silt loam, 5 to 9 percent slopes, moderately eroded	10,550	2.6
162D2	Downs silt loam, 9 to 14 percent slopes, moderately eroded	6,750	1.7
163B	Fayette silt loam, 2 to 5 percent slopes	5,925	1.5
163C	Fayette silt loam, 5 to 9 percent slopes	3,925	1.0
163C2	Fayette silt loam, 5 to 9 percent slopes, moderately eroded	10,070	2.5
163D	Fayette silt loam, 9 to 14 percent slopes	2,175	0.5
163D2	Fayette silt loam, 9 to 14 percent slopes, moderately eroded	6,895	1.7
163D3	Fayette silty clay loam, 9 to 14 percent slopes, severely erode	5,425	1.4
163E	Fayette silt loam, 14 to 18 percent slopes	1,305	0.3
163E2	Fayette silt loam, 14 to 18 percent slopes, moderately eroded	5,575	1.4

See footnote at end of table.

Map symbol	Soil name	Acres	Percent
163E3	Fayette silty clay loam, 14 to 18 percent slopes, severely eroded	7,600	1.9
163F	Fayette silt loam, 18 to 25 percent slopes	3,575	0.9
163F2	Fayette silt loam, 18 to 25 percent slopes, moderately eroded	5,225	1.3
163G	Fayette silt loam, 25 to 40 percent slopes	7,550	1.9
165	Stronghurst silt loam, 0 to 2 percent slopes	275	*
171B	Bassett loam, 2 to 5 percent slopes	800	0.2
171C2	Bassett loam, 5 to 9 percent slopes, moderately eroded	3,250	0.8
171D2	Bassett loam, 9 to 14 percent slopes, moderately eroded	1,350	0.3
171D3	Bassett loam, 9 to 14 percent slopes, severely eroded	495	0.1
173	Hoopeston fine sandy loam, 0 to 2 percent slopes	355	*
174B	Bolan loam, 2 to 5 percent slopes	605	0.2
175	Dickinson fine sandy loam, 0 to 2 percent slopes	250	*
175B	Dickinson fine sandy loam, 2 to 5 percent slopes	845	0.2
175C	Dickinson fine sandy loam, 5 to 9 percent slopes	315	*
178	Waukee loam, 0 to 2 percent slopes	2,795	0.7
179D2	Gara loam, 9 to 14 percent slopes, moderately eroded	975	0.2
179E2	Gara loam, 14 to 18 percent slopes, moderately eroded	800	0.2
184	Klinger silty clay loam, 1 to 3 percent slopes	5,525	1.4
220	Nodaway silt loam, 0 to 2 percent slopes	4,550	1.1
226	Lawler loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes	1,480	0.4
279	Taintor silty clay loam, 0 to 2 percent slopes	565	0.1
280	Mahaska silty clay loam, 0 to 2 percent slopes	2,040	0.5
281B	Otley silty clay loam, 2 to 5 percent slopes	2,360	0.6
281C2	Otley silty clay loam, 5 to 9 percent slopes, moderately eroded	2,195	0.6
281D2	Otley silty clay loam, 9 to 14 percent slopes, moderately erode	680	0.2
284	Flagler sandy loam, 0 to 2 percent slopes	195	*
285C	Burkhardt sandy loam, 5 to 9 percent slopes	875	0.2
291	Atterberry silt loam, 0 to 2 percent slopes	5,825	1.5
291B	Atterberry silt loam, 2 to 5 percent slopes	290	*
293C	Chelsea-lamont-fayette complex, 5 to 9 percent slopes	1,075	0.3
293C2	Chelsea-lamont-fayette complex, 5 to 9 percent slopes, moderately eroded	2,085	0.5
293D	Chelsea-lamont-fayette complex, 9 to 14 percent slopes	685	0.2
293D2	Chelsea-lamont-fayette complex, 9 to 14 percent slopes, moderately eroded	2,305	0.6
293E	Chelsea-lamont-fayette complex, 14 to 18 percent slopes	1,405	0.4
293E2	Chelsea-lamont-fayette complex, 14 to 18 percent slopes, moderately eroded	1,865	0.5
293F	Chelsea-lamont-fayette complex, 18 to 25 percent slopes	1,510	0.4
293G	Chelsea-lamont-fayette complex, 25 to 40 percent slopes	1,835	0.5
320	Arenzville silt loam, 0 to 2 percent slopes	2,775	0.7
350B	Waukegan silt loam, 1 to 5 percent slopes	1,050	0.3
352B	Whittier silt loam, 2 to 5 percent slopes	990	0.2
352C2	Whittier silt loam, 5 to 9 percent slopes, moderately eroded	625	0.2
377B	Dinsdale silty clay loam, 2 to 5 percent slopes	8,150	2.0
377C2	Dinsdale silty clay loam, 5 to 9 percent slopes, moderately eroded	1,075	0.3
382	Maxfield silty clay loam, 0 to 2 percent slopes	2,400	0.6
420B	Tama silt loam, benches, 2 to 5 percent slopes	625	0.2
422	Amana silt loam, 0 to 2 percent slopes	1,300	0.3
428B	Ely silt loam, 2 to 5 percent slopes	1,595	0.4
430	Ackmore silt loam, 0 to 2 percent slopes	2,250	0.6
442B	Tama-dickinson complex, 2 to 5 percent slopes	1,300	0.3
442C2	Tama-dickinson complex, 5 to 9 percent slopes, moderately eroded	1,725	0.4
442D2	Tama-dickinson complex, 9 to 14 percent slopes, moderately eroded	535	0.1
453	Tuskeego silt loam, 0 to 2 percent slopes	1,200	0.3
484	Lawson silt loam, 0 to 2 percent slopes	2,560	0.6
485	Spillville loam, 0 to 2 percent slopes	2,260	0.6
520	Coppock silt loam, 0 to 2 percent slopes	1,615	0.4
539	Perks sandy loam, 0 to 2 percent slopes	400	0.1
621	Houghton muck, 0 to 2 percent slopes	150	*
687	Watkins silt loam, 0 to 2 percent slopes	390	*

See footnote at end of table.

Johnson County, Iowa

Map symbol	Soil name	Acres	Percent
687B	Watkins silt loam, 2 to 5 percent slopes	255	*
688	Koszta silt loam, 0 to 2 percent slopes	1,375	0.3
727	Udolpho loam, 0 to 2 percent slopes	2,595	0.7
729B	Nodaway-arenzville silt loams, 1 to 4 percent slopes	6,275	1.6
760	Ansgar silt loam, 0 to 3 percent slopes	1,030	0.3
761	Franklin silt loam, 1 to 3 percent slopes	1,800	0.5
771B	Waubeek silt loam, 2 to 5 percent slopes	1,150	0.3
771C2	Waubeek silt loam, 5 to 9 percent slopes, moderately eroded	500	0.1
778	Sattre loam, 0 to 2 percent slopes	495	0.1
778B	Sattre loam, 2 to 5 percent slopes	425	0.1
792D2	Armstrong loam, 9 to 14 percent slopes, moderately eroded	445	0.1
793	Bertrand silt loam, 1 to 3 percent slopes	1,495	0.4
826	Rowley silt loam, 0 to 2 percent slopes	935	0.2
876B	Ladoga silt loam, benches, 2 to 5 percent slopes	1,350	0.3
920	Tama silt loam, sandy substratum, 0 to 2 percent slopes	300	*
920B	Tama silt loam, sandy substratum, 2 to 5 percent slopes	487	0.1
962	Elvira silty clay loam, 0 to 2 percent slopes	1,355	0.3
974B	Bolan loam, loamy substratum, 2 to 5 percent slopes	535	0.1
976	Raddle silt loam, 1 to 3 percent slopes	970	0.2
993D2	Gara-armstrong loams, 9 to 14 percent slopes, moderately eroded	820	0.2
993E2	Gara-armstrong loams, 14 to 18 percent slopes, moderately erode	1,010	0.3
1119	Muscatine silt loam, benches, 0 to 2 percent slopes	415	0.1
1160	Walford silt loam, benches, 0 to 1 percent slopes	625	0.2
1220	Nodaway silt loam, channeled, 0 to 2 percent slopes	2,575	0.6
1280	Mahaska silty clay loam, benches, 0 to 2 percent slopes	225	*
1291	Atterberry silt loam, benches, 0 to 2 percent slopes	1,525	0.4
1315	Perks-spillville complex, 0 to 2 percent slopes	4,055	1.0
1316	Fluvaquents, ponded	5,970	1.5
1484	Lawson silt loam, channeled, 0 to 2 percent slopes	1,670	0.4
1485	Spillville loam, channeled, 0 to 2 percent slopes	1,175	0.3
2422	Amana-lawson-perks complex, 0 to 2 percent slopes	4,575	1.1
5010	Pits, sand and gravel	110	*
5030	Pits, limestone quarry	205	*
5040	Orthents, loamy	1,525	0.4
W	Water	5,995	1.5
	Total	396,837	99.5

* Less than 0.1 percent.

See footnote at end of table.