

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Harrison County, Iowa

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Dwellings without<br>basements        |       | Dwellings with<br>basements           |       | Small commercial<br>buildings         |       |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
|                             |                           | Rating class and<br>limiting features | Value | Rating class and<br>limiting features | Value | Rating class and<br>limiting features | Value |
| 1C:<br>Ida-----             | 90                        | Not limited                           |       | Not limited                           |       | Somewhat limited<br>Slope             | 0.86  |
| 1C3:<br>Ida-----            | 90                        | Not limited                           |       | Not limited                           |       | Somewhat limited<br>Slope             | 0.86  |
| 1D:<br>Ida-----             | 90                        | Somewhat limited<br>Slope             | 0.63  | Somewhat limited<br>Slope             | 0.63  | Very limited<br>Slope                 | 1.00  |
| 1D3:<br>Ida-----            | 90                        | Somewhat limited<br>Slope             | 0.63  | Somewhat limited<br>Slope             | 0.63  | Very limited<br>Slope                 | 1.00  |
| 1E:<br>Ida-----             | 90                        | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  |
| 1E3:<br>Ida-----            | 90                        | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  |
| 1F:<br>Ida-----             | 90                        | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  |
| 1F3:<br>Ida-----            | 90                        | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  |
| 1G:<br>Ida-----             | 90                        | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  |
| 2G:<br>Hamburg-----         | 95                        | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  |
| 3D:<br>Castana-----         | 90                        | Somewhat limited<br>Slope             | 0.16  | Somewhat limited<br>Slope             | 0.16  | Very limited<br>Slope                 | 1.00  |
| 3E:<br>Castana-----         | 90                        | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope                 | 1.00  |

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Harrison County, Iowa

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Dwellings without<br>basements            |              | Dwellings with<br>basements           |       | Small commercial<br>buildings             |              |
|-----------------------------|---------------------------|---|--------------|---------------------------------------|-------|---|--------------|
|                             |                           | Rating class and<br>limiting features     | Value        | Rating class and<br>limiting features | Value | Rating class and<br>limiting features     | Value        |
| 10:<br>Monona-----          | 85                        | Somewhat limited<br>Shrink-swell          | 0.50         | Not limited                           |       | Somewhat limited<br>Shrink-swell          | 0.50         |
| 10B:<br>Monona-----         | 85                        | Somewhat limited<br>Shrink-swell          | 0.50         | Not limited                           |       | Somewhat limited<br>Shrink-swell<br>Slope | 0.50<br>0.01 |
| 10C:<br>Monona-----         | 85                        | Somewhat limited<br>Shrink-swell          | 0.50         | Not limited                           |       | Somewhat limited<br>Slope<br>Shrink-swell | 0.86<br>0.50 |
| 10C2:<br>Monona-----        | 85                        | Somewhat limited<br>Shrink-swell          | 0.50         | Not limited                           |       | Somewhat limited<br>Slope<br>Shrink-swell | 0.86<br>0.50 |
| 10D:<br>Monona-----         | 85                        | Somewhat limited<br>Slope<br>Shrink-swell | 0.63<br>0.50 | Somewhat limited<br>Slope             | 0.63  | Very limited<br>Slope<br>Shrink-swell     | 1.00<br>0.50 |
| 10D2:<br>Monona-----        | 85                        | Somewhat limited<br>Slope<br>Shrink-swell | 0.63<br>0.50 | Somewhat limited<br>Slope             | 0.63  | Very limited<br>Slope<br>Shrink-swell     | 1.00<br>0.50 |
| 10D3:<br>Monona-----        | 85                        | Somewhat limited<br>Slope<br>Shrink-swell | 0.63<br>0.50 | Somewhat limited<br>Slope             | 0.63  | Very limited<br>Slope<br>Shrink-swell     | 1.00<br>0.50 |
| 10E:<br>Monona-----         | 85                        | Very limited<br>Slope<br>Shrink-swell     | 1.00<br>0.50 | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope<br>Shrink-swell     | 1.00<br>0.50 |
| 10E2:<br>Monona-----        | 85                        | Very limited<br>Slope<br>Shrink-swell     | 1.00<br>0.50 | Very limited<br>Slope                 | 1.00  | Very limited<br>Slope<br>Shrink-swell     | 1.00<br>0.50 |

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Harrison County, Iowa

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Dwellings without<br>basements           |              | Dwellings with<br>basements  |                      | Small commercial<br>buildings            |              |
|-----------------------------|---------------------------|--|--------------|--|----------------------|--|--------------|
|                             |                           | Rating class and<br>limiting features    | Value        | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features    | Value        |
| 10E3:<br>Monona-----        | 85                        | Very limited<br>Slope<br>Shrink-swell    | 1.00<br>0.50 | Very limited<br>Slope  | 1.00                 | Very limited<br>Slope<br>Shrink-swell    | 1.00<br>0.50 |
| 10F:<br>Monona-----         | 85                        | Very limited<br>Slope<br>Shrink-swell    | 1.00<br>0.50 | Very limited<br>Slope  | 1.00                 | Very limited<br>Slope<br>Shrink-swell    | 1.00<br>0.50 |
| 10F2:<br>Monona-----        | 85                        | Very limited<br>Slope<br>Shrink-swell    | 1.00<br>0.50 | Very limited<br>Slope  | 1.00                 | Very limited<br>Slope<br>Shrink-swell    | 1.00<br>0.50 |
| 10G:<br>Monona-----         | 85                        | Very limited<br>Slope<br>Shrink-swell    | 1.00<br>0.50 | Very limited<br>Slope  | 1.00                 | Very limited<br>Slope<br>Shrink-swell    | 1.00<br>0.50 |
| 12B:<br>Napier-----         | 90                        | Not limited                              |              | Not limited  |                      | Somewhat limited<br>Slope                | 0.01         |
| 12B+:<br>Napier-----        | 90                        | Not limited                              |              | Not limited  |                      | Somewhat limited<br>Slope                | 0.01         |
| 12C:<br>Napier-----         | 95                        | Not limited                              |              | Not limited  |                      | Somewhat limited<br>Slope                | 0.86         |
| 12D:<br>Napier-----         | 90                        | Somewhat limited<br>Slope                | 0.63         | Somewhat limited<br>Slope  | 0.63                 | Very limited<br>Slope                    | 1.00         |
| 17B:<br>Napier-----         | 50                        | Not limited                              |              | Not limited  |                      | Somewhat limited<br>Slope                | 0.01         |
| Nodaway-----                | 30                        | Very limited<br>Flooding<br>Shrink-swell | 1.00<br>0.50 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>0.61<br>0.50 | Very limited<br>Flooding<br>Shrink-swell | 1.00<br>0.50 |

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Harrison County, Iowa

| Map symbol and soil name | Pct. of map unit | Dwellings without basements                             |              | Dwellings with basements                                |              | Small commercial buildings                                       |                      |
|--------------------------|------------------|---|--------------|---|--------------|--|----------------------|
|                          |                  | Rating class and limiting features                      | Value        | Rating class and limiting features                      | Value        | Rating class and limiting features                               | Value                |
| Colo-----                | 20               | Very limited<br>Depth to saturated zone<br>Shrink-swell | 1.00<br>0.50 | Very limited<br>Depth to saturated zone<br>Shrink-swell | 1.00<br>0.50 | Very limited<br>Depth to saturated zone<br>Shrink-swell<br>Slope | 1.00<br>0.50<br>0.01 |
| 22D3:<br>Dow-----        | 60               | Somewhat limited<br>Slope                               | 0.63         | Somewhat limited<br>Slope                               | 0.63         | Very limited<br>Slope  | 1.00                 |
| Monona-----              | 30               | Somewhat limited<br>Slope<br>Shrink-swell               | 0.63<br>0.50 | Somewhat limited<br>Slope                               | 0.63         | Very limited<br>Slope<br>Shrink-swell                            | 1.00<br>0.50         |
| 22E3:<br>Dow-----        | 60               | Very limited<br>Slope                                   | 1.00         | Very limited<br>Slope                                   | 1.00         | Very limited<br>Slope  | 1.00                 |
| Monona-----              | 30               | Very limited<br>Slope<br>Shrink-swell                   | 1.00<br>0.50 | Very limited<br>Slope                                   | 1.00         | Very limited<br>Slope<br>Shrink-swell                            | 1.00<br>0.50         |
| 33D2:<br>Steinauer-----  | 100              | Somewhat limited<br>Slope<br>Shrink-swell               | 0.63<br>0.50 | Somewhat limited<br>Slope<br>Shrink-swell               | 0.63<br>0.50 | Very limited<br>Slope<br>Shrink-swell                            | 1.00<br>0.50         |
| 33E3:<br>Steinauer-----  | 100              | Very limited<br>Slope<br>Shrink-swell                   | 1.00<br>0.50 | Very limited<br>Slope<br>Shrink-swell                   | 1.00<br>0.50 | Very limited<br>Slope<br>Shrink-swell                            | 1.00<br>0.50         |
| 36:<br>Salix-----        | 85               | Somewhat limited<br>Shrink-swell                        | 0.50         | Somewhat limited<br>Depth to saturated zone             | 0.15         | Somewhat limited<br>Shrink-swell                                 | 0.50                 |
| 38:<br>Blake-----        | 40               | Very limited<br>Flooding                                | 1.00         | Very limited<br>Flooding<br>Depth to saturated zone     | 1.00<br>0.95 | Very limited<br>Flooding   | 1.00                 |
| Haynie-----              | 40               | Very limited<br>Flooding                                | 1.00         | Very limited<br>Flooding<br>Depth to saturated zone     | 1.00<br>0.16 | Very limited<br>Flooding   | 1.00                 |

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Harrison County, Iowa

| Map symbol and soil name | Pct. of map unit | Dwellings without basements        |       | Dwellings with basements             |       | Small commercial buildings         |       |
|--------------------------|------------------|------------------------------------|-------|--------------------------------------|-------|------------------------------------|-------|
|                          |                  | Rating class and limiting features | Value | Rating class and limiting features   | Value | Rating class and limiting features | Value |
| 44:<br>Blencoe-----      | 85               | Very limited Shrink-swell          | 1.00  | Very limited Depth to saturated zone | 1.00  | Very limited Shrink-swell          | 1.00  |
|                          |                  | Depth to saturated zone            | 0.07  | Shrink-swell                         | 0.50  | Depth to saturated zone            | 0.07  |
| 46:<br>Keg-----          | 80               | Not limited                        |       | Not limited                          |       | Not limited                        |       |
| 53:<br>Riverwash-----    | 95               | Not rated                          |       | Not rated                            |       | Not rated                          |       |
| 66:<br>Luton-----        | 100              | Very limited Flooding              | 1.00  | Very limited Flooding                | 1.00  | Very limited Flooding              | 1.00  |
|                          |                  | Depth to saturated zone            | 1.00  | Depth to saturated zone              | 1.00  | Depth to saturated zone            | 1.00  |
|                          |                  | Shrink-swell                       | 1.00  | Shrink-swell                         | 1.00  | Shrink-swell                       | 1.00  |
| 66+:<br>Luton-----       | 100              | Very limited Flooding              | 1.00  | Very limited Flooding                | 1.00  | Very limited Flooding              | 1.00  |
|                          |                  | Depth to saturated zone            | 1.00  | Depth to saturated zone              | 1.00  | Depth to saturated zone            | 1.00  |
|                          |                  | Shrink-swell                       | 1.00  | Shrink-swell                         | 1.00  | Shrink-swell                       | 1.00  |
| 67:<br>Woodbury-----     | 90               | Very limited Flooding              | 1.00  | Very limited Flooding                | 1.00  | Very limited Flooding              | 1.00  |
|                          |                  | Depth to saturated zone            | 1.00  | Depth to saturated zone              | 1.00  | Depth to saturated zone            | 1.00  |
|                          |                  | Shrink-swell                       | 1.00  | Shrink-swell                         | 0.50  | Shrink-swell                       | 1.00  |
| 70:<br>Mcpaul-----       | 95               | Very limited Flooding              | 1.00  | Very limited Flooding                | 1.00  | Very limited Flooding              | 1.00  |
| 133:<br>Colo-----        | 100              | Very limited Flooding              | 1.00  | Very limited Flooding                | 1.00  | Very limited Flooding              | 1.00  |
|                          |                  | Depth to saturated zone            | 1.00  | Depth to saturated zone              | 1.00  | Depth to saturated zone            | 1.00  |
|                          |                  | Shrink-swell                       | 0.50  | Shrink-swell                         | 0.50  | Shrink-swell                       | 0.50  |

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Harrison County, Iowa

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Dwellings without<br>basements   |                      | Dwellings with<br>basements  |                      | Small commercial<br>buildings  |                      |
|-----------------------------|---------------------------|--|----------------------|--|----------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features                                  | Value                |
| 133+:<br>Colo-----          | 100                       | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>0.50 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>0.50 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>0.50 |
| 137:<br>Haynie-----         | 75                        | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>0.16         | Very limited<br>Flooding   | 1.00                 |
| 144:<br>Blake-----          | 80                        | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>1.00         | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>1.00         | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>1.00         |
| 145:<br>Onawa-----          | 85                        | Very limited<br>Shrink-swell   | 1.00                 | Very limited<br>Depth to<br>saturated zone                             | 0.95                 | Very limited<br>Shrink-swell   | 1.00                 |
| 146:<br>Onawa-----          | 85                        | Very limited<br>Shrink-swell   | 1.00                 | Very limited<br>Depth to<br>saturated zone                             | 0.95                 | Very limited<br>Shrink-swell   | 1.00                 |
| 149:<br>Modale-----         | 95                        | Very limited<br>Flooding<br>Shrink-swell<br>Depth to<br>saturated zone | 1.00<br>1.00<br>0.07 | Very limited<br>Flooding<br>Shrink-swell<br>Depth to<br>saturated zone | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Shrink-swell<br>Depth to<br>saturated zone | 1.00<br>1.00<br>0.07 |
| 156:<br>Albaton-----        | 90                        | Very limited<br>Depth to<br>saturated zone<br>Shrink-swell             | 1.00<br>1.00         | Very limited<br>Depth to<br>saturated zone<br>Shrink-swell             | 1.00<br>1.00         | Very limited<br>Depth to<br>saturated zone<br>Shrink-swell             | 1.00<br>1.00         |

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Harrison County, Iowa

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Dwellings without<br>basements   |                      | Dwellings with<br>basements  |                      | Small commercial<br>buildings  |                      |
|-----------------------------|---------------------------|--|----------------------|--|----------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features                                  | Value                |
| 157:<br>Albaton-----        | 85                        | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 |
| 212:<br>Kennebec-----       | 90                        | Very limited<br>Flooding<br>Shrink-swell                               | 1.00<br>0.50         | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>0.61<br>0.50 | Very limited<br>Flooding<br>Shrink-swell                               | 1.00<br>0.50         |
| 212+:<br>Kennebec-----      | 90                        | Very limited<br>Flooding<br>Shrink-swell                               | 1.00<br>0.50         | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>0.61<br>0.50 | Very limited<br>Flooding<br>Shrink-swell                               | 1.00<br>0.50         |
| 220:<br>Nodaway-----        | 85                        | Very limited<br>Flooding<br>Shrink-swell                               | 1.00<br>0.50         | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>0.61<br>0.50 | Very limited<br>Flooding<br>Shrink-swell                               | 1.00<br>0.50         |
| 237:<br>Sarpy-----          | 90                        | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding   | 1.00                 |
| 237B:<br>Sarpy-----         | 90                        | Not limited  |                      | Not limited  |                      | Somewhat limited<br>Slope  | 0.12                 |
| 238:<br>Sarpy-----          | 90                        | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding   | 1.00                 |
| 244:<br>Blend-----          | 85                        | Very limited<br>Depth to<br>saturated zone<br>Shrink-swell             | 1.00<br>0.50         | Very limited<br>Depth to<br>saturated zone<br>Shrink-swell             | 1.00<br>1.00         | Very limited<br>Depth to<br>saturated zone<br>Shrink-swell             | 1.00<br>0.50         |

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Harrison County, Iowa

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Dwellings without<br>basements   |                      | Dwellings with<br>basements  |                      | Small commercial<br>buildings  |                      |
|-----------------------------|---------------------------|--|----------------------|--|----------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features                                  | Value                |
| 255:<br>Cooper-----         | 95                        | Very limited<br>Shrink-swell   | 1.00                 | Very limited<br>Shrink-swell<br>Depth to<br>saturated zone             | 1.00<br>0.82         | Very limited<br>Shrink-swell   | 1.00                 |
| 275:<br>Moville-----        | 90                        | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>0.39         | Very limited<br>Flooding<br>Shrink-swell<br>Depth to<br>saturated zone | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>0.39         |
| 315:<br>Albaton-----        | 50                        | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 |
| Sarpy-----                  | 45                        | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding   | 1.00                 |
| 436:<br>Lakeport-----       | 85                        | Very limited<br>Shrink-swell   | 1.00                 | Very limited<br>Shrink-swell<br>Depth to<br>saturated zone             | 1.00<br>0.95         | Very limited<br>Shrink-swell   | 1.00                 |
| 446:<br>Burcham-----        | 80                        | Somewhat limited<br>Shrink-swell                                       | 0.50                 | Very limited<br>Shrink-swell<br>Depth to<br>saturated zone             | 1.00<br>0.82         | Somewhat limited<br>Shrink-swell                                       | 0.50                 |
| 466:<br>Solomon-----        | 90                        | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 |
| 514:<br>Grable-----         | 85                        | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding   | 1.00                 |

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Harrison County, Iowa

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Dwellings without<br>basements   |                      | Dwellings with<br>basements  |                      | Small commercial<br>buildings  |                      |
|-----------------------------|---------------------------|--|----------------------|--|----------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features                                  | Value                |
| 515:<br>Percival-----       | 95                        | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>0.95         | Very limited<br>Flooding   | 1.00                 |
| 516:<br>Vore-----           | 95                        | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>0.95         | Very limited<br>Flooding   | 1.00                 |
| 538:<br>Carr-----           | 85                        | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding   | 1.00                 |
| 549:<br>Modale-----         | 95                        | Very limited<br>Flooding<br>Shrink-swell<br>Depth to<br>saturated zone | 1.00<br>1.00<br>0.07 | Very limited<br>Flooding<br>Shrink-swell<br>Depth to<br>saturated zone | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Shrink-swell<br>Depth to<br>saturated zone | 1.00<br>1.00<br>0.07 |
| 550:<br>Borrow Pits-----    | 100                       | Not rated  |                      | Not rated  |                      | Not rated  |                      |
| 553:<br>Forney-----         | 100                       | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 |
| 717C:<br>Napier-----        | 50                        | Not limited  |                      | Not limited  |                      | Somewhat limited<br>Slope  | 0.48                 |
| Gullied Land-----           | 40                        | Not rated  |                      | Not rated  |                      | Not rated  |                      |

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Harrison County, Iowa

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit | Dwellings without<br>basements   |                      | Dwellings with<br>basements  |                      | Small commercial<br>buildings  |                      |
|-----------------------------|---------------------------|--|----------------------|--|----------------------|--|----------------------|
|                             |                           | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features                                  | Value                | Rating class and<br>limiting features                                  | Value                |
| 844:<br>Blake-----          | 80                        | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>1.00         | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>1.00         | Very limited<br>Flooding<br>Depth to<br>saturated zone                 | 1.00<br>1.00         |
| 849:<br>Kenmoor-----        | 85                        | Very limited<br>Flooding   | 1.00                 | Very limited<br>Flooding<br>Shrink-swell<br>Depth to<br>saturated zone | 1.00<br>1.00<br>0.99 | Very limited<br>Flooding   | 1.00                 |
| 866:<br>Luton-----          | 100                       | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 | Very limited<br>Flooding<br>Depth to<br>saturated zone<br>Shrink-swell | 1.00<br>1.00<br>1.00 |
| T10:<br>Monona-----         | 100                       | Somewhat limited<br>Shrink-swell                                       | 0.50                 | Not limited  |                      | Somewhat limited<br>Shrink-swell                                       | 0.50                 |
| T10B:<br>Monona-----        | 100                       | Somewhat limited<br>Shrink-swell                                       | 0.50                 | Not limited  |                      | Somewhat limited<br>Shrink-swell<br>Slope                              | 0.50<br>0.01         |