

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8B: Judson-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
11B: Colo-----	50	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding Slope	1.00 0.60 0.50
Ely-----	30	Not limited		Not limited		Somewhat limited Slope	0.50
41B: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.13
41C: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
41E: Sparta-----	100	Somewhat limited Slope Too sandy	0.96 0.95	Somewhat limited Slope Too sandy	0.96 0.95	Very limited Slope Too sandy	1.00 0.95
63B:							

Chelsea-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.50
63C: Chelsea-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
63E: Chelsea-----	100	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95
65D2: Lindley-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
65E2: Lindley-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
65F2: Lindley-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
83B: Kenyon-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
83C: Kenyon-----	100	Not limited		Not limited		Very limited Slope	1.00
83C2: Kenyon-----	100	Not limited		Not limited		Very limited Slope	1.00
88: Nevin-----	95	Not limited		Not limited		Not limited	

110C:							
Lamont-----	100	Not limited		Not limited		Very limited Slope	1.00
110E:							
Lamont-----	100	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
118:							
Garwin-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
119:							
Muscatine-----	95	Not limited		Not limited		Not limited	
119B:							
Muscatine-----	95	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.50
120: Tama-----	100	Not limited		Not limited		Not limited	
120B: Tama-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
120C: Tama-----	100	Not limited		Not limited		Very limited Slope	1.00
120C2: Tama-----	100	Not limited		Not limited		Very limited Slope	1.00
120D2: Tama-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
121: Tama Variant-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
122: Sperry-----	100	Very limited Depth to saturated zone Restricted	1.00 0.94	Very limited Depth to saturated zone Restricted	1.00 0.94	Very limited Depth to saturated zone Restricted	1.00 0.94

		permeability		permeability		permeability	
133:							
Colo-----	100	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Flooding	1.00			Flooding	0.60
133+:							
Colo-----	100	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Flooding	1.00			Flooding	0.60
143:							
Brady-----	95	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to	0.39	Depth to	0.19	Depth to	0.39
		saturated zone		saturated zone		saturated zone	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Gravel content	0.04
160: Walford-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
162B: Downs-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
162C: Downs-----	100	Not limited		Not limited		Very limited Slope	1.00
162C2: Downs-----	100	Not limited		Not limited		Very limited Slope	1.00
162D2: Downs-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163B: Fayette-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
163C:							

Fayette-----	100	Not limited		Not limited		Very limited Slope	1.00
163C2: Fayette-----	100	Not limited		Not limited		Very limited Slope	1.00
163D: Fayette-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163D2: Fayette-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163D3: Fayette-----	100	Somewhat limited		Somewhat limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.63	Slope	0.63	Slope	1.00
163E: Fayette-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163E3: Fayette-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163F: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163F2: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163G: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
171B: Bassett-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
171C2: Bassett-----	95	Not limited		Not limited		Very limited Slope	1.00

171D2: Bassett-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
175B: Dickinson-----	100	Not limited		Not limited		Somewhat limited Slope	0.13
175C: Dickinson-----	100	Not limited		Not limited		Very limited Slope	1.00
177: Saude-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
184: Klinger-----	95	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.01
212: Kennebec-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
214D: Rockton-----	95	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope Depth to bedrock	1.00 0.46
220: Nodaway-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
221: Palms-----	100	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00
291: Atterberry-----	90	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39
291B: Atterberry-----	90	Somewhat limited Depth to	0.39	Somewhat limited Depth to	0.19	Somewhat limited Slope	0.50

		saturated zone		saturated zone		Depth to saturated zone	
293C:							
Chelsea-----	40	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	0.39 1.00 0.95
Fayette-----	30	Not limited		Not limited		Very limited Slope	1.00
Lamont-----	30	Not limited		Not limited		Very limited Slope	1.00
293E:							
Chelsea-----	40	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too sandy	0.95	Too sandy	0.95	Too sandy	0.95
Fayette-----	30	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Lamont-----	30	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
293F:							
Chelsea-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Too sandy	0.95	Too sandy	0.95	Too sandy	0.95
Fayette-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Lamont-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
315:							
Loamy Alluvial Land-	40	Not rated		Not rated		Not rated	
Spillville-----	30	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
320:							
Arenzville-----	95	Very limited		Not limited		Somewhat limited	

		Flooding	1.00		Flooding	0.60
350B:						
Waukegan-----	100	Not limited		Not limited	Somewhat limited Slope	0.50
350C:						
Waukegan-----	100	Not limited		Not limited	Very limited Slope	1.00
352B:						
Whittier-----	100	Not limited		Not limited	Somewhat limited Slope	0.50
352C2:						
Whittier-----	100	Not limited		Not limited	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
354: Marsh-----	90	Not rated		Not rated		Not rated	
377B: Dinsdale-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
377C: Dinsdale-----	100	Not limited		Not limited		Very limited Slope	1.00
377C2: Dinsdale-----	100	Not limited		Not limited		Very limited Slope	1.00
382: Maxfield-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
412E: Sogn-----	100	Very limited Depth to bedrock Slope	1.00 0.96	Very limited Depth to bedrock Slope	1.00 0.96	Very limited Slope Depth to bedrock Content of large stones	1.00 1.00 0.01

420B:						
Tama-----	100	Not limited	Not limited	Somewhat limited		
				Slope		0.50
428B:						
Ely-----	90	Not limited	Not limited	Somewhat limited		
				Slope		0.50
442C:						
Dickinson-----	50	Not limited	Not limited	Very limited		
				Slope		1.00
Tama-----	30	Not limited	Not limited	Very limited		
				Slope		1.00
462B:						
Downs-----	100	Not limited	Not limited	Somewhat limited		

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.50
463B: Fayette-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
467: Radford-----	95	Very limited Flooding Depth to saturated zone	1.00 0.39	Somewhat limited Flooding Depth to saturated zone	0.40 0.19	Very limited Flooding Depth to saturated zone	1.00 0.39
478G: Rock Outcrop-----	50	Not rated		Not rated		Not rated	
Sogn-----	30	Very limited Depth to bedrock Slope	1.00 0.96	Very limited Depth to bedrock Slope	1.00 0.96	Very limited Slope Depth to bedrock Content of large stones	1.00 1.00 0.01
485: Spillville-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
536: Hanlon-----	90	Very limited		Not limited		Somewhat limited	

		Flooding	1.00			Flooding	0.60
729B:							
Nodaway-----	60	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding Slope	0.60 0.13
Arenzville-----	30	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding Slope	0.60 0.50
760:							
Ansgar-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
761:							
Franklin-----	95	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.01
771B: Waubeek-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
933: Sawmill-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
977: Richwood-----	100	Not limited		Not limited		Not limited	
1119: Muscatine-----	95	Not limited		Not limited		Not limited	
1133: Colo-----	90	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
1160: Walford-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15

1220:							
Nodaway-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
1291:							
Atterberry-----	95	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39