

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Hardin County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--------------------------------------------|-------|--------------------------------------------|-------|--------------------------------------------------------|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 6: Okoboji----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 7: Wiota----- | 100 | Not limited | | Not limited | | Not limited | |
| 7B: Wiota----- | 100 | Not limited | | Not limited | | Not limited | |
| 8B: Judson----- | 100 | Not limited | | Not limited | | Not limited | |
| 11B: Colo----- | 60 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| Ely----- | 30 | Not limited | | Not limited | | Not limited | |
| 20C2: Killduff----- | 100 | Not limited | | Not limited | | Not limited | |
| 20D3: Killduff----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 20E3: Killduff----- | 100 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |
| 27B: Terril----- | 100 | Not limited | | Not limited | | Not limited | |
| 55: Nicollet----- | 95 | Not limited | | Not limited | | Not limited | |
| 62C2: Storden----- | 95 | Not limited | | Not limited | | Not limited | |
| 62D2: Storden----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 62E2: Storden----- | 95 | Somewhat limited | | Not limited | | Very limited | |

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Hardin County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--------------------------------------------|-------|--------------------------------------------|-------|-----------------------------------------------------|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Slope | 0.02 | | | Slope | 1.00 |
| 62G2: Storden----- | 100 | Very limited Slope | 1.00 | Somewhat limited Slope | 0.14 | Very limited Slope | 1.00 |
| 73C: Salida----- | 90 | Not limited | | Not limited | | Very limited Droughty Gravel content | 1.00 0.12 |
| 73E: Salida----- | 95 | Not limited | | Not limited | | Very limited Droughty Slope Gravel content | 1.00 0.96 0.12 |
| 83C2: Kenyon----- | 100 | Not limited | | Not limited | | Not limited | |
| 83E2: Kenyon----- | 100 | Not limited | | Not limited | | Very limited Slope | 0.96 |
| 90: Okoboji----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 95: Harps----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 96: Turlin----- | 95 | Not limited | | Not limited | | Not limited | |
| 107: Webster----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 118: Garwin----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Hardin County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--------------------------------------------|-------|--------------------------------------------|-------|--------------------------------------------------------|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 119: Muscatine----- | 95 | Not limited | | Not limited | | Not limited | |
| 119B: Muscatine----- | 95 | Not limited | | Not limited | | Not limited | |
| 120B: Tama----- | 95 | Not limited | | Not limited | | Not limited | |
| 120C: Tama----- | 95 | Not limited | | Not limited | | Not limited | |
| 120C2: Tama----- | 95 | Not limited | | Not limited | | Not limited | |
| 120D2: Tama----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 122: Sperry----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 133: Colo----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 135: Coland----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 138B: Clarion----- | 100 | Not limited | | Not limited | | Not limited | |
| 138C2: Clarion----- | 95 | Not limited | | Not limited | | Not limited | |
| 138D2: Clarion----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 152: Marshan----- | 95 | Very limited | | Very limited | | Very limited | |

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Hardin County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| 162B: Downs----- | 100 | Not limited | | Not limited | | Not limited | |
| 162C2: Downs----- | 100 | Not limited | | Not limited | | Not limited | |
| 162D2: Downs----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 163B: Fayette----- | 100 | Not limited | | Not limited | | Not limited | |
| 163C: Fayette----- | 100 | Not limited | | Not limited | | Not limited | |
| 163D: Fayette----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 168B: Hayden----- | 95 | Not limited | | Not limited | | Not limited | |
| 168C: Hayden----- | 95 | Not limited | | Not limited | | Not limited | |
| 168G: Hayden----- | 95 | Very limited Slope | 1.00 | Somewhat limited Slope | 0.92 | Very limited Slope | 1.00 |
| 177: Saude----- | 95 | Not limited | | Not limited | | Not limited | |
| 177B: Saude----- | 95 | Not limited | | Not limited | | Not limited | |
| 177C: Saude----- | 95 | Not limited | | Not limited | | Not limited | |
| 178: Waukee----- | 100 | Not limited | | Not limited | | Not limited | |
| 178B: Waukee----- | 100 | Not limited | | Not limited | | Not limited | |

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Hardin County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|----------------------------------------------------------------------------|--------------|----------------------------------------------------------------------------|--------------|----------------------------------------------------------------------------|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 184: Klinger----- | 95 | Not limited | | Not limited | | Not limited | |
| 184B: Klinger----- | 95 | Not limited | | Not limited | | Not limited | |
| 188: Kensett----- | 95 | Not limited | | Not limited | | Somewhat limited Depth to bedrock | 0.26 |
| 201B: Coland----- | 50 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| Terril----- | 35 | Not limited | | Not limited | | Not limited | |
| 212: Kennebec----- | 95 | Not limited | | Not limited | | Somewhat limited Flooding | 0.60 |
| 221: Palms----- | 100 | Very limited Depth to saturated zone Content of organic matter | 1.00 1.00 | Very limited Depth to saturated zone Content of organic matter | 1.00 1.00 | Very limited Depth to saturated zone Content of organic matter | 1.00 1.00 |
| 225: Lawler----- | 95 | Not limited | | Not limited | | Not limited | |
| 226: Lawler----- | 95 | Not limited | | Not limited | | Not limited | |
| 236B: Lester----- | 95 | Not limited | | Not limited | | Not limited | |
| 236C: Lester----- | 100 | Not limited | | Not limited | | Not limited | |
| 236C2: Lester----- | 95 | Not limited | | Not limited | | Not limited | |
| 236D2: Lester----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Hardin County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--------------------------------------------|-------|--------------------------------------------|-------|------------------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 236F: Lester----- | 95 | Somewhat limited Slope | 0.32 | Not limited | | Very limited Slope | 1.00 |
| 284: Flagler----- | 100 | Not limited | | Not limited | | Not limited | |
| 284B: Flagler----- | 100 | Not limited | | Not limited | | Not limited | |
| 284C2: Flagler----- | 100 | Not limited | | Not limited | | Not limited | |
| 291: Atterberry----- | 95 | Not limited | | Not limited | | Somewhat limited Depth to saturated zone | 0.19 |
| 325: Le Sueur----- | 95 | Not limited | | Not limited | | Not limited | |
| 329: Webster----- | 50 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| Nicollet----- | 30 | Not limited | | Not limited | | Not limited | |
| 335: Harcot----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 377B: Dinsdale----- | 100 | Not limited | | Not limited | | Not limited | |
| 377C2: Dinsdale----- | 100 | Not limited | | Not limited | | Not limited | |
| 377D2: Dinsdale----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 382: Maxfield----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Hardin County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--------------------------------------------|-------|--------------------------------------------|-------|-------------------------------------------------------|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 393C: Sparta----- | 95 | Somewhat limited Too sandy | 0.95 | Somewhat limited Too sandy | 0.95 | Somewhat limited Droughty | 0.07 |
| 393D: Sparta----- | 95 | Somewhat limited Too sandy | 0.95 | Somewhat limited Too sandy | 0.95 | Somewhat limited Slope Droughty | 0.63 0.07 |
| 409B: Dickinson----- | 100 | Not limited | | Not limited | | Not limited | |
| 409C: Dickinson----- | 100 | Not limited | | Not limited | | Not limited | |
| 415G: Montieth----- | 100 | Very limited Slope | 1.00 | Somewhat limited Slope | 0.04 | Very limited Slope Droughty Depth to bedrock | 1.00 0.63 0.26 |
| 428B: Ely----- | 95 | Not limited | | Not limited | | Not limited | |
| 457: Du Page----- | 95 | Not limited | | Not limited | | Somewhat limited Flooding | 0.60 |
| 485: Spillville----- | 95 | Not limited | | Not limited | | Somewhat limited Flooding | 0.60 |
| 491G: Renova----- | 100 | Very limited Slope | 1.00 | Somewhat limited Slope | 0.04 | Very limited Slope | 1.00 |
| 506: Wacousta----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 507: Canisteo----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 536: Hanlon----- | 95 | Not limited | | Not limited | | Somewhat limited | |

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Hardin County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|------------------------------|---------------------------|--------------------------------------------|-------|--------------------------------------------|-------|----------------------------------------------------------------------------|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | | | | | Flooding | 0.60 |
| 595: Harpster----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 638C2: Clarion----- | 55 | Not limited | | Not limited | | Not limited | |
| Storden----- | 35 | Not limited | | Not limited | | Not limited | |
| 638D2: Clarion----- | 55 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| Storden----- | 35 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 696: Tilfer----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding Depth to bedrock | 1.00 0.60 0.46 |
| 705C2: Downs Variant----- | 90 | Not limited | | Not limited | | Not limited | |
| 705D2: Downs Variant----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 733: Calco----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 771B: Waubeek----- | 100 | Not limited | | Not limited | | Not limited | |
| 771C2: Waubeek----- | 100 | Not limited | | Not limited | | Not limited | |
| 771D2: Waubeek----- | 100 | Not limited | | Not limited | | Somewhat limited | |

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Hardin County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--------------------------------------------|-------|--------------------------------------------|-------|--------------------------------------------------------|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | | | | | Slope | 0.63 |
| 814: Rockton----- | 100 | Not limited | | Not limited | | Somewhat limited Depth to bedrock | 0.46 |
| 814B: Rockton----- | 100 | Not limited | | Not limited | | Somewhat limited Depth to bedrock | 0.46 |
| 814C2: Rockton----- | 100 | Not limited | | Not limited | | Somewhat limited Depth to bedrock | 0.46 |
| 828B: Zenor----- | 100 | Not limited | | Not limited | | Somewhat limited Droughty | 0.33 |
| 828C2: Zenor----- | 90 | Not limited | | Not limited | | Somewhat limited Droughty | 0.38 |
| 933: Sawmill----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 936: Coland----- | 50 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| Spillville----- | 25 | Not limited | | Not limited | | Somewhat limited Flooding | 0.60 |
| Hanlon----- | 15 | Not limited | | Not limited | | Somewhat limited Flooding | 0.60 |
| 956: Okoboji----- | 45 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| Harps----- | 40 | Very limited | | Very limited | | Very limited | |

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Hardin County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|----------------------------------------|---------------------------|--------------------------------------------------------|--------------|--------------------------------------------------------|--------------|--------------------------------------------------------|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| 1936: Coland----- | 50 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Flooding Depth to saturated zone | 1.00 1.00 1.00 |
| Spillville----- | 25 | Somewhat limited Flooding | 0.40 | Somewhat limited Flooding | 0.40 | Very limited Flooding | 1.00 |
| Hanlon----- | 15 | Somewhat limited Flooding | 0.40 | Somewhat limited Flooding | 0.40 | Very limited Flooding | 1.00 |
| 4000: Urban Land----- | 100 | Not rated | | Not rated | | Not rated | |
| 5010: Pits, Sand And Gravel----- | 100 | Not rated | | Not rated | | Not rated | |
| 5030: Pits, Limeston Quarry----- | 100 | Not rated | | Not rated | | Not rated | |
| 5040: Orthents----- | 100 | Not rated | | Not rated | | Not rated | |
| W: Water----- | 100 | Not rated | | Not rated | | Not rated | |