

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|-------|--|-------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 11B: Colo----- | 60 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| Ely----- | 30 | Not limited | | Not limited | | Not limited | |
| 41B: Sparta----- | 100 | Somewhat limited Too sandy | 0.95 | Somewhat limited Too sandy | 0.95 | Somewhat limited Droughty | 0.06 |
| 41C: Sparta----- | 100 | Somewhat limited Too sandy | 0.95 | Somewhat limited Too sandy | 0.95 | Somewhat limited Droughty | 0.06 |
| 41E: Sparta----- | 100 | Somewhat limited Too sandy | 0.95 | Somewhat limited Too sandy | 0.95 | Very limited Slope Droughty | 0.96 0.06 |
| 42: Granby----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 51: Vesser----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 54: Zook----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 63C: Chelsea----- | 100 | Somewhat limited Too sandy | 0.95 | Somewhat limited Too sandy | 0.95 | Somewhat limited Droughty | 0.13 |
| 63E: Chelsea----- | 100 | Somewhat limited Too sandy | 0.95 | Somewhat limited Too sandy | 0.95 | Very limited Slope Droughty | 0.96 0.13 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|--------------|--|-------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 63G: Chelsea----- | 100 | Somewhat limited Slope Too sandy | 0.98 0.95 | Somewhat limited Too sandy | 0.95 | Very limited Slope Droughty | 1.00 0.13 |
| 65E2: Lindley----- | 95 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |
| 65E3: Lindley----- | 95 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |
| 65F2: Lindley----- | 100 | Somewhat limited Slope | 0.82 | Not limited | | Very limited Slope | 1.00 |
| 65F3: Lindley----- | 100 | Somewhat limited Slope | 0.82 | Not limited | | Very limited Slope | 1.00 |
| 65G: Lindley----- | 100 | Very limited Slope | 1.00 | Somewhat limited Slope | 0.56 | Very limited Slope | 1.00 |
| 65G3: Lindley----- | 100 | Very limited Slope | 1.00 | Somewhat limited Slope | 0.56 | Very limited Slope | 1.00 |
| 83B: Kenyon----- | 95 | Not limited | | Not limited | | Not limited | |
| 83C: Kenyon----- | 95 | Not limited | | Not limited | | Not limited | |
| 83C2: Kenyon----- | 95 | Not limited | | Not limited | | Not limited | |
| 84: Clyde----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 88: Nevin----- | 95 | Not limited | | Not limited | | Not limited | |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 110C: Lamont----- | 90 | Not limited | | Not limited | | Not limited | |
| 118: Garwin----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 119: Muscatine----- | 90 | Not limited | | Not limited | | Not limited | |
| 120: Tama----- | 90 | Not limited | | Not limited | | Not limited | |
| 120B: Tama----- | 90 | Not limited | | Not limited | | Not limited | |
| 120C: Tama----- | 100 | Not limited | | Not limited | | Not limited | |
| 120C2: Tama----- | 100 | Not limited | | Not limited | | Not limited | |
| 120D: Tama----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 120D2: Tama----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 133: Colo----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 133+: Colo----- | 95 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Flooding Depth to saturated zone | 1.00 1.00 |
| 142: Chaseburg----- | 90 | Not limited | | Not limited | | Somewhat limited Flooding | 0.60 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|-------|--|-------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 142B: Chaseburg----- | 95 | Not limited | | Not limited | | Somewhat limited Flooding | 0.60 |
| 143: Brady----- | 90 | Not limited | | Not limited | | Somewhat limited Depth to saturated zone | 0.19 |
| 152: Marshan----- | 90 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 159: Finchford----- | 100 | Somewhat limited Too sandy | 0.79 | Somewhat limited Too sandy | 0.79 | Somewhat limited Droughty | 0.01 |
| 159C: Finchford----- | 100 | Somewhat limited Too sandy | 0.79 | Somewhat limited Too sandy | 0.79 | Somewhat limited Droughty | 0.01 |
| 160: Walford----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 162B: Downs----- | 100 | Not limited | | Not limited | | Not limited | |
| 162C: Downs----- | 100 | Not limited | | Not limited | | Not limited | |
| 162C2: Downs----- | 100 | Not limited | | Not limited | | Not limited | |
| 162D: Downs----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 162D2: Downs----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 162E2: Downs----- | 95 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 163B: Fayette----- | 100 | Not limited | | Not limited | | Not limited | |
| 163C: Fayette----- | 100 | Not limited | | Not limited | | Not limited | |
| 163C2: Fayette----- | 100 | Not limited | | Not limited | | Not limited | |
| 163D2: Fayette----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 163D3: Fayette----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 163E2: Fayette----- | 100 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |
| 163E3: Fayette----- | 95 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |
| 163F2: Fayette----- | 90 | Somewhat limited Slope | 0.82 | Not limited | | Very limited Slope | 1.00 |
| 163F3: Fayette----- | 90 | Somewhat limited Slope | 0.82 | Not limited | | Very limited Slope | 1.00 |
| 163G: Fayette----- | 90 | Very limited Slope | 1.00 | Somewhat limited Slope | 0.56 | Very limited Slope | 1.00 |
| 163G3: Fayette----- | 90 | Very limited Slope | 1.00 | Somewhat limited Slope | 0.56 | Very limited Slope | 1.00 |
| 175: Dickinson----- | 100 | Not limited | | Not limited | | Not limited | |
| 175B: Dickinson----- | 95 | Not limited | | Not limited | | Not limited | |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 175C: Dickinson----- | 95 | Not limited | | Not limited | | Not limited | |
| 175D: Dickinson----- | 90 | Not limited | | Not limited | | Very limited Slope | 0.96 |
| 177: Saude----- | 100 | Not limited | | Not limited | | Not limited | |
| 177B: Saude----- | 90 | Not limited | | Not limited | | Not limited | |
| 177C: Saude----- | 100 | Not limited | | Not limited | | Not limited | |
| 178: Waukee----- | 90 | Not limited | | Not limited | | Not limited | |
| 178B: Waukee----- | 90 | Not limited | | Not limited | | Not limited | |
| 179D2: Gara----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 184: Klinger----- | 95 | Not limited | | Not limited | | Not limited | |
| 213B: Rockton----- | 100 | Not limited | | Not limited | | Somewhat limited Depth to bedrock | 0.46 |
| 214B: Rockton----- | 100 | Not limited | | Not limited | | Somewhat limited Depth to bedrock | 0.46 |
| 214C: Rockton----- | 100 | Not limited | | Not limited | | Somewhat limited Depth to bedrock | 0.46 |
| 216B: Ripon----- | 100 | Not limited | | Not limited | | Somewhat limited Depth to bedrock | 0.46 |
| 216C: Ripon----- | 100 | Not limited | | Not limited | | Somewhat limited | |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|-------|--|-------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | | | | | Depth to bedrock | 0.46 |
| 217B: Ripon----- | 100 | Not limited | | Not limited | | Somewhat limited Depth to bedrock | 0.46 |
| 217C: Ripon----- | 100 | Not limited | | Not limited | | Somewhat limited Depth to bedrock | 0.46 |
| 221: Palms----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Content of organic matter | 1.00 1.00 |
| 226: Lawler----- | 95 | Not limited | | Not limited | | Not limited | |
| 249: Zwingle----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 249B: Zwingle----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 284B: Flagler----- | 100 | Not limited | | Not limited | | Not limited | |
| 284C: Flagler----- | 100 | Not limited | | Not limited | | Not limited | |
| 285B: Burkhardt----- | 100 | Not limited | | Not limited | | Not limited | |
| 285D: Burkhardt----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.16 |
| 285F2: Burkhardt----- | 100 | Somewhat limited Slope | 0.50 | Not limited | | Very limited Slope | 1.00 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 291: Atterberry----- | 95 | Not limited | | Not limited | | Somewhat limited Depth to saturated zone | 0.19 |
| 293E: Chelsea----- | 30 | Somewhat limited Too sandy Slope | 0.95 0.01 | Somewhat limited Too sandy | 0.95 | Very limited Slope Droughty | 1.00 0.37 |
| Fayette----- | 30 | Somewhat limited Slope | 0.01 | Not limited | | Very limited Slope | 1.00 |
| Lamont----- | 30 | Somewhat limited Slope | 0.01 | Not limited | | Very limited Slope | 1.00 |
| 315: Fluents----- | 50 | Very limited Not Rated (miscellaneous unit) | 1.00 | Very limited Not Rated (miscellaneous unit) | 1.00 | Very limited Not Rated (miscellaneous unit) | 1.00 |
| Ambraw----- | 30 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Flooding Depth to saturated zone | 1.00 1.00 |
| 350: Waukegan----- | 95 | Not limited | | Not limited | | Not limited | |
| 350B: Waukegan----- | 95 | Not limited | | Not limited | | Not limited | |
| 350C: Waukegan----- | 95 | Not limited | | Not limited | | Not limited | |
| 351: Atterberry----- | 95 | Not limited | | Not limited | | Not limited | |
| 352B: Whittier----- | 100 | Not limited | | Not limited | | Not limited | |
| 353: Tell----- | 100 | Not limited | | Not limited | | Not limited | |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|-------|--|-------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 353B: Tell----- | 100 | Not limited | | Not limited | | Not limited | |
| 353C: Tell----- | 100 | Not limited | | Not limited | | Not limited | |
| 354: Aquolls----- | 95 | Not rated | | Not rated | | Not rated | |
| 373E2: Timula----- | 100 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |
| 377B: Dinsdale----- | 90 | Not limited | | Not limited | | Not limited | |
| 377C: Dinsdale----- | 90 | Not limited | | Not limited | | Not limited | |
| 382: Maxfield----- | 85 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 399: Readlyn----- | 95 | Not limited | | Not limited | | Not limited | |
| 404: Thorp----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 407B: Schley----- | 95 | Not limited | | Not limited | | Somewhat limited Depth to saturated zone | 0.19 |
| 408B: Olin----- | 100 | Not limited | | Not limited | | Not limited | |
| 409B: Dickinson----- | 100 | Not limited | | Not limited | | Not limited | |
| 412D: Sogn----- | 100 | Not limited | | Not limited | | Very limited Depth to bedrock | 1.00 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|--------------|--|--------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | | | | | Droughty | 0.98 |
| | | | | | | Slope | 0.16 |
| | | | | | | Content of large stones | 0.01 |
| 420: Tama----- | 95 | Not limited | | Not limited | | Not limited | |
| 420B: Tama----- | 100 | Not limited | | Not limited | | Not limited | |
| 426B: Aredale----- | 100 | Not limited | | Not limited | | Not limited | |
| 428B: Ely----- | 95 | Not limited | | Not limited | | Not limited | |
| 462: Downs----- | 95 | Not limited | | Not limited | | Not limited | |
| 462B: Downs----- | 100 | Not limited | | Not limited | | Not limited | |
| 462C: Downs----- | 95 | Not limited | | Not limited | | Not limited | |
| 463B: Fayette----- | 100 | Not limited | | Not limited | | Not limited | |
| 478G: Nordness----- | 45 | Very limited Slope | 1.00 | Very limited Slope | 0.99 | Very limited Depth to bedrock Slope Droughty | 1.00 1.00 0.49 |
| Rock Outcrop----- | 45 | Very limited Water erosion Slope | 1.00 1.00 | Very limited Water erosion Slope | 1.00 0.99 | Very limited Slope | 1.00 |
| 499D: Nordness----- | 100 | Not limited | | Not limited | | Very limited Depth to bedrock Droughty Slope | 1.00 0.49 0.16 |
| 499F: Nordness----- | 100 | Somewhat limited Slope | 0.50 | Not limited | | Very limited Depth to bedrock | 1.00 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|-------|--|-------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | | | | | Slope | 1.00 |
| | | | | | | Droughty | 0.49 |
| 591B: Clyde----- | 55 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| Schley----- | 35 | Not limited | | Not limited | | Somewhat limited Depth to saturated zone | 0.19 |
| 662C2: Mt. Carroll----- | 100 | Not limited | | Not limited | | Not limited | |
| 662D2: Mt. Carroll----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 662E2: Mt. Carroll----- | 100 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |
| 688: Koszta----- | 95 | Not limited | | Not limited | | Not limited | |
| 727: Udolpho----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 728: Udolpho----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 733: Calco----- | 90 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 760: Ansgar----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|------------------------------|---------------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 777B: Wapsie----- | 95 | Not limited | | Not limited | | Not limited | |
| 777C: Wapsie----- | 95 | Not limited | | Not limited | | Not limited | |
| 809B: Bertram----- | 100 | Not limited | | Not limited | | Somewhat limited Depth to bedrock Droughty | 0.46 0.01 |
| 918: Garwin----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 919: Muscatine----- | 95 | Not limited | | Not limited | | Not limited | |
| 920: Tama----- | 100 | Not limited | | Not limited | | Not limited | |
| 920B: Tama----- | 100 | Not limited | | Not limited | | Not limited | |
| 923: Coyne----- | 100 | Not limited | | Not limited | | Not limited | |
| 933: Sawmill----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 949: Zwingle Variant----- | 100 | Very limited Depth to saturated zone Too clayey | 1.00 1.00 | Very limited Depth to saturated zone Too clayey | 1.00 1.00 | Very limited Depth to saturated zone Too clayey | 1.00 1.00 |
| 951F: Medary----- | 100 | Somewhat limited Slope | 0.98 | Not limited | | Very limited Slope | 1.00 |
| 953: Darwin Variant----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|--------------|--|--------------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Too clayey | 1.00 | Too clayey | 1.00 | Too clayey Droughty Depth to bedrock | 1.00 0.73 0.46 |
| 960: Shaffton----- | 95 | Not limited | | Not limited | | Somewhat limited Flooding | 0.60 |
| 961: Ambraw----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 962: Elvira----- | 90 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Flooding Depth to saturated zone | 1.00 1.00 |
| 963: Elvers----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| 976: Raddle----- | 100 | Not limited | | Not limited | | Not limited | |
| 1118: Garwin----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 1119: Muscatine----- | 95 | Not limited | | Not limited | | Not limited | |
| 1142: Chaseburg----- | 90 | Somewhat limited Flooding | 0.40 | Somewhat limited Flooding | 0.40 | Very limited Flooding | 1.00 |
| 1160: Walford----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clinton County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|------------------------------|---------------------------|--|----------------------|--|----------------------|--|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 1291: Atterberry----- | 95 | Not limited | | Not limited | | Somewhat limited Depth to saturated zone | 0.19 |
| 1777: Wapsie Variant----- | 90 | Somewhat limited Flooding | 0.40 | Somewhat limited Flooding | 0.40 | Very limited Flooding | 1.00 |
| 1954: Darwin----- | 97 | Very limited Depth to saturated zone Too clayey Flooding | 1.00 1.00 0.40 | Very limited Depth to saturated zone Too clayey Flooding | 1.00 1.00 0.40 | Very limited Flooding Depth to saturated zone Too clayey | 1.00 1.00 1.00 1.00 |
| 5010: Pits----- | 100 | Not rated | | Not rated | | Not rated | |
| 5030: Pits----- | 100 | Not rated | | Not rated | | Not rated | |
| 5040: Orthents----- | 100 | Not rated | | Not rated | | Not rated | |