

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
27B: Terril-----	100	Not limited		Not limited		Not limited	
29: Clarion-----	60	Not limited		Not limited		Not limited	
Nicollet-----	35	Not limited		Not limited		Not limited	
41B: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.06
41C: Sparta-----	90	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.06
55: Nicollet-----	95	Not limited		Not limited		Not limited	
62C3: Storden-----	90	Not limited		Not limited		Not limited	
62D3: Storden-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
62E3: Storden-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
73C: Salida-----	100	Not limited		Not limited		Very limited Droughty	1.00
73E: Salida-----	100	Not limited		Not limited		Very limited Droughty Slope	1.00 0.96
83: Kenyon-----	85	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
83B: Kenyon-----	90	Not limited		Not limited		Not limited	
83C2: Kenyon-----	90	Not limited		Not limited		Not limited	
84: Clyde-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
95: Harps-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
107: Webster-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
135: Coland-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
138: Clarion-----	100	Not limited		Not limited		Not limited	
138B: Clarion-----	90	Not limited		Not limited		Not limited	
138C: Clarion-----	95	Not limited		Not limited		Not limited	
138C2: Clarion-----	85	Not limited		Not limited		Not limited	
138D2: Clarion-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
151: Marshan-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
152: Marshan-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
153: Shandep-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
169B: Clarion-----	100	Not limited		Not limited		Not limited	
171: Bassett-----	90	Not limited		Not limited		Not limited	
171B: Bassett-----	90	Not limited		Not limited		Not limited	
171C2: Bassett-----	90	Not limited		Not limited		Not limited	
171D2: Bassett-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
171F: Bassett-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
173: Hoopeston-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
174: Bolan-----	85	Not limited		Not limited		Not limited	
174B: Bolan-----	85	Not limited		Not limited		Not limited	
175: Dickinson-----	90	Not limited		Not limited		Not limited	
175B: Dickinson-----	90	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
177: Saude-----	95	Not limited		Not limited		Not limited	
177B: Saude-----	90	Not limited		Not limited		Not limited	
177C: Saude-----	90	Not limited		Not limited		Not limited	
177C2: Saude-----	90	Not limited		Not limited		Not limited	
178: Waukee-----	100	Not limited		Not limited		Not limited	
178B: Waukee-----	100	Not limited		Not limited		Not limited	
184: Klinger-----	95	Not limited		Not limited		Not limited	
188: Kensett-----	95	Not limited		Not limited		Somewhat limited Depth to bedrock	0.26
198B: Floyd-----	95	Not limited		Not limited		Not limited	
201B: Coland-----	65	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Terril-----	35	Not limited		Not limited		Not limited	
213: Rockton-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
213B: Rockton-----	95	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
214: Rockton-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
214B: Rockton-----	95	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
214C: Rockton-----	90	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
216B: Ripon-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
217: Ripon-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
217B: Ripon-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
221: Palms-----	95	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00
221B: Palms-----	95	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00
225: Lawler-----	95	Not limited		Not limited		Not limited	
226: Lawler-----	95	Not limited		Not limited		Not limited	
236B: Lester-----	85	Not limited		Not limited		Not limited	
236C: Lester-----	90	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
236C2: Lester-----	85	Not limited		Not limited		Not limited	
236D2: Lester-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
236E2: Lester-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
236F: Lester-----	90	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
274: Rolfe-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
284: Flagler-----	95	Not limited		Not limited		Somewhat limited Droughty	0.22
284B: Flagler-----	95	Not limited		Not limited		Somewhat limited Droughty	0.22
284C: Flagler-----	95	Not limited		Not limited		Somewhat limited Droughty	0.22
325: Le Sueur-----	95	Not limited		Not limited		Not limited	
329: Webster-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Nicollet-----	35	Not limited		Not limited		Not limited	
335: Harcot-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
354: Aquolls-----	45	Very limited Not Rated (miscellaneous unit) Depth to saturated zone	1.00 1.00	Very limited Not Rated (miscellaneous unit) Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Not Rated (miscellaneous unit)	1.00 1.00
Histosols-----	40	Very limited Not Rated (miscellaneous unit) Depth to saturated zone Slope Water erosion	1.00 1.00 1.00 1.00	Very limited Not Rated (miscellaneous unit) Depth to saturated zone Water erosion Slope	1.00 1.00 1.00 0.22	Very limited Slope Depth to saturated zone Not Rated (miscellaneous unit)	1.00 1.00 1.00
377: Dinsdale-----	100	Not limited		Not limited		Not limited	
377B: Dinsdale-----	100	Not limited		Not limited		Not limited	
382: Maxfield-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
391B: Clyde-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Floyd-----	50	Not limited		Not limited		Not limited	
398: Tripoli-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
399: Readlyn-----	95	Not limited		Not limited		Not limited	
407B: Schley-----	95	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
412C: Sogn-----	100	Not limited		Not limited		Depth to saturated zone	0.19
						Very limited	
						Depth to bedrock	1.00
						Droughty	1.00
						Content of large stones	0.01
412E: Sogn-----	100	Not limited		Not limited		Very limited	
						Depth to bedrock	1.00
						Droughty	1.00
						Slope	0.96
						Content of large stones	0.01
444: Jacwin-----	95	Not limited		Not limited		Not limited	
457: Du Page-----	100	Not limited		Not limited		Somewhat limited Flooding	0.60
471: Oran-----	95	Not limited		Not limited		Not limited	
507: Canisteo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
536: Hanlon-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
551: Calamine-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
558: Talcot-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
559: Talcot-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
583: Minnetonka-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
611: Rossfield Variant---	90	Not limited		Not limited		Not limited	
612B: Mottland-----	90	Not limited		Not limited		Somewhat limited Content of large stones	0.01
612C2: Mottland-----	90	Not limited		Not limited		Somewhat limited Content of large stones	0.01
612E2: Mottland-----	90	Not limited		Not limited		Very limited Slope Content of large stones	0.96 0.01
612G2: Mottland-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope Content of large stones	1.00 0.01
613: Rossfield-----	95	Not limited		Not limited		Not limited	
613B: Rossfield-----	90	Not limited		Not limited		Not limited	
613C: Rossfield-----	90	Not limited		Not limited		Not limited	
614B: Jacwin Variant-----	100	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
614C3: Jacwin Variant-----	90	Not limited		Not limited		Not limited	
621: Houghton-----	100	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00
638C2: Clarion-----	50	Not limited		Not limited		Not limited	
Storden-----	40	Not limited		Not limited		Not limited	
638D2: Clarion-----	50	Not limited		Not limited		Somewhat limited Slope	0.63
Storden-----	40	Not limited		Not limited		Somewhat limited Slope	0.63
651: Faxon-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding Depth to bedrock Content of large stones	1.00 0.60 0.46 0.01
695: Tilfer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding Depth to bedrock	1.00 0.60 0.46
706: Cerlin-----	95	Not limited		Not limited		Not limited	
706B: Cerlin-----	95	Not limited		Not limited		Not limited	
725: Hayfield-----	95	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
733: Calco-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
755: Nicollet-----	95	Not limited		Not limited		Not limited	
777: Wapsie-----	95	Not limited		Not limited		Not limited	
777B: Wapsie-----	90	Not limited		Not limited		Not limited	
777C2: Wapsie-----	90	Not limited		Not limited		Not limited	
782: Donnan-----	95	Not limited		Not limited		Not limited	
782B: Donnan-----	95	Not limited		Not limited		Not limited	
782C2: Donnan-----	95	Not limited		Not limited		Not limited	
836B: Kilkenny-----	90	Not limited		Not limited		Not limited	
836C2: Kilkenny-----	90	Not limited		Not limited		Not limited	
855: Shorewood-----	95	Not limited		Not limited		Not limited	
936: Coland-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Hanlon-----	20	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
956: Harps-----	50	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Okoboji-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
976: Raddle-----	100	Not limited		Not limited		Not limited	
1936: Coland-----	50	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Hanlon-----	20	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, Limestone Quarry-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
5060: Pits, Clay-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	