

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisia County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
11B: Colo-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ely-----	30	Not limited		Not limited		Not limited	
41: Sparta-----	95	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Too sandy Droughty	0.50 0.34
41B: Sparta-----	100	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Too sandy Droughty	0.50 0.34
41C: Sparta-----	100	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Too sandy Droughty	0.50 0.34
63B: Chelsea-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.31
63C: Chelsea-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.31
63E: Chelsea-----	95	Somewhat limited Too sandy Slope	0.95 0.01	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	1.00 0.31
65D2: Lindley-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
65E: Lindley-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65E2: Lindley-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
65F: Lindley-----	95	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
65G: Lindley-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
74: Rubio-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
75: Givin-----	93	Not limited		Not limited		Not limited	
75B: Givin-----	90	Not limited		Not limited		Not limited	
76B: Ladoga-----	95	Not limited		Not limited		Not limited	
76C: Ladoga-----	100	Not limited		Not limited		Not limited	
76C2: Ladoga-----	100	Not limited		Not limited		Not limited	
76D2: Ladoga-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
80B: Clinton-----	95	Not limited		Not limited		Not limited	
80C: Clinton-----	95	Not limited		Not limited		Not limited	
80C2: Clinton-----	95	Not limited		Not limited		Not limited	
80D: Clinton-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
80D2: Clinton-----	95	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.63
80D3: Clinton-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
110B: Lamont-----	95	Not limited		Not limited		Not limited	
118: Garwin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
119: Muscatine-----	95	Not limited		Not limited		Not limited	
120B: Tama-----	95	Not limited		Not limited		Not limited	
120C2: Tama-----	100	Not limited		Not limited		Not limited	
122: Sperry-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
127: Wiota-----	95	Not limited		Not limited		Not limited	
127B: Wiota-----	100	Not limited		Not limited		Not limited	
133: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
134: Zook-----	100	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey Flooding	1.00 1.00 0.60

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
135: Coland-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
139: Perks-----	90	Somewhat limited Too sandy	0.87	Somewhat limited Too sandy	0.87	Very limited Droughty Flooding	1.00 0.60
140: Sparta-----	95	Somewhat limited Too sandy	0.84	Somewhat limited Too sandy	0.84	Not limited	
141: Watseka-----	95	Somewhat limited Too sandy	0.76	Somewhat limited Too sandy	0.76	Somewhat limited Depth to saturated zone Droughty	0.19 0.04
152: Marshan-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
160: Walford-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
162B: Downs-----	95	Not limited		Not limited		Not limited	
162C: Downs-----	100	Not limited		Not limited		Not limited	
162C2: Downs-----	100	Not limited		Not limited		Not limited	
162D2: Downs-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
163B: Fayette-----	95	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
163C: Fayette-----	100	Not limited		Not limited		Not limited	
163C2: Fayette-----	100	Not limited		Not limited		Not limited	
163D: Fayette-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
163D2: Fayette-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
163E: Fayette-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
163E2: Fayette-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
163F: Fayette-----	95	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
164: Traer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
165: Stronghurst-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
173: Hoopeston-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
174: Bolan-----	100	Not limited		Not limited		Not limited	
174B: Bolan-----	100	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
175: Dickinson-----	90	Not limited		Not limited		Not limited	
175B: Dickinson-----	95	Not limited		Not limited		Not limited	
179D2: Gara-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
180: Keomah-----	95	Not limited		Not limited		Not limited	
208: Klum-----	95	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
220: Nodaway-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60
223C2: Rinda-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
223D2: Rinda-----	95	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
273B: Olmitz-----	95	Not limited		Not limited		Not limited	
273C: Olmitz-----	100	Not limited		Not limited		Not limited	
279: Taintor-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
280: Mahaska-----	90	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
280B: Mahaska-----	95	Not limited		Not limited		Not limited	
281B: Otley-----	95	Not limited		Not limited		Not limited	
281C2: Otley-----	95	Not limited		Not limited		Not limited	
291: Atterberry-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
293C: Chelsea-----	40	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.31
Fayette-----	25	Not limited		Not limited		Not limited	
Lamont-----	25	Not limited		Not limited		Not limited	
293E: Chelsea-----	40	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	0.96 0.31
Fayette-----	25	Not limited		Not limited		Very limited Slope	0.96
Lamont-----	25	Not limited		Not limited		Very limited Slope	0.96
352B: Whittier-----	95	Not limited		Not limited		Not limited	
352C2: Whittier-----	95	Not limited		Not limited		Not limited	
352D2: Whittier-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
353C2: Tell-----	100	Not limited		Not limited		Not limited	
353D2: Tell-----	100	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.63
354: Aquolls-----	95	Not rated		Not rated		Not rated	
424E: Lindley-----	60	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Keswick-----	30	Somewhat limited Slope	0.02	Not limited		Very limited Slope Depth to saturated zone	1.00 0.19
424E2: Lindley-----	60	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Keswick-----	30	Somewhat limited Slope	0.02	Not limited		Very limited Slope Depth to saturated zone	1.00 0.19
425D2: Keswick-----	95	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
428B: Ely-----	95	Not limited		Not limited		Not limited	
430: Ackmore-----	95	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
453: Tuskeego-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
473: Gilford-----	100	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
484: Lawson-----	95	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
499G: Nordness-----	95	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Depth to bedrock Slope Droughty	1.00 1.00 0.49
520: Coppock-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
520B: Coppock-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
539: Perks-----	95	Not limited		Not limited		Somewhat limited Flooding Droughty	0.60 0.07
570B: Nira-----	95	Not limited		Not limited		Not limited	
570C2: Nira-----	95	Not limited		Not limited		Not limited	
571B: Hedrick-----	95	Not limited		Not limited		Not limited	
571C2: Hedrick-----	95	Not limited		Not limited		Not limited	
571D2: Hedrick-----	95	Not limited		Not limited		Somewhat limited Slope	0.63

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
572B: Inton-----	95	Not limited		Not limited		Not limited	
572C2: Inton-----	95	Not limited		Not limited		Not limited	
572C3: Inton-----	95	Not limited		Not limited		Not limited	
572D2: Inton-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
572D3: Inton-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
573: Hoopeston-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
653: Tuskeego-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
684: Elrick-----	95	Not limited		Not limited		Not limited	
688: Koszta-----	95	Not limited		Not limited		Not limited	
759: Fruitfield-----	100	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Too sandy	1.00 0.50
779: Kalona-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
793: Bertrand-----	95	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
793B: Bertrand-----	95	Not limited		Not limited		Not limited	
795D2: Ashgrove-----	95	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
826: Rowley-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
834: Titus-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
893D2: Gara-----	70	Not limited		Not limited		Somewhat limited Slope	0.63
Rinda-----	20	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
916B: Downs-----	100	Not limited		Not limited		Not limited	
916C2: Downs-----	100	Not limited		Not limited		Not limited	
917B: Fayette-----	100	Not limited		Not limited		Not limited	
917C2: Fayette-----	100	Not limited		Not limited		Not limited	
925: Toolesboro-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
960: Shaffton-----	95	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Flooding	0.60
961: Ambraw-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
1058E: Douds-----	50	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Lindley-----	30	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
1058F: Douds-----	50	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
Lindley-----	30	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
1058G: Douds-----	50	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
Lindley-----	30	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
1220: Nodaway-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
1484: Lawson-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding Depth to saturated zone	1.00 0.19
1539: Coland-----	30	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Lawson-----	20	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.19
Perks-----	20	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding Droughty	1.00 0.98
1730B: Nodaway-----	40	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Klum-----	30	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
3133: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
3133+: Colo-----	100	Very limited Depth to saturated zone Too sandy	1.00 0.79	Very limited Depth to saturated zone Too sandy	1.00 0.79	Very limited Depth to saturated zone	1.00
3539: Perks-----	95	Not limited		Not limited		Very limited Droughty	0.98
3834: Titus-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
3960: Shaffton-----	95	Not limited		Not limited		Not limited	
3961: Ambraw-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
5010: Pits, Sand And Grave	100	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Louisa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5030: Pits, Limestone Quar	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	