

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Vesser-----	55	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
Colo-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
23C: Arispe-----	95	Not limited		Not limited		Not limited	
23C2: Arispe-----	95	Not limited		Not limited		Not limited	
41B: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.10
51: Vesser-----	95	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
56B: Cantril-----	90	Not limited		Not limited		Not limited	
58E: Douds-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
58F: Douds-----	95	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope	1.00
65E: Lindley-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65E2: Lindley-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65F: Lindley-----	90	Somewhat limited		Not limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.82			Slope	1.00
65G: Lindley-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
75: Givin-----	90	Not limited		Not limited		Not limited	
75B: Givin-----	95	Not limited		Not limited		Not limited	
76B: Ladoga-----	95	Not limited		Not limited		Not limited	
76C: Ladoga-----	95	Not limited		Not limited		Not limited	
76C2: Ladoga-----	95	Not limited		Not limited		Not limited	
76D2: Ladoga-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
80B: Clinton-----	95	Not limited		Not limited		Not limited	
80C: Clinton-----	90	Not limited		Not limited		Not limited	
80C2: Clinton-----	90	Not limited		Not limited		Not limited	
80D: Clinton-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
80D2: Clinton-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
88: Nevin-----	90	Not limited		Not limited		Not limited	
110B: Lamont-----	90	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
110C: Lamont-----	90	Not limited		Not limited		Not limited	
122: Sperry-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
130: Belinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
131B: Pershing-----	95	Not limited		Not limited		Not limited	
131C: Pershing-----	90	Not limited		Not limited		Not limited	
132B: Weller-----	95	Not limited		Not limited		Not limited	
132C: Weller-----	90	Not limited		Not limited		Not limited	
133: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133+: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133B: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
154E: Ainsworth-----	50	Not limited		Not limited		Very limited Slope	0.96
Lamont-----	30	Not limited		Not limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.96
163B: Fayette-----	90	Not limited		Not limited		Not limited	
163C2: Fayette-----	90	Not limited		Not limited		Not limited	
173: Hoopeston-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
175: Dickinson-----	90	Not limited		Not limited		Not limited	
179E: Gara-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
179E2: Gara-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
180: Keomah-----	90	Not limited		Not limited		Not limited	
180B: Keomah-----	90	Not limited		Not limited		Not limited	
192D2: Adair-----	95	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
208: Klum-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
211: Edina-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
220: Nodaway-----	85	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Flooding	0.60
222C: Clarinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
222C2: Clarinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
223C2: Rinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
223D2: Rinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.63
260: Beckwith-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
263: Okaw-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
263B: Okaw-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
264B: Ainsworth-----	90	Not limited		Not limited		Not limited	
264C2: Ainsworth-----	90	Not limited		Not limited		Not limited	
279: Taintor-----	85	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
280: Mahaska-----	85	Not limited		Not limited		Not limited	
280B: Mahaska-----	90	Not limited		Not limited		Not limited	
281B: Otley-----	95	Not limited		Not limited		Not limited	
281C: Otley-----	95	Not limited		Not limited		Not limited	
281C2: Otley-----	95	Not limited		Not limited		Not limited	
293B: Chelsea-----	35	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.28
Lamont-----	35	Not limited		Not limited		Not limited	
Fayette-----	30	Not limited		Not limited		Not limited	
293C: Chelsea-----	35	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.28
Lamont-----	35	Not limited		Not limited		Not limited	
Fayette-----	30	Not limited		Not limited		Not limited	
293E: Chelsea-----	35	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	0.96 0.28
Lamont-----	35	Not limited		Not limited		Very limited Slope	0.96
Fayette-----	30	Not limited		Not limited		Very limited Slope	0.96
293F: Chelsea-----	35	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.82			Droughty	0.28
Lamont-----	35	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
Fayette-----	30	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
315: Klum-----	40	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Perks-----	30	Somewhat limited Too sandy Flooding	0.87 0.40	Somewhat limited Too sandy Flooding	0.87 0.40	Very limited Flooding Droughty	1.00 1.00
Nodaway-----	20	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
362: Haig-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
363: Haig-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
364B: Grundy-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
424D: Lindley-----	60	Not limited		Not limited		Somewhat limited Slope	0.63
Keswick-----	30	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
424D2: Lindley-----	60	Not limited		Not limited		Somewhat limited Slope	0.63
Keswick-----	30	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.63
						Depth to saturated zone	0.19
424E: Lindley-----	60	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Keswick-----	30	Somewhat limited Slope	0.02	Not limited		Very limited Slope Depth to saturated zone	1.00 0.19
424E2: Lindley-----	60	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Keswick-----	30	Somewhat limited Slope	0.02	Not limited		Very limited Slope Depth to saturated zone	1.00 0.19
425D: Keswick-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
425D2: Keswick-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
452D2: Lineville-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
453: Tuskeego-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
478G: Nordness-----	50	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Depth to bedrock	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	40	Not rated		Not rated		Slope Droughty	1.00 0.79
484: Lawson-----	95	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
499D: Nordness-----	95	Not limited		Not limited		Very limited Depth to bedrock Droughty Slope	1.00 0.79 0.63
499F: Nordness-----	95	Somewhat limited Slope	0.50	Not limited		Very limited Depth to bedrock Slope Droughty	1.00 1.00 0.79
520: Coppock-----	95	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
570C: Nira-----	90	Not limited		Not limited		Not limited	
570C2: Nira-----	90	Not limited		Not limited		Not limited	
571B: Hedrick-----	90	Not limited		Not limited		Not limited	
571C2: Hedrick-----	90	Not limited		Not limited		Not limited	
594C2: Galland-----	85	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
594D2: Galland-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
594E: Galland-----	85	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
594E2: Galland-----	85	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
730B: Nodaway-----	60	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Cantril-----	30	Not limited		Not limited		Not limited	
731C2: Pershing-----	90	Not limited		Not limited		Not limited	
732C2: Weller-----	90	Not limited		Not limited		Not limited	
732D2: Weller-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
764B: Grundy-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
779: Kalona-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
792D2: Armstrong-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
795D2: Ashgrove-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.63
831C2: Pershing-----	100	Not limited		Not limited		Not limited	
832C2: Weller-----	100	Not limited		Not limited		Not limited	
876B: Ladoga-----	95	Not limited		Not limited		Not limited	
876C2: Ladoga-----	100	Not limited		Not limited		Not limited	
880B: Clinton-----	95	Not limited		Not limited		Not limited	
880C: Clinton-----	90	Not limited		Not limited		Not limited	
880C2: Clinton-----	90	Not limited		Not limited		Not limited	
880D2: Clinton-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
881B: Otley-----	95	Not limited		Not limited		Not limited	
881C2: Otley-----	100	Not limited		Not limited		Not limited	
977: Richwood-----	95	Not limited		Not limited		Not limited	
977B: Richwood-----	95	Not limited		Not limited		Not limited	
993D2: Gara-----	60	Not limited		Not limited		Somewhat limited Slope	0.63
Armstrong-----	30	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1057: Rushville-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1122: Sperry-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1130: Belinda-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1131B: Pershing-----	100	Not limited		Not limited		Not limited	
1132B: Weller-----	100	Not limited		Not limited		Not limited	
1133: Colo-----	95	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
1180B: Keomah-----	95	Not limited		Not limited		Not limited	
1279: Taintor-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1280: Mahaska-----	90	Not limited		Not limited		Not limited	
1280B: Mahaska-----	90	Not limited		Not limited		Not limited	
1315: Klum-----	40	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Perks-----	30	Somewhat limited Too sandy	0.87	Somewhat limited Too sandy	0.87	Very limited Flooding	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Nodaway-----	20	Flooding	0.40	Flooding	0.40	Droughty	1.00
		Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
1362: Haig-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1779: Kalona-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
5010: Pits-----	100	Not rated		Not rated		Not rated	
5030: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	