

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.88	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
27B: Terril-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.22	Very limited Deep to water	1.00
29: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
Nicollet-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.02 0.01	Somewhat limited Deep to water Slow refill Cutbanks cave	0.68 0.30 0.10
41B: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
41C: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
55: Nicollet-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.02 0.01	Somewhat limited Deep to water Slow refill Cutbanks cave	0.68 0.30 0.10
62C3: Storden-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
62D3: Storden-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
62E3: Storden-----	Somewhat limited Seepage Slope	0.70 0.04	Very limited Piping	1.00	Very limited Deep to water	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73C: Salida-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
73E: Salida-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
83: Kenyon-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
83B: Kenyon-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
83C2: Kenyon-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
84: Clyde-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 0.61	Somewhat limited Cutbanks cave	0.10
95: Harps-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
107: Webster-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.02	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
135: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage Piping	1.00 0.36 0.05	Very limited Cutbanks cave	1.00
138: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
138B: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
138C: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
138C2: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
138D2: Clarion-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
151: Marshan-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Cutbanks cave	1.00
152: Marshan-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Cutbanks cave	1.00
153: Shandep-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.58 0.20	Very limited Cutbanks cave	1.00
169B: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
171: Bassett-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.53	Very limited Deep to water	1.00
171B: Bassett-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.53	Very limited Deep to water	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
171C2: Bassett-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.53	Very limited Deep to water	1.00
171D2: Bassett-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.53	Very limited Deep to water	1.00
171F: Bassett-----	Somewhat limited Seepage Slope	0.70 0.12	Somewhat limited Piping	0.53	Very limited Deep to water	1.00
173: Hoopeston-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.49	Very limited Cutbanks cave Deep to water	1.00 0.01
174: Bolan-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.18	Very limited Deep to water	1.00
174B: Bolan-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.18	Very limited Deep to water	1.00
175: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
175B: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
177: Saude-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
177B: Saude-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
177C: Saude-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
177C2: Saude-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
178: Waukee-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.43	Very limited Deep to water	1.00
178B: Waukee-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.43	Very limited Deep to water	1.00
184: Klinger-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.11	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
188: Kensett-----	Very limited Seepage Depth to bedrock	1.00 0.79	Somewhat limited Thin layer Piping Depth to saturated zone	0.79 0.78 0.43	Very limited Depth to hard bedrock Cutbanks cave Deep to water	1.00 1.00 0.25
198B: Floyd-----	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone	0.57 0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
201B: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage Piping	1.00 0.56 0.05	Very limited Cutbanks cave	1.00
Terril-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.22	Very limited Deep to water	1.00
213: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer Piping	0.86 0.63	Very limited Deep to water	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
213B: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer Piping	0.86 0.63	Very limited Deep to water	1.00
214: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer	0.86	Very limited Deep to water	1.00
214B: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer	0.86	Very limited Deep to water	1.00
214C: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer	0.86	Very limited Deep to water	1.00
216B: Ripon-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Piping Thin layer	0.98 0.86	Very limited Deep to water	1.00
217: Ripon-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer Piping	0.86 0.47	Very limited Deep to water	1.00
217B: Ripon-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer Piping	0.86 0.47	Very limited Deep to water	1.00
221: Palms-----	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Cutbanks cave	0.10
221B: Palms-----	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Cutbanks cave	0.10

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
225: Lawler-----	Very limited Seepage	1.00	Somewhat limited Seepage Depth to saturated zone	0.95 0.43	Very limited Cutbanks cave Deep to water	1.00 0.25
226: Lawler-----	Very limited Seepage	1.00	Somewhat limited Seepage Depth to saturated zone	0.95 0.43	Very limited Cutbanks cave Deep to water	1.00 0.25
236B: Lester-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.10	Very limited Deep to water	1.00
236C: Lester-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.10	Very limited Deep to water	1.00
236C2: Lester-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.10	Very limited Deep to water	1.00
236D2: Lester-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.10	Very limited Deep to water	1.00
236E2: Lester-----	Somewhat limited Seepage Slope	0.70 0.04	Somewhat limited Piping	0.10	Very limited Deep to water	1.00
236F: Lester-----	Somewhat limited Seepage Slope	0.70 0.18	Somewhat limited Piping	0.10	Very limited Deep to water	1.00
274: Rolfe-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
284: Flagler-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
284B: Flagler-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
284C: Flagler-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
325: Le Sueur-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.31	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
329: Webster-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.02	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Nicollet-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.02 0.01	Somewhat limited Deep to water Slow refill Cutbanks cave	0.68 0.30 0.10
335: Harcot-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Cutbanks cave	1.00
354: Aquolls-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Hard to pack	1.00 1.00	Somewhat limited Cutbanks cave	0.10
Histosols-----	Very limited Seepage Slope	1.00 0.50	Very limited Depth to saturated zone Hard to pack	1.00 1.00	Somewhat limited Cutbanks cave	0.10
377: Dinsdale-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.35	Very limited Deep to water	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
377B: Dinsdale-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.35	Very limited Deep to water	1.00
382: Maxfield-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.01	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
391B: Clyde-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 0.61	Somewhat limited Cutbanks cave	0.10
Floyd-----	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone	0.57 0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
398: Tripoli-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.28	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
399: Readlyn-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.37	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
407B: Schley-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
412C: Sogn-----	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Thin layer	1.00	Very limited Deep to water	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
412E: Sogn-----	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.02	Very limited Thin layer	1.00	Very limited Deep to water	1.00
444: Jacwin-----	Somewhat limited Seepage Depth to bedrock	0.70 0.01	Somewhat limited Thin layer Depth to saturated zone Piping	0.46 0.43 0.02	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.25 0.10
457: Du Page-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.32	Very limited Deep to water	1.00
471: Oran-----	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone	0.55 0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
507: Canisteo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.02	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
536: Hanlon-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.09	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
551: Calamine-----	Somewhat limited Depth to bedrock	0.01	Very limited Depth to saturated zone Hard to pack Thin layer	1.00 0.24 0.11	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
558: Talcot-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.91	Very limited Cutbanks cave	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
559: Talcot-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.91	Very limited Cutbanks cave	1.00
583: Minnetonka-----	Somewhat limited Seepage	0.57	Very limited Depth to saturated zone Piping	1.00 0.02	Somewhat limited Slow refill Cutbanks cave	0.43 0.10
611: Rossfield Variant---	Very limited Seepage	1.00	Somewhat limited Piping Depth to saturated zone	0.77 0.43	Somewhat limited Deep to water Cutbanks cave	0.25 0.10
612B: Mottland-----	Very limited Seepage	1.00	Not limited		Very limited Deep to water	1.00
612C2: Mottland-----	Very limited Seepage	1.00	Not limited		Very limited Deep to water	1.00
612E2: Mottland-----	Very limited Seepage Slope	1.00 0.02	Not limited		Very limited Deep to water	1.00
612G2: Mottland-----	Very limited Seepage Slope	1.00 0.45	Not limited		Very limited Deep to water	1.00
613: Rossfield-----	Very limited Seepage	1.00	Not limited		Very limited Deep to water	1.00
613B: Rossfield-----	Very limited Seepage	1.00	Not limited		Very limited Deep to water	1.00
613C: Rossfield-----	Very limited Seepage	1.00	Not limited		Very limited Deep to water	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
614B: Jacwin Variant-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
614C3: Jacwin Variant-----	Somewhat limited Seepage	0.70	Somewhat limited Hard to pack	0.23	Very limited Deep to water	1.00
621: Houghton-----	Very limited Seepage	1.00	Very limited Content of organic matter Depth to saturated zone	1.00 1.00	Somewhat limited Cutbanks cave	0.10
638C2: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
Storden-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
638D2: Clarion-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
Storden-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
651: Faxon-----	Very limited Seepage Depth to bedrock	1.00 0.86	Very limited Depth to saturated zone Thin layer Piping	1.00 0.86 0.06	Very limited Depth to hard bedrock Cutbanks cave	1.00 0.10
695: Tilfer-----	Very limited Seepage Depth to bedrock	1.00 0.86	Very limited Depth to saturated zone Thin layer Piping	1.00 0.86 0.29	Very limited Depth to hard bedrock Cutbanks cave	1.00 0.10

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
706: Cerlin-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Hard to pack	0.86 0.24	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.06
706B: Cerlin-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Hard to pack	0.86 0.24	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.06
725: Hayfield-----	Very limited Seepage	1.00	Somewhat limited Seepage Depth to saturated zone	0.95 0.02	Very limited Cutbanks cave Deep to water	1.00 0.68
733: Calco-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.02	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
755: Nicollet-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.02 0.01	Somewhat limited Deep to water Slow refill Cutbanks cave	0.68 0.30 0.10
777: Wapsie-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.49	Very limited Deep to water	1.00
777B: Wapsie-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.49	Very limited Deep to water	1.00
777C2: Wapsie-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.49	Very limited Deep to water	1.00

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
782: Donnan-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Hard to pack	0.86 0.19	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.06
782B: Donnan-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Hard to pack	0.86 0.19	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.06
782C2: Donnan-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Hard to pack	0.86 0.19	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.06
836B: Kilkenny-----	Somewhat limited Seepage	0.57	Somewhat limited Hard to pack	0.20	Very limited Deep to water	1.00
836C2: Kilkenny-----	Somewhat limited Seepage	0.57	Somewhat limited Hard to pack	0.20	Very limited Deep to water	1.00
855: Shorewood-----	Somewhat limited Seepage	0.57	Somewhat limited Hard to pack	0.03	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.43 0.10
936: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage Piping	1.00 0.56 0.05	Very limited Cutbanks cave	1.00
Hanlon-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.09	Somewhat limited Deep to water Cutbanks cave	0.81 0.10

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956: Harps-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Okoboji-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.88	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
976: Raddle-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
1936: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage Piping	1.00 0.36 0.05	Very limited Cutbanks cave	1.00
Hanlon-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.09	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
5010: Pits, Sand And Gravel-----	Not rated		Not rated		Not rated	
5030: Pits, Limestone Quarry-----	Not rated		Not rated		Not rated	
5040: Orthents-----	Not rated		Not rated		Not rated	
5060: Pits, Clay-----	Not rated		Not rated		Not rated	

Water Management

Cerro Gordo County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	Not rated		Not rated		Not rated	