

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Vesser-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.10	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
23C: Arispe-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
23C2: Arispe-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone Hard to pack	0.43 0.33	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
41B: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
51: Vesser-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.10	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
56B: Cantril-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.01	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
58E: Douds-----	Very limited Seepage Slope	1.00 0.04	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
58F: Douds-----	Very limited Seepage Slope	1.00 0.45	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
65E: Lindley-----	Somewhat limited Seepage Slope	0.05 0.04	Somewhat limited Piping	0.51	Very limited Deep to water	1.00
65E2: Lindley-----	Somewhat limited Seepage Slope	0.05 0.04	Somewhat limited Piping	0.51	Very limited Deep to water	1.00
65F: Lindley-----	Somewhat limited Slope Seepage	0.18 0.05	Somewhat limited Piping	0.51	Very limited Deep to water	1.00
65G: Lindley-----	Somewhat limited Slope Seepage	0.64 0.05	Somewhat limited Piping	0.51	Very limited Deep to water	1.00
75: Givin-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone Hard to pack	0.43 0.38	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
75B: Givin-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone Hard to pack	0.43 0.38	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
76B: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
76C: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
76C2: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
76D2: Ladoga-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
80B: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
80C: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
80C2: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
80D: Clinton-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
80D2: Clinton-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
88: Nevin-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
110B: Lamont-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.70	Very limited Deep to water	1.00
110C: Lamont-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.70	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
122: Sperry-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.19	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
130: Belinda-----	Somewhat limited Seepage	0.01	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
131B: Pershing-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.25 0.10
131C: Pershing-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.25 0.10
132B: Weller-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
132C: Weller-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
133+: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
133B: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
154E: Ainsworth-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage Piping	0.91 0.08	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.70	Very limited Deep to water	1.00
163B: Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
163C2: Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.02	Very limited Deep to water	1.00
173: Hoopeston-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.99	Very limited Cutbanks cave Deep to water	1.00 0.01
175: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
179E: Gara-----	Somewhat limited Seepage Slope	0.05 0.04	Somewhat limited Piping	0.01	Very limited Deep to water	1.00
179E2: Gara-----	Somewhat limited Seepage Slope	0.05 0.04	Not limited		Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
180: Keomah-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill	0.95
					Deep to water Cutbanks cave	0.25 0.10
180B: Keomah-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill	0.95
					Deep to water Cutbanks cave	0.25 0.10
192D2: Adair-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.95
	Slope	0.01			Cutbanks cave Deep to water	0.10 0.01
208: Klum-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Somewhat limited Deep to water Cutbanks cave	0.96 0.10
211: Edina-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.39	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
220: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
222C: Clarinda-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.97	Very limited Deep to water	1.00
222C2: Clarinda-----	Somewhat limited Seepage	0.01	Very limited Depth to saturated zone Hard to pack	1.00 0.97	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
223C2: Rinda-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 1.00	Very limited Deep to water	1.00
223D2: Rinda-----	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Hard to pack	1.00 1.00	Very limited Deep to water	1.00
260: Beckwith-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.52	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
263: Okaw-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.73	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
263B: Okaw-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.73	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
264B: Ainsworth-----	Very limited Seepage	1.00	Somewhat limited Seepage Piping	0.91 0.08	Very limited Deep to water	1.00
264C2: Ainsworth-----	Very limited Seepage	1.00	Somewhat limited Seepage Piping	0.91 0.08	Very limited Deep to water	1.00
279: Taintor-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.25	Somewhat limited Slow refill Cutbanks cave	0.95 0.10

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
280: Mahaska-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill	0.30
					Deep to water Cutbanks cave	0.25 0.10
280B: Mahaska-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill	0.30
					Deep to water Cutbanks cave	0.25 0.10
281B: Otley-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
281C: Otley-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
281C2: Otley-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
293B: Chelsea-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.70	Very limited Deep to water	1.00
Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
293C: Chelsea-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.70	Very limited Deep to water	1.00
Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.03	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
293E:						
Chelsea-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.70	Very limited Deep to water	1.00
Fayette-----	Somewhat limited Seepage Slope	0.70 0.02	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
293F:						
Chelsea-----	Very limited Seepage Slope	1.00 0.18	Somewhat limited Seepage	0.96	Very limited Deep to water	1.00
Lamont-----	Very limited Seepage Slope	1.00 0.18	Somewhat limited Seepage	0.70	Very limited Deep to water	1.00
Fayette-----	Somewhat limited Seepage Slope	0.70 0.18	Somewhat limited Piping	0.03	Very limited Deep to water	1.00
315:						
Klum-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Somewhat limited Deep to water Cutbanks cave	0.96 0.10
Perks-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
362:						
Haig-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
363: Haig-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
364B: Grundy-----	Not limited		Somewhat limited Depth to saturated zone	0.95	Very limited Slow refill	1.00
			Hard to pack	0.68	Cutbanks cave	0.10
					Deep to water	0.02
424D: Lindley-----	Somewhat limited Seepage	0.05	Somewhat limited Piping	0.51	Very limited Deep to water	1.00
	Slope	0.01				
Keswick-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.95
	Slope	0.01			Cutbanks cave	0.10
					Deep to water	0.01
424D2: Lindley-----	Somewhat limited Seepage	0.05	Somewhat limited Piping	0.51	Very limited Deep to water	1.00
	Slope	0.01				
Keswick-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.95
	Slope	0.01			Cutbanks cave	0.10
					Deep to water	0.01
424E: Lindley-----	Somewhat limited Seepage	0.05	Somewhat limited Piping	0.51	Very limited Deep to water	1.00
	Slope	0.04				
Keswick-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.95
	Slope	0.04			Cutbanks cave	0.10
					Deep to water	0.01

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
424E2: Lindley-----	Somewhat limited Seepage Slope	0.05 0.04	Somewhat limited Piping	0.51	Very limited Deep to water	1.00
Keswick-----	Somewhat limited Seepage Slope	0.05 0.04	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.01
425D: Keswick-----	Somewhat limited Seepage Slope	0.05 0.01	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.01
425D2: Keswick-----	Somewhat limited Seepage Slope	0.05 0.01	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.01
452D2: Lineville-----	Somewhat limited Seepage Slope	0.05 0.01	Very limited Depth to saturated zone	1.00	Very limited Slow refill Cutbanks cave Deep to water	1.00 0.10 0.01
453: Tuskeego-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.26	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
478G: Nordness-----	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.64	Very limited Thin layer	1.00	Very limited Deep to water	1.00
Rock Outcrop-----	Not rated		Not rated		Not rated	

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
484: Lawson-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.74	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
499D: Nordness-----	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.01	Very limited Thin layer	1.00	Very limited Deep to water	1.00
499F: Nordness-----	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.12	Very limited Thin layer	1.00	Very limited Deep to water	1.00
520: Coppock-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.01	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
570C: Nira-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
570C2: Nira-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
571B: Hedrick-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
571C2: Hedrick-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
594C2: Galland-----	Very limited Seepage	1.00	Not limited		Somewhat limited Deep to water Cutbanks cave	0.81 0.10

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
594D2: Galland-----	Very limited Seepage Slope	1.00 0.01	Not limited		Somewhat limited Deep to water Cutbanks cave	0.81 0.10
594E: Galland-----	Very limited Seepage Slope	1.00 0.04	Not limited		Somewhat limited Deep to water Cutbanks cave	0.81 0.10
594E2: Galland-----	Very limited Seepage Slope	1.00 0.04	Not limited		Somewhat limited Deep to water Cutbanks cave	0.81 0.10
730B: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
Cantril-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.01	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
731C2: Pershing-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone Hard to pack	0.43 0.21	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.25 0.10
732C2: Weller-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
732D2: Weller-----	Somewhat limited Seepage Slope	0.05 0.01	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
764B: Grundy-----	Not limited		Somewhat limited Depth to saturated zone Hard to pack	0.95 0.68	Very limited Slow refill Cutbanks cave Deep to water	1.00 0.10 0.02
779: Kalona-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.09	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
792D2: Armstrong-----	Somewhat limited Seepage  Slope	0.05 0.01	Very limited Depth to saturated zone Hard to pack	1.00 0.13	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.01
795D2: Ashgrove-----	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Hard to pack	1.00 0.54	Very limited Deep to water	1.00
831C2: Pershing-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone Hard to pack	0.43 0.21	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.25 0.10
832C2: Weller-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
876B: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
876C2: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
880B: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
880C: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
880C2: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
880D2: Clinton-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
881B: Otley-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
881C2: Otley-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
977: Richwood-----	Very limited Seepage	1.00	Very limited Seepage Piping	1.00 0.99	Very limited Deep to water	1.00
977B: Richwood-----	Very limited Seepage	1.00	Very limited Seepage Piping	1.00 0.99	Very limited Deep to water	1.00
993D2: Gara-----	Somewhat limited Seepage Slope	0.05 0.01	Not limited		Very limited Deep to water	1.00
Armstrong-----	Somewhat limited Seepage Slope	0.05 0.01	Very limited Depth to saturated zone Hard to pack	1.00 0.13	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.01

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1057: Rushville-----	Not limited		Very limited Depth to saturated zone	1.00	Somewhat limited Cutbanks cave	0.50
					Slow refill	0.30
1122: Sperry-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.19	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
1130: Belinda-----	Somewhat limited Seepage	0.01	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
1131B: Pershing-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Very limited Slow refill	1.00
					Deep to water	0.25
					Cutbanks cave	0.10
1132B: Weller-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill	0.95
					Deep to water	0.25
					Cutbanks cave	0.10
1133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
1180B: Keomah-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill	0.95
					Deep to water	0.25
					Cutbanks cave	0.10

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1279: Taintor-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.25	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
1280: Mahaska-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
1280B: Mahaska-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
1315: Klum-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Somewhat limited Deep to water Cutbanks cave	0.96 0.10
Perks-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
1362: Haig-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
1779: Kalona-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.09	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
5010: Pits-----	Not rated		Not rated		Not rated	

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5030: Pits-----	Not rated		Not rated		Not rated	
5040: Orthents-----	Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated	