

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.91	Very limited Depth to saturated zone	1.00
8B: Judson-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
11B: Colo-----	60	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 0.50 0.09
Ely-----	30	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
27B: Terril-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
41B: Sparta-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
55: Nicollet-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	0.92 0.50 0.01
62C2: Storden-----	95	Not limited restricted permeability	0.25	Very limited Slope Seepage	1.00 0.50
62D2: Storden-----	95	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
62E2: Storden-----	90	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope Seepage	1.00 0.50
73C: Salida-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.91
83B: Kenyon-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
83C2: Kenyon-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
83D: Kenyon-----	100	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		Depth to saturated zone	0.43	Seepage	0.50
		restricted permeability	0.25		
83F: Kenyon-----	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to saturated zone	0.43	Seepage	0.50
		restricted permeability	0.25		
84: Clyde-----	95	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	1.00
90: Okoboji-----	95	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.91		
95: Harps-----	95	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	0.50
				Slope	0.01
96: Turlin-----	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.71
		restricted permeability	0.25	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
107: Webster-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
118: Garwin-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
119: Muscatine-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01
120B: Tama-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
133: Colo-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
135: Coland-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
138B: Clarion-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
				Slope	0.33
138C2: Clarion-----	100	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50
138D2: Clarion-----	95	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
151: Marshan-----	90	Very limited Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
152: Marshan-----	90	Very limited Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
153: Shandep-----	95	Very limited Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
174B: Bolan-----	95	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage Slope	1.00 0.33
174C2: Bolan-----	95	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage Slope	1.00 1.00
175B: Dickinson-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
175C: Dickinson-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
177: Saude-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
177B: Saude-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
177C: Saude-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
178: Waukee-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00
178B: Waukee-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage Slope	1.00 0.33
184: Klinger-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01
198B: Floyd-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.09
201B: Coland-----	50	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 1.00 0.01
Terril-----	35	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
213B: Rockton-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
				Seepage	1.00
				Slope	0.33
214B: Rockton-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity restricted	1.00	Seepage	1.00
		permeability	0.25	Slope	0.33
214C2: Rockton-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity restricted	1.00	Seepage	1.00
		permeability	0.25	Slope	1.00
216C2: Ripon-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity restricted	1.00	Seepage	1.00
		permeability	0.25	Slope	1.00
217B: Ripon-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
				Seepage	1.00
				Slope	0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
221: Palms-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Content of organic matter	1.00
		Subsidence	1.00	Depth to saturated zone	1.00
				Seepage	1.00
225: Lawler-----	95	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25		
226: Lawler-----	95	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25		
236B: Lester-----	100	Somewhat limited		Somewhat limited	
		restricted permeability	0.35	Seepage	0.50
				Slope	0.33
236C: Lester-----	100	Somewhat limited		Very limited	
		restricted permeability	0.35	Slope	1.00
				Seepage	0.50
236D2: Lester-----	95	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		restricted permeability	0.35	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
236F: Lester-----	100	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
284B: Flagler-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.09
284C: Flagler-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
329: Webster-----	50	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
Nicollet-----	30	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	0.92 0.50 0.01
335: Harcot-----	100	Very limited Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
373C2: Tallula-----	95	Not limited restricted permeability	0.25	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
373D2: Tallula-----	95	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
377: Dinsdale-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage	0.50
377B: Dinsdale-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
377C: Dinsdale-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Very limited Slope Seepage	1.00 0.50
377C2: Dinsdale-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Very limited Slope Seepage	1.00 0.50
382: Maxfield-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
391B: Clyde-----	55	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.01
Floyd-----	35	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.09
398: Tripoli-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
399: Readlyn-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01
407B: Schley-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.09
426: Aredale-----	95	Not limited restricted permeability	0.25	Very limited Seepage	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
426B: Aredale-----	100	Not limited restricted permeability	0.25	Very limited Seepage	1.00
				Slope	0.33
426C: Aredale-----	100	Not limited restricted permeability	0.25	Very limited Seepage	1.00
				Slope	1.00
426C2: Aredale-----	100	Not limited restricted permeability	0.25	Very limited Seepage	1.00
				Slope	1.00
428B: Ely-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
				Slope	0.33
444B: Jacwin-----	95	Very limited Depth to saturated zone Depth to bedrock restricted permeability	1.00 1.00 0.25	Very limited Depth to saturated zone Depth to soft bedrock Seepage	1.00 1.00 0.50
				Slope	0.09
444C2: Jacwin-----	95	Very limited Depth to saturated zone Depth to bedrock restricted permeability	1.00 1.00 0.25	Very limited Depth to saturated zone Slope Depth to soft bedrock Seepage	1.00 1.00 1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
506: Wacousta-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
507: Canisteo-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
512C: Marlean-----	100	Not limited restricted permeability	0.25	Very limited Slope Seepage	0.91 0.50
512E: Marlean-----	100	Very limited Slope restricted permeability	0.96 0.25	Very limited Slope Seepage	1.00 0.50
512G: Marlean-----	100	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope Seepage	1.00 0.50
551: Calamine-----	100	Very limited Depth to saturated zone Restricted permeability Depth to bedrock	1.00 0.96 0.78	Very limited Depth to saturated zone Depth to soft bedrock Slope	1.00 0.42 0.01

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
559: Talcot-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity restricted permeability	1.00 0.25	Depth to saturated zone	1.00
595: Harpster-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
612C2: Mottland-----	100	Not limited		Very limited Seepage Slope	1.00 1.00
612E2: Mottland-----	100	Very limited Slope	0.96	Very limited Slope Seepage	1.00 1.00
613: Rossfield-----	100	Not limited restricted permeability	0.25	Very limited Seepage	1.00
613B: Rossfield-----	100	Not limited restricted permeability	0.25	Very limited Seepage Slope	1.00 0.33
613C: Rossfield-----	100	Not limited restricted permeability	0.25	Very limited Seepage Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
613C2: Rossfield-----	100	Not limited restricted permeability	0.25	Very limited	
				Seepage	1.00
				Slope	1.00
613D2: Rossfield-----	100	Somewhat limited Slope restricted permeability	0.63	Very limited	
				Slope	1.00
				Seepage	1.00
620C: Port Byron-----	100	Not limited restricted permeability	0.25	Very limited	
				Slope	1.00
				Seepage	0.50
620C2: Port Byron-----	100	Not limited restricted permeability	0.25	Very limited	
				Slope	1.00
				Seepage	0.50
620D2: Port Byron-----	100	Somewhat limited Slope restricted permeability	0.63	Very limited	
				Slope	1.00
				Seepage	0.50
620E2: Port Byron-----	100	Very limited Slope restricted permeability	1.00	Very limited	
				Slope	1.00
				Seepage	0.50
621: Houghton-----	100	Very limited Depth to saturated zone Subsidence	1.00	Very limited	
				Content of organic matter	1.00
				Depth to saturated zone	1.00
				Seepage	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
638C2: Clarion-----	55	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50
Storden-----	35	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50
638D2: Clarion-----	55	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
Storden-----	35	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
733: Calco-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
760: Ansgar-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage	1.00 0.50
761: Franklin-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
771B: Waubeek-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.35	Somewhat limited Seepage Slope	0.50 0.33
771C: Waubeek-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.35	Very limited Slope Seepage	1.00 0.50
782B: Donnan-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
782C2: Donnan-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
828B: Zenor-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
828C: Zenor-----	95	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
933: Sawmill-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
956: Harps-----	50	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
Okoboji-----	45	Very limited Depth to saturated zone Restricted permeability	1.00 0.91	Very limited Depth to saturated zone	1.00
1135: Coland-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
1173: Hoopeston Variant---	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Seepage Depth to saturated zone Slope	1.00 0.71 0.01
5010: Gravel-----	50	Not rated		Not rated	
Pits, Sand And Gravel-----	50	Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
5030: Pits, Limestone Quarry-----	50	Not rated		Not rated	
Pits, Limestone Quarry-----	50	Not rated		Not rated	
5550: Orthents-----	100	Not rated		Not rated	
W: Water-----	100	Not rated		Not rated	