

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.91	Very limited Depth to saturated zone	1.00
27B: Terril-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
29: Clarion-----	60	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.01
Nicollet-----	35	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	0.92 0.50 0.01
41B: Sparta-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
41C: Sparta-----	90	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
55: Nicollet-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	0.92 0.50 0.01

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
62C3: Storden-----	90	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50
62D3: Storden-----	95	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope	1.00
				Seepage	0.50
62E3: Storden-----	95	Very limited Slope restricted permeability	1.00 0.25	Very limited Slope	1.00
				Seepage	0.50
73C: Salida-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.91
73E: Salida-----	100	Very limited Filtering capacity Slope	1.00 0.96	Very limited Slope	1.00
				Seepage	1.00
83: Kenyon-----	85	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
83B: Kenyon-----	90	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
				Slope	0.33
83C2: Kenyon-----	90	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
84: Clyde-----	85	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 1.00
95: Harps-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01
107: Webster-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
135: Coland-----	85	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
138: Clarion-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
138B: Clarion-----	90	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
138C: Clarion-----	95	Not limited restricted permeability	0.25	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
138C2: Clarion-----	85	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50
138D2: Clarion-----	85	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
151: Marshan-----	95	Very limited Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
152: Marshan-----	100	Very limited Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
153: Shandep-----	90	Very limited Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
169B: Clarion-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
171: Bassett-----	90	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.35	Somewhat limited Seepage	0.50
171B: Bassett-----	90	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.35	Somewhat limited Seepage Slope	0.50 0.33
171C2: Bassett-----	90	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.35	Very limited Slope Seepage	1.00 0.50
171D2: Bassett-----	100	Somewhat limited Slope Depth to saturated zone restricted permeability	0.63 0.43 0.35	Very limited Slope Seepage	1.00 0.50
171F: Bassett-----	100	Very limited Slope Depth to saturated zone restricted permeability	1.00 0.43 0.35	Very limited Slope Seepage	1.00 0.50
173: Hoopeston-----	100	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.01

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
174: Bolan-----	85	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00
174B: Bolan-----	85	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage Slope	1.00 0.33
175: Dickinson-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
175B: Dickinson-----	90	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
177: Saude-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
177B: Saude-----	90	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
177C: Saude-----	90	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
177C2: Saude-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
178: Waukee-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00
178B: Waukee-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00
				Slope	0.33
184: Klinger-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
				Slope	0.01
188: Kensett-----	95	Very limited Depth to bedrock Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 1.00 0.25	Very limited Depth to hard bedrock Seepage Depth to saturated zone	1.00 1.00 1.00
198B: Floyd-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
				Slope	0.09

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
201B: Coland-----	65	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 1.00 0.09
Terril-----	35	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.09
213: Rockton-----	100	Very limited Depth to bedrock restricted permeability	1.00 0.25	Very limited Depth to hard bedrock Seepage	1.00 1.00
213B: Rockton-----	95	Very limited Depth to bedrock restricted permeability	1.00 0.25	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.33
214: Rockton-----	100	Very limited Depth to bedrock Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Depth to hard bedrock Seepage	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
214B: Rockton-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity restricted permeability	1.00 0.25	Seepage Slope	1.00 0.33
214C: Rockton-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity restricted permeability	1.00 0.25	Seepage Slope	1.00 1.00
216B: Ripon-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity restricted permeability	1.00 0.25	Seepage Slope	1.00 0.09
217: Ripon-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		restricted permeability	0.25	Seepage	1.00
217B: Ripon-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		restricted permeability	0.25	Seepage Slope	1.00 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
221: Palms-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Subsidence	1.00	Seepage	1.00
		Restricted permeability	0.37	Content of organic matter	1.00
221B: Palms-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Subsidence	1.00	Seepage	1.00
		Restricted permeability	0.37	Content of organic matter	1.00
				Slope	0.09
225: Lawler-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25		
226: Lawler-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25		
236B: Lester-----	85	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage	0.50
				Slope	0.33
236C: Lester-----	90	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
236C2: Lester-----	85	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50
236D2: Lester-----	85	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope	1.00
				Seepage	0.50
236E2: Lester-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope	1.00
				Seepage	0.50
236F: Lester-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope	1.00
				Seepage	0.50
274: Rolfe-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.99	Very limited Depth to saturated zone	1.00
				Seepage	0.32
284: Flagler-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
284B: Flagler-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
284C: Flagler-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
325: Le Sueur-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01
329: Webster-----	60	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01
Nicollet-----	35	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	0.92 0.50 0.01
335: Harcot-----	95	Very limited Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
354: Aquolls-----	45	Very limited Depth to saturated zone Not Rated (miscellaneous unit)	1.00 1.00	Very limited Not Rated (miscellaneous unit) Depth to saturated zone	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Histosols-----	40	Very limited Depth to saturated zone	1.00	Very limited Not Rated (miscellaneous unit)	1.00
		Slope Not Rated (miscellaneous unit)	1.00 1.00	Slope Depth to saturated zone	1.00 1.00
377: Dinsdale-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage	0.50
377B: Dinsdale-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
382: Maxfield-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
391B: Clyde-----	50	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.01
Floyd-----	50	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.09

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
398: Tripoli-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
399: Readlyn-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01
407B: Schley-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.09
412C: Sogn-----	100	Very limited Depth to bedrock Filtering capacity	1.00 1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.91
412E: Sogn-----	100	Very limited Depth to bedrock Filtering capacity Slope	1.00 1.00 0.96	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
444: Jacwin-----	95	Very limited Depth to saturated zone Depth to bedrock restricted permeability	1.00 1.00 0.25	Very limited Depth to saturated zone Depth to soft bedrock Seepage Slope	1.00 1.00 0.50 0.01
457: Du Page-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 0.40 0.25	Very limited Flooding	1.00
471: Oran-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01
507: Canisteo-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
536: Hanlon-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.71

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
551: Calamine-----	95	Very limited Depth to saturated zone Restricted permeability Depth to bedrock	1.00 1.00 0.78	Very limited Depth to saturated zone Depth to soft bedrock Slope	1.00 0.42 0.01
558: Talcot-----	100	Very limited Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
559: Talcot-----	100	Very limited Depth to saturated zone Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
583: Minnetonka-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.99	Very limited Depth to saturated zone Seepage	1.00 0.32
611: Rossfield Variant---	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.99	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.01
612B: Mottland-----	90	Not limited		Very limited Seepage Slope	1.00 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
612C2: Mottland-----	90	Not limited		Very limited Seepage	1.00 1.00
612E2: Mottland-----	90	Very limited Slope	0.96	Very limited Slope Seepage	1.00 1.00
612G2: Mottland-----	90	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
613: Rossfield-----	95	Not limited restricted permeability	0.25	Very limited Seepage	1.00
613B: Rossfield-----	90	Not limited restricted permeability	0.25	Very limited Seepage Slope	1.00 0.33
613C: Rossfield-----	90	Not limited restricted permeability	0.25	Very limited Seepage Slope	1.00 1.00
614B: Jacwin Variant-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 0.43	Somewhat limited Seepage Slope	0.50 0.33
614C3: Jacwin Variant-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 0.43	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
621: Houghton-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Content of organic matter	1.00
		Subsidence	1.00	Depth to saturated zone	1.00
				Seepage	1.00
638C2: Clarion-----	50	Not limited		Very limited	
		restricted permeability	0.25	Slope	1.00
				Seepage	0.50
Storden-----	40	Not limited		Very limited	
		restricted permeability	0.25	Slope	1.00
				Seepage	0.50
638D2: Clarion-----	50	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		restricted permeability	0.25	Seepage	0.50
Storden-----	40	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		restricted permeability	0.25	Seepage	0.50
651: Faxon-----	95	Very limited		Very limited	
		Flooding	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Seepage	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
695: Tilfer-----	100	Very limited Flooding	1.00	Very limited Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Seepage	1.00
706: Cerlin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Seepage	0.50
706B: Cerlin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Seepage	0.50
				Slope	0.33
725: Hayfield-----	95	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity restricted permeability	1.00 0.35	Depth to saturated zone	0.92
733: Calco-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
755: Nicollet-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	0.92 0.50 0.01
777: Wapsie-----	95	Very limited Filtering capacity restricted permeability	1.00 0.35	Very limited Seepage	1.00
777B: Wapsie-----	90	Very limited Filtering capacity restricted permeability	1.00 0.35	Very limited Seepage Slope	1.00 0.33
777C2: Wapsie-----	90	Very limited Filtering capacity restricted permeability	1.00 0.35	Very limited Seepage Slope	1.00 1.00
782: Donnan-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
782B: Donnan-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
782C2: Donnan-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
836B: Kilkenny-----	90	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.33 0.32
836C2: Kilkenny-----	90	Very limited Restricted permeability	1.00	Very limited Slope Seepage	1.00 0.32
855: Shorewood-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.96	Somewhat limited Depth to saturated zone Seepage Slope	0.71 0.32 0.01
936: Coland-----	50	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Hanlon-----	20	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.71

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
956: Harps-----	50	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01
Okoboji-----	50	Very limited Depth to saturated zone Restricted permeability	1.00 0.91	Very limited Depth to saturated zone	1.00
976: Raddle-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.01
1936: Coland-----	50	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Hanlon-----	20	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.71
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
5030: Pits, Limestone Quarry-----	100	Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated	
5060: Pits, Clay-----	100	Not rated		Not rated	
W: Water-----	100	Not rated		Not rated	