

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
11B: Colo-----	50	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Ely-----	40	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
27B: Terril-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
41B: Sparta-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.09
41C: Sparta-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
41D: Sparta-----	100	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
43: Bremer-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.91	Flooding	0.40
		Flooding	0.40		
63C: Chelsea-----	100	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
				Slope	0.91
83B: Kenyon-----	90	Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.43	Seepage	0.50
		restricted permeability	0.25	Slope	0.33
83C: Kenyon-----	90	Somewhat limited		Very limited	
		Depth to saturated zone	0.43	Slope	1.00
		restricted permeability	0.25	Seepage	0.50
83C2: Kenyon-----	90	Somewhat limited		Very limited	
		Depth to saturated zone	0.43	Slope	1.00
		restricted permeability	0.25	Seepage	0.50
83D2: Kenyon-----	95	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		Depth to saturated zone	0.43	Seepage	0.50
		restricted permeability	0.25		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
84: Clyde-----	90	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.01
88: Nevin-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
109C: Backbone-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.91
110B: Lamont-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
110C: Lamont-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
118: Garwin-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
119: Muscatine-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.01
120: Tama-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
120B: Tama-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
133: Colo-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
135: Coland-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
150B: Hanska-----	100	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.09

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
151: Marshan-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity restricted permeability	1.00 0.25	Depth to saturated zone	1.00
152: Marshan-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity restricted permeability	1.00 0.25	Depth to saturated zone	1.00
153: Shandep-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity restricted permeability	1.00 0.25	Depth to saturated zone	1.00
162C: Downs-----	95	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50
162C2: Downs-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50
171: Bassett-----	90	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Seepage	0.50
		restricted permeability	0.35		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
171B: Bassett-----	85	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.35	Somewhat limited Seepage Slope	0.50 0.33
171C2: Bassett-----	85	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.35	Very limited Slope Seepage	1.00 0.50
171D2: Bassett-----	95	Somewhat limited Slope Depth to saturated zone restricted permeability	0.63 0.43 0.35	Very limited Slope Seepage	1.00 0.50
171F: Bassett-----	90	Very limited Slope Depth to saturated zone restricted permeability	1.00 0.43 0.35	Very limited Slope Seepage	1.00 0.50
173: Hoopeston-----	95	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00
173B: Hoopeston-----	95	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
174: Bolau-----	85	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00
174B: Bolau-----	85	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage Slope	1.00 0.33
174C2: Bolau-----	90	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage Slope	1.00 1.00
175: Dickinson-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
175B: Dickinson-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
175C: Dickinson-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
177: Saude-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
177B: Saude-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33
177C: Saude-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
178: Waukee-----	95	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00
178B: Waukee-----	90	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00
				Slope	0.33
184: Klinger-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
				Slope	0.01
198B: Floyd-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.09

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
201B: Coland-----	60	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 1.00 0.01
Terril-----	30	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.09
213: Rockton-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage	1.00 1.00
213B: Rockton-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.33
214B: Rockton-----	100	Very limited Depth to bedrock Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.33
214C: Rockton-----	100	Very limited Depth to bedrock Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
214C2: Rockton-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity restricted permeability	1.00 0.25	Seepage Slope	1.00 1.00
221B: Palms-----	95	Very limited Depth to saturated zone Subsidence	1.00 1.00	Very limited Depth to saturated zone Content of organic matter Slope	1.00 1.00 0.33
		Restricted permeability	0.37	Seepage	0.32
225: Lawler-----	95	Very limited Filtering capacity Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
226: Lawler-----	95	Very limited Filtering capacity Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Seepage Depth to saturated zone	1.00 1.00
241C2: Saude-----	55	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.91

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Burkhardt-----	35	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.91
241E2: Saude-----	55	Very limited Filtering capacity Slope	1.00 0.96	Very limited Slope Seepage	1.00 1.00
Burkhardt-----	35	Very limited Filtering capacity Slope	1.00 0.96	Very limited Slope Seepage	1.00 1.00
284: Flagler-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
284B: Flagler-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
284C: Flagler-----	90	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
285C: Burkhardt-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.91
350: Waukegan-----	90	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
354: Aquolls-----	100	Not rated		Not rated	
377B: Dinsdale-----	95	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
377C2: Dinsdale-----	95	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Very limited Slope Seepage	1.00 0.50
382: Maxfield-----	100	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
391B: Clyde-----	50	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.01
Floyd-----	40	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.09
394: Ostrander-----	95	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
394B: Ostrander-----	85	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
				Slope	0.33
394C: Ostrander-----	95	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50
394C2: Ostrander-----	90	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50
398: Tripoli-----	100	Very limited Depth to saturated zone restricted permeability	1.00	Very limited Depth to saturated zone	1.00
				restricted permeability	0.50
399: Readlyn-----	95	Very limited Depth to saturated zone restricted permeability	1.00	Very limited Depth to saturated zone	1.00
				restricted permeability	0.50
				Slope	0.01
404: Thorp-----	100	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
				Restricted permeability	0.99

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
407B: Schley-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.09
408B: Olin-----	100	Not limited restricted permeability	0.25	Very limited Seepage Slope	1.00 0.33
408C: Olin-----	100	Not limited restricted permeability	0.25	Very limited Seepage Slope	1.00 1.00
412C: Sogn-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.91
412F: Sogn-----	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
428B: Ely-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
430: Ackmore-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 0.50 0.01
457: Du Page-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 0.40 0.25	Very limited Flooding Seepage	1.00 1.00
485: Spillville-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.71
585: Spillville-----	40	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.71
Coland-----	30	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
621: Houghton-----	95	Very limited Depth to saturated zone	1.00	Very limited Content of organic matter	1.00
		Subsidence	1.00	Depth to saturated zone	1.00
				Seepage	1.00
662D: Mt. Carroll-----	95	Somewhat limited Slope	0.63	Very limited Slope	1.00
		restricted permeability	0.35	Seepage	0.50
662D3: Mt. Carroll-----	95	Somewhat limited Slope	0.63	Very limited Slope	1.00
		restricted permeability	0.35	Seepage	0.50
662F: Mt. Carroll-----	95	Very limited Slope	1.00	Very limited Slope	1.00
		restricted permeability	0.35	Seepage	0.50
662F3: Mt. Carroll-----	95	Very limited Slope	1.00	Very limited Slope	1.00
		restricted permeability	0.35	Seepage	0.50
713B: Winneshiek-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		restricted permeability	0.35	Seepage	1.00
				Slope	0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
714B: Winneshiek-----	100	Very limited Restricted permeability	1.00	Very limited Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00
		Filtering capacity	1.00	Slope	0.33
733: Calco-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone restricted permeability	1.00 0.25	Depth to saturated zone Seepage	1.00 0.50
771B: Waubeek-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.35	Somewhat limited Seepage Slope	0.50 0.33
777: Wapsie-----	95	Very limited Filtering capacity restricted permeability	1.00 0.35	Very limited Seepage	1.00
777B: Wapsie-----	85	Very limited Filtering capacity restricted permeability	1.00 0.35	Very limited Seepage Slope	1.00 0.33
781B: Lourdes-----	90	Very limited Restricted permeability	1.00	Somewhat limited Depth to saturated zone	0.71
		Depth to saturated zone	1.00	Seepage	0.50
				Slope	0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
781C2: Lourdes-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 0.71 0.50
782B: Donnan-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
782C2: Donnan-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
783B: Cresco-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.91	Somewhat limited Depth to saturated zone Seepage Slope	0.71 0.50 0.33
783C: Cresco-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.91	Very limited Slope Depth to saturated zone Seepage	1.00 0.71 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
783C2: Cresco-----	90	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Restricted permeability	0.91	Depth to saturated zone Seepage	0.71 0.50
784B: Riceville-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.09
798B: Protivin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.91	Slope	0.09
976: Raddle-----	90	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
976B: Raddle-----	90	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
981B: Worthen-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
1585: Spillville-----	40	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Seepage	1.00 1.00
		restricted permeability	0.25	Depth to saturated zone	0.71

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Coland-----	30	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated	
5030: Pits, Limestone Quarry-----	100	Not rated		Not rated	
5040: Orthents-----	95	Not rated		Not rated	
W: Water-----	100	Not rated		Not rated	