

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
11B: Colo-----	65	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Too clayey	1.00 0.50	Depth to saturated zone	1.00	Too clayey	0.50
Ely-----	35	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
						Depth to saturated zone	0.09
27B: Terril-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
41B: Sparta-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
41C: Sparta-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
41D: Sparta-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 0.63	Very limited Seepage Slope	1.00 0.63	Very limited Too Sandy Seepage Slope	1.00 1.00 0.63
63B: Chelsea-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
63C: Chelsea-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
63D: Chelsea-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 0.63	Very limited Seepage Slope	1.00 0.63	Very limited Too Sandy Seepage Slope	1.00 1.00 0.63
63F: Chelsea-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 1.00	Very limited Seepage Slope	1.00 1.00	Very limited Too Sandy Seepage Slope	1.00 1.00 1.00
65E2: Lindley-----	90	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
65F2: Lindley-----	90	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
110C2: Lamont-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.50
118: Garwin-----	100	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
119B: Muscatine-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
120B: Tama-----	95	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
120B2: Tama-----	95	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
120C: Tama-----	95	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
120C2: Tama-----	95	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
120D2: Tama-----	95	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
128: Chaseburg-----	60	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
Perks-----	30	Very limited Flooding Seepage Too Sandy	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00 1.00	Very limited Too Sandy Seepage	1.00 1.00
129B: Chaseburg-----	50	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
Arenzville-----	40	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
133: Colo-----	100	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
142: Chaseburg-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
158: Dorchester-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
159B: Finchford-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Gravel content	1.00 1.00 0.01
162B: Downs-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162B2: Downs-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162C: Downs-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162C2: Downs-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162D: Downs-----	100	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
162D2: Downs-----	90	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
162D3: Downs-----	95	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
162E2: Downs-----	90	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
162E3: Downs-----	95	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
162F2: Downs-----	90	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
163B: Fayette-----	100	Not limited		Not limited		Not limited	
163C: Fayette-----	100	Not limited		Not limited		Not limited	
163C2: Fayette-----	100	Not limited		Not limited		Not limited	
163D: Fayette-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
163D2: Fayette-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
163D3: Fayette-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
163E: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163E2: Fayette-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163E3: Fayette-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163F: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
163F2: Fayette-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163F3: Fayette-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163G: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
175B: Dickinson-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.50
175C2: Dickinson-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.50
198B: Floyd-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.09
249: Zwingle-----	95	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00
291B: Atterberry-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50
293C2: Fayette-----	45	Not limited		Not limited		Not limited	
Lamont-----	30	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.50
Chelsea-----	20	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
293D: Fayette-----	45	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
Lamont-----	30	Very limited Seepage Slope	1.00 0.63	Very limited Seepage Slope	1.00 0.63	Somewhat limited Slope Seepage	0.63 0.50
Chelsea-----	20	Very limited Seepage Too Sandy Slope	1.00 1.00 0.63	Very limited Seepage Slope	1.00 0.63	Very limited Too Sandy Seepage Slope	1.00 1.00 0.63
293D2: Fayette-----	45	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
Lamont-----	30	Very limited Seepage Slope	1.00 0.63	Very limited Seepage Slope	1.00 0.63	Somewhat limited Slope Seepage	0.63 0.50
Chelsea-----	20	Very limited Seepage Too Sandy Slope	1.00 1.00 0.63	Very limited Seepage Slope	1.00 0.63	Very limited Too Sandy Seepage Slope	1.00 1.00 0.63
293E2: Fayette-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Lamont-----	30	Very limited Seepage Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage	1.00 0.50
Chelsea-----	20	Very limited Seepage Too Sandy Slope	1.00 1.00 1.00	Very limited Seepage Slope	1.00 1.00	Very limited Too Sandy Seepage Slope	1.00 1.00 1.00
293F: Fayette-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Lamont-----	30	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage	1.00 0.50

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Chelsea-----	20	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Too Sandy Seepage	1.00 1.00 1.00
293F2: Fayette-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Lamont-----	30	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage	1.00 0.50
Chelsea-----	20	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Too Sandy Seepage	1.00 1.00 1.00
293G: Fayette-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Lamont-----	30	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage	1.00 0.50
Chelsea-----	20	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Too Sandy Seepage	1.00 1.00 1.00
320: Arenzville-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
352B: Whittier-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
354: Aquolls-----	100	Very limited Not Rated (miscellaneous unit) Depth to saturated zone	1.00 1.00	Very limited Not Rated (miscellaneous unit) Depth to saturated zone	1.00 1.00	Very limited Not Rated (miscellaneous unit) Depth to saturated zone	1.00 1.00
377B: Dinsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
377B2: Dinsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
412C: Emeline-----	90	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock	1.00
412D: Emeline-----	95	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.63	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.63	Very limited Depth to bedrock Slope	1.00 0.63
412F: Emeline-----	95	Very limited Depth to bedrock Slope Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00
420B: Tama-----	95	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
428B: Ely-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
450B: Pillot-----	100	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
450C2: Pillot-----	100	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
462B: Downs-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
463B: Fayette-----	100	Not limited		Not limited		Not limited	
463C: Fayette-----	100	Not limited		Not limited		Not limited	
463C2: Fayette-----	100	Not limited		Not limited		Not limited	
478G: Nordness-----	50	Very limited Slope Depth to bedrock Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 0.50
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
480C2: Orwood-----	95	Not limited		Not limited		Not limited	
480D2: Orwood-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
480F2: Orwood-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
482B: Racine-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
482C2: Racine-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
484: Lawson-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.86
487B: Worthen-----	50	Not limited		Not limited		Not limited	
Otter-----	40	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
488C2: Newvienna-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.02
488D2: Newvienna-----	95	Very limited Depth to saturated zone Slope Too clayey	1.00 0.63 0.50	Very limited Depth to saturated zone Slope	1.00 0.63	Somewhat limited Slope Too clayey Depth to saturated zone	0.63 0.50 0.02

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
488D3: Newvienna-----	100	Very limited Depth to saturated zone Slope Too clayey	1.00 0.63 0.50	Very limited Depth to saturated zone Slope	1.00 0.63	Somewhat limited Slope Too clayey Depth to saturated zone	0.63 0.50 0.02
488E2: Newvienna-----	95	Very limited Depth to saturated zone Slope Too clayey	1.00 1.00 0.50	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Too clayey Depth to saturated zone	1.00 0.50 0.02
488E3: Newvienna-----	100	Very limited Depth to saturated zone Slope Too clayey	1.00 1.00 0.50	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Too clayey Depth to saturated zone	1.00 0.50 0.02
490: Caneek-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
496B: Dorchester-----	50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
Volney-----	40	Very limited Flooding Seepage Content of large stones	1.00 1.00 0.80	Very limited Flooding Seepage	1.00 1.00	Very limited Seepage Content of large stones	1.00 0.80

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
499D: Nordness-----	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Too clayey	0.50
		Too clayey	0.50	Slope	0.16	Slope	0.16
		Slope	0.16				
499F: Nordness-----	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Too clayey	0.50
		Too clayey	0.50				
520: Coppock-----	100	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50				
523E2: Rozetta-----	60	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Too clayey	0.50
		Too clayey	0.50				
Derinda-----	30	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Too clayey	0.50
		Too clayey	0.50				
523F2: Rozetta-----	60	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00	Slope	1.00
		Slope	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50				

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Derinda-----	30	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope	1.00	Very limited Depth to bedrock Slope	1.00 1.00
		Depth to bedrock Too clayey	1.00 0.50	Depth to bedrock	1.00	Too clayey	0.50
523F3: Rozetta-----	60	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Too clayey	0.50	Depth to saturated zone	1.00	Too clayey	0.50
Derinda-----	30	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope	1.00	Very limited Depth to bedrock Slope	1.00 1.00
		Depth to bedrock Too clayey	1.00 0.50	Depth to bedrock	1.00	Too clayey	0.50
589: Otter-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
623D2: Rozetta-----	90	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Depth to saturated zone Slope	1.00 0.63	Somewhat limited Slope	0.63
		Too clayey	0.50			Too clayey	0.50
623D3: Rozetta-----	100	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Depth to saturated zone Slope	1.00 0.63	Somewhat limited Slope	0.63
		Too clayey	0.50			Too clayey	0.50

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
623E2: Rozetta-----	90	Very limited Depth to saturated zone Slope Too clayey	1.00 1.00 0.50	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Too clayey	1.00 0.50
623E3: Rozetta-----	100	Very limited Depth to saturated zone Slope Too clayey	1.00 1.00 0.50	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Too clayey	1.00 0.50
623F2: Rozetta-----	90	Very limited Depth to saturated zone Slope Too clayey	1.00 1.00 0.50	Very limited Slope Depth to saturated zone	1.00 1.00	Very limited Slope Too clayey	1.00 0.50
623F3: Rozetta-----	100	Very limited Depth to saturated zone Slope Too clayey	1.00 1.00 0.50	Very limited Slope Depth to saturated zone	1.00 1.00	Very limited Slope Too clayey	1.00 0.50
703C2: Dubuque-----	100	Very limited Depth to bedrock Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Too clayey	1.00 0.50
703D: Dubuque-----	95	Very limited Depth to bedrock Seepage Slope Too clayey	1.00 1.00 0.63 0.50	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.63	Very limited Depth to bedrock Slope Too clayey	1.00 0.63 0.50

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
703D2: Dubuque-----	95	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Slope	0.63
		Slope	0.63	Slope	0.63	Too clayey	0.50
		Too clayey	0.50				
703E: Dubuque-----	95	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Too clayey	0.50
		Too clayey	0.50				
703E2: Dubuque-----	95	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Too clayey	0.50
		Too clayey	0.50				
703F: Dubuque-----	95	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Too clayey	0.50
		Too clayey	0.50				
712F: Schapville-----	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00	Depth to bedrock	1.00
		Slope	1.00	Depth to saturated zone	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too clayey	0.50
		Too clayey	0.50				
749: Zwingle Variant-----	95	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too clayey	1.00			Too clayey	1.00
						Hard to compact	1.00
775B: Billett-----	100	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Seepage	0.50

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
775C2: Billett-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.50
799G: Dorerton-----	55	Very limited Slope Seepage  Content of large stones	1.00 1.00 0.03	Very limited Slope	1.00	Very limited Slope Content of large stones	1.00 0.03
Lacrescent-----	35	Very limited Slope Seepage  Content of large stones	1.00 1.00 0.83	Very limited Slope Seepage	1.00 1.00	Very limited Slope Content of large stones Seepage	1.00 0.83 0.21
814B: Rockton-----	95	Very limited Depth to bedrock Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Too clayey	1.00 0.50
814C: Rockton-----	95	Very limited Depth to bedrock Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Too clayey	1.00 0.50
814C2: Rockton-----	95	Very limited Depth to bedrock Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Too clayey	1.00 0.50
826: Rowley-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.86
903C2: Frankville-----	100	Very limited Depth to bedrock Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Too clayey	1.00 0.50

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
903D2: Frankville-----	100	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Slope	0.63
		Slope	0.63	Slope	0.63	Too clayey	0.50
		Too clayey	0.50				
914C2: Winneshiek-----	95	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00		
914D2: Winneshiek-----	95	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Slope	0.63
		Slope	0.63	Slope	0.63		
926: Canoe-----	95	Very limited		Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50			Depth to saturated zone	0.09
930: Orion-----	95	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	0.86
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
930B: Orion-----	95	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	0.86
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
938D2: Newglarus-----	95	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Slope	0.63	Too clayey	1.00
		Slope	0.63			Slope	0.63

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
938E: Newglarus-----	95	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 1.00
938E2: Newglarus-----	95	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 1.00
939D: Donatus-----	50	Very limited Depth to bedrock Too clayey Seepage Slope	1.00 1.00 1.00 0.63	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.63	Very limited Depth to bedrock Too clayey Hard to compact Slope	1.00 1.00 1.00 0.63
Rollingstone-----	40	Very limited Too clayey Slope	1.00 0.63	Somewhat limited Slope	0.63	Very limited Too clayey Hard to compact Slope	1.00 1.00 0.63
939D2: Donatus-----	50	Very limited Depth to bedrock Too clayey Seepage Slope	1.00 1.00 1.00 0.63	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.63	Very limited Depth to bedrock Too clayey Hard to compact Slope	1.00 1.00 1.00 0.63
Rollingstone-----	40	Very limited Too clayey Slope	1.00 0.63	Somewhat limited Slope	0.63	Very limited Too clayey Hard to compact Slope	1.00 1.00 0.63
939E2: Donatus-----	50	Very limited Depth to bedrock Too clayey Slope Seepage	1.00 1.00 1.00 1.00	Very limited Depth to bedrock Slope Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Too clayey Slope Hard to compact	1.00 1.00 1.00 1.00
Rollingstone-----	40	Very limited Too clayey Slope	1.00 1.00	Very limited Slope	1.00	Very limited Too clayey Slope Hard to compact	1.00 1.00 1.00

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
939F: Donatus-----	50	Very limited Slope Depth to bedrock Too clayey Seepage	1.00 1.00 1.00 1.00	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope Too clayey Hard to compact	1.00 1.00 1.00 1.00
Rollingstone-----	40	Very limited Slope Too clayey	1.00 1.00	Very limited Slope	1.00	Very limited Slope Too clayey Hard to compact	1.00 1.00 1.00
939F2: Donatus-----	50	Very limited Slope Depth to bedrock Too clayey Seepage	1.00 1.00 1.00 1.00	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope Too clayey Hard to compact	1.00 1.00 1.00 1.00
Rollingstone-----	40	Very limited Slope Too clayey	1.00 1.00	Very limited Slope	1.00	Very limited Slope Too clayey Hard to compact	1.00 1.00 1.00
941G: Medary Variant-----	100	Very limited Depth to saturated zone Slope Too clayey	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00	Very limited Slope Too clayey Hard to compact	1.00 1.00 1.00
976B: Raddle-----	100	Not limited		Not limited		Not limited	
978B: Festina-----	100	Not limited		Not limited		Not limited	
981B: Worthen-----	100	Not limited		Not limited		Not limited	
981C: Worthen-----	100	Not limited		Not limited		Not limited	

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1119: Muscatine-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
1160: Walford-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
1291: Atterberry-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50
1490: Caneek-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
1587: Dolbee-----	100	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
1587B: Dolbee-----	100	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
4000: Urban Land-----	100	Not rated		Not rated		Not rated	

Sanitary Facilities - Part 2.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, Limestone Quarry-----	100	Not rated		Not rated		Not rated	
5040B: Orthents-----	90	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	