

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8B: Judson-----	100	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
11B: Colo-----	50	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Ely-----	30	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
41B: Sparta-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
41C: Sparta-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
41E: Sparta-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 0.96	Very limited Seepage Slope	1.00 0.96	Very limited Too Sandy Seepage Slope	1.00 1.00 0.96
63B: Chelsea-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
63C: Chelsea-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
63E: Chelsea-----	100	Very limited Seepage Too Sandy Slope	1.00  1.00  1.00	Very limited Seepage Slope	1.00  1.00	Very limited Too Sandy Seepage Slope	1.00  1.00  1.00
65D2: Lindley-----	95	Somewhat limited Slope Too clayey	0.63  0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63  0.50
65E2: Lindley-----	95	Very limited Slope Too clayey	1.00  0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00  0.50
65F2: Lindley-----	95	Very limited Slope Too clayey	1.00  0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00  0.50
83B: Kenyon-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
83C: Kenyon-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
83C2: Kenyon-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
88: Nevin-----	95	Very limited Depth to saturated zone Too clayey	1.00  0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50  0.09
110C: Lamont-----	100	Very limited Seepage Too Sandy	1.00  1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00  1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
110E: Lamont-----	100	Very limited Seepage Too Sandy Slope	1.00  1.00  0.96	Very limited Seepage Slope	1.00  0.96	Very limited Too Sandy Seepage Slope	1.00  1.00  0.96
118: Garwin-----	100	Very limited Depth to saturated zone Too clayey	1.00  0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00  0.50
119: Muscatine-----	95	Very limited Depth to saturated zone Too clayey	1.00  0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50  0.09
119B: Muscatine-----	95	Very limited Depth to saturated zone Too clayey	1.00  0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50  0.09
120: Tama-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
120B: Tama-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
120C: Tama-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
120C2: Tama-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
120D2: Tama-----	100	Somewhat limited Slope Too clayey	0.63  0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63  0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
121: Tama Variant-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
122: Sperry-----	100	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00
133: Colo-----	100	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
133+: Colo-----	100	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
143: Brady-----	95	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 0.86
160: Walford-----	100	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
162B: Downs-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
162C: Downs-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162C2: Downs-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162D2: Downs-----	100	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
163B: Fayette-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
163C: Fayette-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
163C2: Fayette-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
163D: Fayette-----	100	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
163D2: Fayette-----	100	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
163D3: Fayette-----	100	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
163E: Fayette-----	100	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
163E3: Fayette-----	100	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
163F: Fayette-----	95	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
163F2: Fayette-----	95	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
163G: Fayette-----	95	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
171B: Bassett-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
171C2: Bassett-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
171D2: Bassett-----	95	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Depth to saturated zone Slope	1.00 0.63	Somewhat limited Slope	0.63
175B: Dickinson-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
175C: Dickinson-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
177: Saude-----	100	Very limited Seepage Too Sandy	1.00  1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00  1.00
184: Klinger-----	95	Very limited Depth to saturated zone Too clayey	1.00  0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50  0.09
212: Kennebec-----	90	Very limited Flooding Depth to saturated zone	1.00  1.00	Very limited Flooding Depth to saturated zone	1.00  1.00	Not limited	
214D: Rockton-----	95	Very limited Depth to bedrock Seepage Too clayey Slope	1.00  1.00  0.50  0.16	Very limited Depth to bedrock Seepage Slope	1.00  1.00  0.16	Very limited Depth to bedrock Too clayey Slope	1.00  0.50  0.16
220: Nodaway-----	90	Very limited Flooding Depth to saturated zone	1.00  1.00	Very limited Flooding Depth to saturated zone	1.00  1.00	Not limited	
221: Palms-----	100	Very limited Depth to saturated zone Too clayey	1.00  0.50	Very limited Depth to saturated zone Seepage	1.00  1.00	Very limited Depth to saturated zone Too clayey	1.00  0.50
291: Atterberry-----	90	Very limited Depth to saturated zone Too clayey	1.00  0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Too clayey	0.86  0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
291B: Atterberry-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50
293C: Chelsea-----	40	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Fayette-----	30	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
Lamont-----	30	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
293E: Chelsea-----	40	Very limited Seepage Too Sandy Slope	1.00 1.00 0.96	Very limited Seepage Slope	1.00 0.96	Very limited Too Sandy Seepage Slope	1.00 1.00 0.96
Fayette-----	30	Very limited Slope Too clayey	0.96 0.50	Very limited Slope	0.96	Very limited Slope Too clayey	0.96 0.50
Lamont-----	30	Very limited Seepage Too Sandy Slope	1.00 1.00 0.96	Very limited Seepage Slope	1.00 0.96	Very limited Too Sandy Seepage Slope	1.00 1.00 0.96
293F: Chelsea-----	40	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Too Sandy Seepage	1.00 1.00 1.00
Fayette-----	30	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
Lamont-----	30	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Too Sandy Seepage	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
315: Loamy Alluvial Land-	40	Not rated		Not rated		Not rated	
Spillville-----	30	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
320: Arenzville-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
350B: Waukegan-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
350C: Waukegan-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
352B: Whittier-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
352C2: Whittier-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
354: Marsh-----	90	Not rated		Not rated		Not rated	
377B: Dinsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
377C: Dinsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
377C2: Dinsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
382: Maxfield-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
412E: Sogn-----	100	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.96	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.96	Very limited Depth to bedrock Slope	1.00 0.96
420B: Tama-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
428B: Ely-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
442C: Dickinson-----	50	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Tama-----	30	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
462B: Downs-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
463B: Fayette-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
467: Radford-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.86
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
478G: Rock Outcrop-----	50	Not rated		Not rated		Not rated	
Sogn-----	30	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.96	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.96	Very limited Depth to bedrock Slope	1.00 0.96
485: Spillville-----	90	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
536: Hanlon-----	90	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Somewhat limited Seepage	0.50
729B: Nodaway-----	60	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
Arenzville-----	30	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
760: Ansgar-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
761: Franklin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.09
771B: Waubee-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
933: Sawmill-----	100	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
977: Richwood-----	100	Not limited		Not limited		Not limited	
1119: Muscatine-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
1133: Colo-----	90	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
1160: Walford-----	100	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50

WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1220: Nodaway-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
1291: Atterberry-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50