

Sanitary Facilities - Part 2.

Dickinson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Hard to compact Too clayey	1.00 1.00 0.50
Calcareous-----	15	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
27B: Terril-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
27C: Terril-----	97	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
28B: Dickman-----	85	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Bolan-----	15	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.50
32: Spicer-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
55: Nicollet-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
62C2: Storden-----	100	Not limited		Not limited		Not limited	
62D: Storden-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63

Sanitary Facilities - Part 2.

Dickinson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
62D2: Storden-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
62E: Storden-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
62G: Storden-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
72: Estherville-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
72B: Estherville-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
72C2: Estherville-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 0.16	Very limited Seepage Slope	1.00 0.16	Very limited Too Sandy Seepage Slope	1.00 1.00 0.16
73D: Salida-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 0.16	Very limited Seepage Slope	1.00 0.16	Very limited Too Sandy Seepage Gravel content Slope	1.00 1.00 1.00 0.16
73E: Salida-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 1.00	Very limited Seepage Slope	1.00 1.00	Very limited Too Sandy Seepage Slope Gravel content	1.00 1.00 1.00 1.00

Sanitary Facilities - Part 2.

Dickinson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73G: Salida-----	100	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Too Sandy Seepage Gravel content	1.00 1.00 1.00 1.00
77B: Sac-----	98	Not limited		Not limited		Not limited	
91: Primghar-----	99	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
91B: Primghar-----	98	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
92: Marcus-----	97	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
95: Harps-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
107: Webster-----	99	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
108: Wadena-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
108B: Wadena-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00

Sanitary Facilities - Part 2.

Dickinson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
108C: Wadena-----	85	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
135: Coland-----	90	Very limited Flooding  Depth to saturated zone Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding  Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
138B: Clarion-----	100	Not limited		Not limited		Not limited	
138C: Clarion-----	100	Not limited		Not limited		Not limited	
138C2: Clarion-----	100	Not limited		Not limited		Not limited	
138D: Clarion-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
138D2: Clarion-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
201B: Coland-----	70	Very limited Flooding  Depth to saturated zone Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding  Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Spillville-----	28	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	

Sanitary Facilities - Part 2.

Dickinson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
202: Cylinder-----	99	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Seepage Too Sandy Depth to saturated zone	1.00 0.50 0.09
203: Cylinder-----	99	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Seepage Too Sandy Depth to saturated zone	1.00 0.50 0.09
259: Biscay-----	99	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 0.50
274: Rolfe-----	100	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00
282: Ransom-----	98	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
308: Wadena-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Not limited	
308B: Wadena-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Not limited	

Sanitary Facilities - Part 2.

Dickinson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
330: Kingston-----	99	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
331: Madelia-----	98	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
384: Collinwood-----	98	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey Hard to compact	1.00 1.00
390: Waldorf-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 1.00
397: Letri-----	94	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
456: Wilmington-----	93	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
474B: Bolan-----	92	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
474C2: Bolan-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50

Sanitary Facilities - Part 2.

Dickinson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
485: Spillville-----	93	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
485B: Spillville-----	88	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Not limited	
507: Canistee-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
511: Blue Earth-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
559: Talcot-----	100	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00 0.50
577: Everly-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
577B: Everly-----	93	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
577C2: Everly-----	90	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
655: Crippin-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.09

Sanitary Facilities - Part 2.

Dickinson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
733: Calco-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Too clayey	1.00 0.50	Depth to saturated zone	1.00	Too clayey	0.50
878: Ocheyedan-----	95	Not limited		Not limited		Not limited	
878B: Ocheyedan-----	92	Not limited		Not limited		Not limited	
879: Fostoria-----	93	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.09
1202: Cylinder Variant----	95	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Seepage Too Sandy Depth to saturated zone	1.00 0.50 0.09
1384B: Collinwood Variant--	95	Somewhat limited Too clayey	0.50	Not limited		Very limited Hard to compact Too clayey	1.00 0.50
1384C: Collinwood Variant--	100	Somewhat limited Too clayey	0.50	Not limited		Very limited Hard to compact Too clayey	1.00 0.50
1458: Millington-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		

Sanitary Facilities - Part 2.

Dickinson County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1511: Blue Earth-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
5010: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	