

Crawford County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
AdD3: ADAIR SOILS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	Adair	100	No	---	---	---	---	---
AdE3: ADAIR SOILS, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	Adair	100	No	---	---	---	---	---
ChD3: CHUTE FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	Chute	100	No	---	---	---	---	---
ChE3: CHUTE FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	Chute	100	No	---	---	---	---	---
Co: COLO SILT LOAM, OVERWASH	Colo	100	Yes	flood plain	2B3	Yes	No	No
Cs: COLO SILTY CLAY LOAM	Colo	100	Yes	flood plain	2B3	Yes	No	No
DoC2: DOW SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Dow	100	No	---	---	---	---	---
DoD2: DOW SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Dow	100	No	---	---	---	---	---
DsD3: DOW-IDA SILT LOAMS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	Dow	65	No	---	---	---	---	---
	Ida	35	No	---	---	---	---	---
DsE3: DOW-IDA SILT LOAMS, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	Dow	70	No	---	---	---	---	---
	Ida	30	No	---	---	---	---	---
DwC2: DOW-MONONA SILT LOAMS, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Dow	50	No	---	---	---	---	---
	Monona	40	No	---	---	---	---	---
	OTHER	10	No	---	---	---	---	---

Crawford County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
DwD2: DOW-MONONA SILT LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Dow	60	No	---	---	---	---	---
	Monona	35	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---
DwD3: DOW-MONONA SILT LOAMS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	Dow	60	No	---	---	---	---	---
	Monona	35	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---
DwE2: DOW-MONONA SILT LOAMS, 14 TO 20 PERCENT SLOPES, MODERATELY ERODED	Dow	70	No	---	---	---	---	---
	Monona	30	No	---	---	---	---	---
DwE3: DOW-MONONA SILT LOAMS, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	Dow	70	No	---	---	---	---	---
	Monona	30	No	---	---	---	---	---
IdC: IDA SILT LOAM, 5 TO 9 PERCENT SLOPES	Ida	100	No	---	---	---	---	---
IdC3: IDA SILT LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	Ida	100	No	---	---	---	---	---
IdD: IDA SILT LOAM, 9 TO 14 PERCENT SLOPES	Ida	100	No	---	---	---	---	---
IdD3: IDA SILT LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	Ida	100	No	---	---	---	---	---
IdE3: IDA SILT LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	Ida	100	No	---	---	---	---	---
IdF3: IDA SILT LOAM, 20 TO 30 PERCENT SLOPES, SEVERELY ERODED	Ida	100	No	---	---	---	---	---

Crawford County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
JdA: JUDSON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Judson	100	No	---	---	---	---	---
JdB: JUDSON SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	Judson	100	No	---	---	---	---	---
JnB: JUDSON-COLO-NODAWAY COMPLEX, 2 TO 6 PERCENT SLOPES	Judson	35	No	---	---	---	---	---
	Colo	30	Yes	flood plain	2B3	Yes	No	No
	NODAWAY	20	No	---	---	---	---	---
	OTHER	15	No	---	---	---	---	---
Kb: KENNEBEC SILT LOAM	Kennebec	95	No	flood plain	---	---	---	---
	Other	5	Yes	flood plain	2B3	Yes	No	No
Kc: KENNEBEC SILT LOAM, OVERWASH	Kennebec	95	No	---	---	---	---	---
	Other	5	Yes	flood plain	2B3,4	Yes	Yes	No
KnD: KNOX SILT LOAM, 5 TO 14 PERCENT SLOPES	Knox	100	No	---	---	---	---	---
KnE: KNOX SILT LOAM, 14 TO 20 PERCENT SLOPES	Knox	100	No	---	---	---	---	---
KnF: KNOX SILT LOAM, 20 TO 30 PERCENT SLOPES	Knox	100	No	---	---	---	---	---
MaA: MARSHALL SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Marshall	100	No	---	---	---	---	---
MaB: MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	Marshall	100	No	---	---	---	---	---
MaB2: MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Marshall	100	No	---	---	---	---	---

Crawford County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
MaC: MARSHALL SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	Marshall	100	No	---	---	---	---	---
MaC2: MARSHALL SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Marshall	100	No	---	---	---	---	---
MaD: MARSHALL SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES	Marshall	100	No	---	---	---	---	---
MaD2: MARSHALL SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Marshall	100	No	---	---	---	---	---
MaD3: MARSHALL SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	Marshall	100	No	---	---	---	---	---
MaE2: MARSHALL SILTY CLAY LOAM, 14 TO 20 PERCENT SLOPES, MODERATELY ERODED	Marshall	100	No	---	---	---	---	---
MaE3: MARSHALL SILTY CLAY LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	Marshall	100	No	---	---	---	---	---
MoA: MONONA SILT LOAM, 0 TO 2 PERCENT SLOPES	Monona	100	No	---	---	---	---	---
MoB: MONONA SILT LOAM, 2 TO 5 PERCENT SLOPES	Monona	100	No	---	---	---	---	---
MoB2: MONONA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Monona	100	No	---	---	---	---	---
MoC: MONONA SILT LOAM, 5 TO 9 PERCENT SLOPES	Monona	100	No	---	---	---	---	---
MoC2: MONONA SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Monona	100	No	---	---	---	---	---

Crawford County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
MoC3: MONONA SILT LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	Monona	100	No	---	---	---	---	---
MoD: MONONA SILT LOAM, 9 TO 14 PERCENT SLOPES	Monona	100	No	---	---	---	---	---
MoD2: MONONA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Monona	100	No	---	---	---	---	---
MoD3: MONONA SILT LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	Monona	100	No	---	---	---	---	---
MoE2: MONONA SILT LOAM, 14 TO 20 PERCENT SLOPES, MODERATELY ERODED	Monona	100	No	---	---	---	---	---
MoE3: MONONA SILT LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	Monona	100	No	---	---	---	---	---
MoF2: MONONA SILT LOAM, 20 TO 30 PERCENT SLOPES, MODERATELY ERODED	Monona	100	No	---	---	---	---	---
MoF3: MONONA SILT LOAM, 20 TO 30 PERCENT SLOPES, SEVERELY ERODED	Monona	100	No	---	---	---	---	---
MoG3: MONONA SILT LOAM, 30 TO 40 PERCENT SLOPES, SEVERELY ERODED	Monona	100	No	---	---	---	---	---
NbB: NAPIER SILT LOAM, 2 TO 5 PERCENT SLOPES	Napier	100	No	---	---	---	---	---
NbC: NAPIER SILT LOAM, 5 TO 9 PERCENT SLOPES	Napier	100	No	---	---	---	---	---
NbD: NAPIER SILT LOAM, 9 TO 14 PERCENT SLOPES	Napier	100	No	---	---	---	---	---
NgC: NAPIER-GULLIED LAND COMPLEX, 2 TO 10 PERCENT SLOPES	Napier	50	No	---	---	---	---	---
	Gullied land	40	Unranked	---	---	---	---	---

Crawford County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
NkB: NAPIER-KENNEBEC-NODAWAY SILT LOAMS, 2 TO 5 PERCENT SLOPES	OTHER	10	No	---	---	---	---	---
	Napier	40	No	---	---	---	---	---
	Kennebec	35	No	---	---	---	---	---
	NODAWAY	20	No	---	---	---	---	---
	Other	5	Yes	flood plain	2B3,4	Yes	Yes	No
NkC: NAPIER SILT LOAM, 5 TO 9 PERCENT SLOPES	Napier	100	No	---	---	---	---	---
No: NODAWAY SILT LOAM	Nodaway	95	No	---	---	---	---	---
	Other	5	Yes	flood plain	2B3	Yes	No	No
SaD2: SALIDA GRAVELLY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Salida	100	No	---	---	---	---	---
SaF2: SALIDA GRAVELLY LOAM, 14 TO 25 PERCENT SLOPES, MODERATELY ERODED	Salida	100	No	---	---	---	---	---
ShC2: SHELBY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Shelby	100	No	---	---	---	---	---
ShD2: SHELBY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Shelby	100	No	---	---	---	---	---
ShE2: SHELBY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	Shelby	100	No	---	---	---	---	---
ShF2: SHELBY LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	Shelby	100	No	---	---	---	---	---
SlF: SHELBY COBBLY LOAM, 14 TO 35 PERCENT SLOPES	Shelby	100	No	---	---	---	---	---
SoD3: SHELBY SOILS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	Shelby	100	No	---	---	---	---	---

Crawford County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
SoE3: SHELBY SOILS, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	Shelby	100	No	---	---	---	---	---
SoF3: SHELBY SOILS, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	Shelby	100	No	---	---	---	---	---
SoG3: SHELBY SOILS, 25 TO 35 PERCENT SLOPES, SEVERELY ERODED	Shelby	100	No	---	---	---	---	---
SpC2: SPARTA FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Sparta	100	No	---	---	---	---	---
SpD2: SPARTA FINE SANDY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	Sparta	100	No	---	---	---	---	---
SpE2: SPARTA FINE SANDY LOAM, 14 TO 20 PERCENT SLOPES, MODERATELY ERODED	Sparta	100	No	---	---	---	---	---
SrD3: STEINAUER CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	Steinauer	100	No	---	---	---	---	---
SrE3: STEINAUER CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	Steinauer	100	No	---	---	---	---	---
Zo: ZOOK SILT LOAM, OVERWASH	Zook	100	Yes	flood plain	2B3	Yes	No	No
Zs: ZOOK SILTY CLAY LOAM	Zook	100	Yes	flood plain	2B3	Yes	No	No