

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Olmitz-----	40	Not limited		Not limited		Not limited	
Zook-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Vesser-----	20	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
23C: Arispe-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
23C2: Arispe-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
24D: Shelby-----	90	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
24D2: Shelby-----	90	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
24E2: Shelby-----	90	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
24F2: Shelby-----	90	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
43: Bremer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
51: Vesser-----	90	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
51B: Vesser-----	90	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone Flooding	1.00 0.60
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
54: Zook-----	90	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone Flooding	1.00 0.60
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
54+: Zook-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone Flooding	1.00 0.60
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
56B: Cantril-----	95	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
56C: Cantril-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
58E: Douds-----	95	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
58E2: Douds-----	95	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
65D: Lindley-----	95	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
65E: Lindley-----	95	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
65E2: Lindley-----	95	Slope	0.02				
		Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
		Slope	0.02				
65F2: Lindley-----	95	Somewhat limited Slope	0.82	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
		Water erosion	0.80				
65G: Lindley-----	95	Very limited Slope	1.00	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
		Water erosion	0.80	Slope	0.14		
88: Nevin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
94E: Caleb-----	70	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
		Slope	0.02				
Mystic-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Water erosion	0.53	Water erosion	0.53	Slope	0.63
94E2: Caleb-----	70	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
		Slope	0.02				
Mystic-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Water erosion	0.53	Water erosion	0.53	Slope	0.63
131B: Pershing-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
131C: Pershing-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
131C2: Pershing-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
132C: Weller-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
132C2: Weller-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
172: Wabash-----	95	Very limited Depth to saturated zone Too clayey Ponding Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Too clayey Ponding Flooding	1.00 1.00 1.00 0.40	Very limited Flooding Depth to saturated zone Too clayey Ponding	1.00 1.00 1.00 1.00
179D2: Gara-----	90	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
179E: Gara-----	90	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
179E2: Gara-----	90	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
179F: Gara-----	95	Somewhat limited Slope Water erosion	0.82 0.53	Somewhat limited Water erosion	0.53	Very limited Slope	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
179F2: Gara-----	95	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
192C: Adair-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
192C2: Adair-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
192D2: Adair-----	95	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
208: Klum-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60
211: Edina-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
220: Nodaway-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
222C: Clarinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
222C2: Clarinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
222D2: Clarinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
223C2: Rinda-----	95	Water erosion	1.00	Water erosion	1.00	Slope	0.63
223D2: Rinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
232C: Keswick-----	95	Very limited Depth to saturated zone Water erosion	1.00	Very limited Depth to saturated zone Water erosion	1.00	Very limited Depth to saturated zone Slope	1.00 0.63
232C2: Keswick-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
269: Humeston-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
273B: Olmitz-----	95	Not limited		Not limited		Not limited	
273C: Olmitz-----	95	Not limited		Not limited		Not limited	
312B: Seymour-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
312C: Seymour-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
312C2: Seymour-----	95	Very limited		Very limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
362: Haig-----	95	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
364B: Grundy-----	95	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
423C2: Bucknell-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
423D2: Bucknell-----	90	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Very limited Depth to saturated zone Water erosion	1.00	Very limited Depth to saturated zone Water erosion	1.00	Very limited Depth to saturated zone Slope	0.63
425C: Keswick-----	90	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
425D: Keswick-----	90	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Very limited Depth to saturated zone Water erosion	0.80	Very limited Depth to saturated zone Water erosion	0.80	Very limited Depth to saturated zone Slope	0.63
425D2: Keswick-----	90	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Very limited Depth to saturated zone Water erosion	1.00	Very limited Depth to saturated zone Water erosion	1.00	Very limited Depth to saturated zone Slope	0.63
425D3: Keswick-----	90	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Very limited Depth to saturated zone Water erosion	1.00	Very limited Depth to saturated zone Water erosion	1.00	Very limited Depth to saturated zone Too clayey	1.00
		Very limited Depth to saturated zone Water erosion Too clayey	1.00	Very limited Depth to saturated zone Water erosion Too clayey	1.00	Very limited Depth to saturated zone Too clayey Slope	0.63

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
451C2: Caleb-----	95	Not limited		Not limited		Not limited	
451D2: Caleb-----	95	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
451E2: Caleb-----	95	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
452C: Lineville-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
452C2: Lineville-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
453: Tuskeego-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
484: Lawson-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
520: Coppock-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
520B: Coppock-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
531B: Kniffin-----	95	Very limited		Very limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
531C: Kniffin-----	95	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
531C2: Kniffin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
532C: Rathbun-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
532C2: Rathbun-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
587: Chequest-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
592C: Mystic-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
592C2: Mystic-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
592D2: Mystic-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Water erosion	0.80	Water erosion	0.80	Slope	0.63
594D: Galland-----	95	Very limited		Very limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
594D2: Galland-----	95	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Water erosion	0.80	Water erosion	0.80	Slope	0.63
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
678G: Gasconade-----	75	Water erosion	1.00	Water erosion	1.00	Slope	0.63
		Very limited		Very limited		Very limited	
		Slope	1.00	Too clayey	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Slope	0.68	Slope	1.00
		Content of large stones	0.08	Content of large stones	0.08	Droughty	1.00
715: Nodaway-----	50	Water erosion	0.01	Water erosion	0.01	Content of large stones	1.00
		Not limited		Not limited		Too clayey	1.00
Lawson-----	30	Not limited		Not limited		Somewhat limited Flooding	0.60
		Very limited		Very limited		Very limited	
Klum-----	15	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Not limited		Not limited		Flooding	0.60
730C: Cantril-----	40	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Coppock-----	30	Not limited		Not limited		Very limited	
		Very limited		Very limited		Depth to saturated zone	1.00
Nodaway-----	20	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Not limited		Not limited		Somewhat limited Flooding	0.60
792C: Armstrong-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60
		Very limited		Very limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
792C2: Armstrong-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
792D: Armstrong-----	90	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
792D2: Armstrong-----	90	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
792D3: Armstrong-----	90	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
822C2: Lamoni-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
822D2: Lamoni-----	90	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
831C2: Pershing-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
832C2: Weller-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
994E: Douds-----	65	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
Galland-----	35	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
994E2: Douds-----	65	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
Galland-----	35	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
1130: Belinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1131B: Pershing-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1131C: Pershing-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1132C: Weller-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
1715: Nodaway-----	40	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Klum-----	30	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00

Lawson-----| 15 |Very limited | |Very limited | |Very limited |

USDA-NRCS, IOWA

04/13/2004
FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Decatur County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
5030: Limestone-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
AW: Animal Waste-----	100	Not rated		Not rated		Not rated	
SL: Sewage Lagoon-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

