

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Ida county, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1B: Ida-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Depth to water	1.00
1C: Ida-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Depth to water	1.00
1C3: Ida-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Depth to water	1.00
1D: Ida-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Depth to water	1.00
1D3: Ida-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Depth to water	1.00
1E: Ida-----	Somewhat limited Seepage Slope	0.70 0.06	Very limited Piping	1.00	Very limited Depth to water	1.00
1E3: Ida-----	Somewhat limited Seepage Slope	0.70 0.06	Very limited Piping	1.00	Very limited Depth to water	1.00
1F3: Ida-----	Somewhat limited Seepage Slope	0.70 0.28	Very limited Piping	1.00	Very limited Depth to water	1.00
8B: Judson-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.20	Very limited Depth to water	1.00
8C: Judson-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.20	Very limited Depth to water	1.00
9B: Marshall-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Ida county, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
9B2: Marshall-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
9C: Marshall-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
9C2: Marshall-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
9D: Marshall-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Depth to water	1.00
9D2: Marshall-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Depth to water	1.00
11B: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Judson-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.20	Very limited Depth to water	1.00
22D3: Dow-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Depth to water	1.00
26: Kennebec-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.82	Somewhat limited Depth to water Slow refill Cutbanks cave	0.81 0.30 0.10
26B: Kennebec-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.82	Somewhat limited Depth to water Slow refill Cutbanks cave	0.81 0.30 0.10

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Ida county, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
27B: Terril-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.54	Very limited Depth to water	1.00
27C: Terril-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.54	Very limited Depth to water	1.00
28C2: Dickman-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.82	Very limited Depth to water	1.00
28D2: Dickman-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.82	Very limited Depth to water	1.00
31: Afton-----	Somewhat limited Seepage	0.57	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.43 0.10
35E2: Steinauer-----	Somewhat limited Seepage Slope	0.05 0.04	Not limited		Very limited Depth to water	1.00
Burchard-----	Somewhat limited Seepage Slope	0.05 0.04	Not limited		Very limited Depth to water	1.00
35G: Steinauer-----	Somewhat limited Slope Seepage	0.45 0.05	Not limited		Very limited Depth to water	1.00
Burchard-----	Somewhat limited Slope Seepage	0.24 0.05	Not limited		Very limited Depth to water	1.00
54: Zook-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.83	Somewhat limited Slow refill Cutbanks cave	0.95 0.10

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Ida county, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
59D2: Burchard-----	Somewhat limited Seepage	0.05	Not limited		Very limited Depth to water	1.00
78B: Sac-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
78B2: Sac-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
78C: Sac-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
78C2: Sac-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
78D2: Sac-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Depth to water	1.00
91B: Primghar-----	Somewhat limited Seepage	0.70	Not limited		Somewhat limited Depth to water Slow refill Cutbanks cave	0.81 0.30 0.10
92: Marcus-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
99C2: Exira-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
99D2: Exira-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Depth to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Ida county, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99D3: Exira-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Depth to water	1.00
99E2: Exira-----	Somewhat limited Seepage Slope	0.70 0.06	Not limited		Very limited Depth to water	1.00
100C: Monona-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.33	Very limited Depth to water	1.00
100C2: Monona-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.35	Very limited Depth to water	1.00
100C3: Monona-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.35	Very limited Depth to water	1.00
100D: Monona-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.33	Very limited Depth to water	1.00
100D2: Monona-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.35	Very limited Depth to water	1.00
100D3: Monona-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.35	Very limited Depth to water	1.00
100E: Monona-----	Somewhat limited Seepage Slope	0.70 0.06	Somewhat limited Piping	0.33	Very limited Depth to water	1.00
100E2: Monona-----	Somewhat limited Seepage Slope	0.70 0.06	Somewhat limited Piping	0.35	Very limited Depth to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Ida county, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
100E3: Monona-----	Somewhat limited Seepage Slope	0.70 0.06	Somewhat limited Piping	0.35	Very limited Depth to water	1.00
100F: Monona-----	Somewhat limited Seepage Slope	0.70 0.28	Somewhat limited Piping	0.33	Very limited Depth to water	1.00
100F2: Monona-----	Somewhat limited Seepage Slope	0.70 0.28	Somewhat limited Piping	0.35	Very limited Depth to water	1.00
100F3: Monona-----	Somewhat limited Seepage Slope	0.70 0.28	Somewhat limited Piping	0.35	Very limited Depth to water	1.00
133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
133+: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
220: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Depth to water Slow refill Cutbanks cave	0.81 0.30 0.10
309: Allendorf-----	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.14	Very limited Depth to water	1.00
310: Galva-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Ida county, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
310B: Galva-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
310B2: Galva-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
310C: Galva-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.01	Very limited Depth to water	1.00
310C2: Galva-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.01	Very limited Depth to water	1.00
310D: Galva-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.01	Very limited Depth to water	1.00
310D2: Galva-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.01	Very limited Depth to water	1.00
428B: Ely-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.19	Somewhat limited Slow refill Depth to water Cutbanks cave	0.30 0.25 0.10
430: Ackmore-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.06	Somewhat limited Slow refill Cutbanks cave Depth to water	0.30 0.10 0.01
430B: Ackmore-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.06	Somewhat limited Slow refill Cutbanks cave Depth to water	0.30 0.10 0.01

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Ida county, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
474C: Bolán-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00
474D2: Bolán-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00
475B: Arthur-----	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.99 0.11	Very limited Depth to water	1.00
475C2: Arthur-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Depth to water	1.00
475D2: Arthur-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.11	Very limited Depth to water	1.00
509: Marshall-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
509B: Marshall-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
509C: Marshall-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
509C2: Marshall-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
740C: Hawick-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.51	Very limited Depth to water	1.00
740E: Hawick-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.51	Very limited Depth to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Ida county, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
740G: Hawick-----	Very limited Seepage Slope	1.00 0.45	Somewhat limited Seepage	0.51	Very limited Depth to water	1.00
810: Galva-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
810B: Galva-----	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
810C2: Galva-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.01	Very limited Depth to water	1.00
1220: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Depth to water Slow refill Cutbanks cave	0.81 0.30 0.10
5010: Pits-----	Not rated		Not rated		Not rated	
5040: Orthents-----	Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated	

