

HYDRIC SOILS LIST

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
6: OKOBOJI SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	OKOBOJI	95	Yes	pothole	2B3,3	Yes	No	Yes
	Harps	5	Yes	ground moraine	2B3	Yes	No	No
27B: TERRIL LOAM, 2 TO 5 PERCENT SLOPES	TERRIL	100	No	---	---	---	---	---
29: CLARION-NICOLLET LOAMS, 1 TO 3 PERCENT SLOPES	CLARION	60	No	---	---	---	---	---
	NICOLLET	35	No	---	---	---	---	---
	Other	5	Yes	pothole	2B3,3	Yes	No	Yes
41B: SPARTA LOAMY FINE SAND, 2 TO 5 PERCENT SLOPES	SPARTA	95	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---
41C: SPARTA LOAMY FINE SAND, 5 TO 9 PERCENT SLOPES	SPARTA	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---
55: NICOLLET LOAM, 1 TO 3 PERCENT SLOPES	NICOLLET	95	No	---	---	---	---	---
	Other	5	Yes	pothole	3,2B3	Yes	No	Yes
62C3: STORDEN LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	STORDEN	90	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---
	SALIDA	5	No	---	---	---	---	---
62D3: STORDEN LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	STORDEN	95	No	---	---	---	---	---
	SALIDA	5	No	---	---	---	---	---

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
62E3: STORDEN LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	STORDEN	95	No	---	---	---	---	---
	SALIDA	5	No	---	---	---	---	---
73C: SALIDA SANDY LOAM, 2 TO 9 PERCENT SLOPES	SALIDA	100	No	---	---	---	---	---
73E: SALIDA SANDY LOAM, 9 TO 18 PERCENT SLOPES	SALIDA	100	No	---	---	---	---	---
83: KENYON LOAM, 0 TO 2 PERCENT SLOPES	KENYON	85	No	---	---	---	---	---
	ROCKTON	5	No	---	---	---	---	---
	SAUDE	5	No	---	---	---	---	---
	WAUKEE	5	No	---	---	---	---	---
83B: KENYON LOAM, 2 TO 5 PERCENT SLOPES	KENYON	90	No	---	---	---	---	---
	CERLIN	5	No	---	---	---	---	---
	FLOYD	5	No	---	---	---	---	---
83C2: KENYON LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KENYON	90	No	---	---	---	---	---
	CERLIN	5	No	---	---	---	---	---
	FLOYD	5	No	---	---	---	---	---
84: CLYDE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CLYDE	85	Yes	drainageway	2B3	Yes	No	No
	Canisteo	5	Yes	ground moraine	2B3	Yes	No	No
	Harps	5	Yes	ground moraine	2B3	Yes	No	No
	Palms	5	Yes	pothole	1,3	No	No	Yes
95: HARPS LOAM, 1 TO 3 PERCENT SLOPES	HARPS	95	Yes	ground moraine	2B3	Yes	No	No
	Okoboji	5	Yes	pothole	2B3,3	Yes	No	Yes
107: WEBSTER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	WEBSTER	95	Yes	ground moraine	2B3	Yes	No	No

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
135: COLAND CLAY LOAM, 0 TO 2 PERCENT SLOPES	Okoboji	5	Yes	pothole	3,2B3	Yes	No	Yes
	COLAND	85	Yes	flood plain	2B3	Yes	No	No
	HANLON	5	No	---	---	---	---	---
	Palms	5	Yes	pothole	1,3	No	No	Yes
	Tilfer	3	Yes	ground moraine	2B3	Yes	No	No
	Faxon	2	Yes	depression	2B3	Yes	No	No
138: CLARION LOAM, 0 TO 2 PERCENT SLOPES	CLARION	100	No	---	---	---	---	---
138B: CLARION LOAM, 2 TO 5 PERCENT SLOPES	CLARION	90	No	---	---	---	---	---
	SAND OR GRAVEL	5	No	---	---	---	---	---
	STORDEN	5	No	---	---	---	---	---
138C: CLARION LOAM, 5 TO 9 PERCENT SLOPES	CLARION	95	No	---	---	---	---	---
	TERRIL	5	No	---	---	---	---	---
138C2: CLARION LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLARION	85	No	---	---	---	---	---
	Okoboji	3	Yes	pothole	3,2B3	Yes	No	Yes
	Rolfe	3	Yes	pothole	3,2B3	Yes	No	Yes
	SALIDA	3	No	---	---	---	---	---
	STORDEN	3	No	---	---	---	---	---
	Webster	3	Yes	ground moraine	2B3	Yes	No	No
138D2: CLARION LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	CLARION	85	No	---	---	---	---	---
	Okoboji	3	Yes	pothole	2B3,3	Yes	No	Yes
	Rolfe	3	Yes	pothole	3,2B3	Yes	No	Yes
	SALIDA	3	No	---	---	---	---	---
	STORDEN	3	No	---	---	---	---	---
	Webster	3	Yes	ground moraine	2B3	Yes	No	No

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
151: MARSHAN CLAY LOAM, 24 TO 32 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	MARSHAN	95	Yes	terrace	2B3	Yes	No	No
	Fine sand substratum	5	Yes	terrace	2B3	Yes	No	No
152: MARSHAN CLAY LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	MARSHAN	100	Yes	terrace	2B3	Yes	No	No
153: SHANDEP CLAY LOAM, 0 TO 1 PERCENT SLOPES	SHANDEP	90	Yes	depression	2B3,3	Yes	No	Yes
	Harcot	5	Yes	ground moraine	2B3	Yes	No	No
	Talcot	5	Yes	ground moraine	2B3	Yes	No	No
169B: CLARION LOAM, 2 TO 5 PERCENT LONG SLOPES	CLARION	100	No	---	---	---	---	---
171: BASSETT LOAM, 0 TO 2 PERCENT SLOPES	BASSETT	90	No	---	---	---	---	---
	FLOYD	5	No	---	---	---	---	---
	SCHLEY	5	No	---	---	---	---	---
171B: BASSETT LOAM, 2 TO 5 PERCENT SLOPES	BASSETT	90	No	---	---	---	---	---
	FLOYD	5	No	---	---	---	---	---
	SCHLEY	5	No	---	---	---	---	---
171C2: BASSETT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	BASSETT	90	No	---	---	---	---	---
	FLOYD	5	No	---	---	---	---	---
	SCHLEY	5	No	---	---	---	---	---
171D2: BASSETT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	BASSETT	100	No	---	---	---	---	---
171F: BASSETT LOAM, 14 TO 25 PERCENT SLOPES	BASSETT	100	No	---	---	---	---	---

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
173: HOOPESTON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	HOOPESTON	100	No	---	---	---	---	---
174: BOLAN LOAM, 0 TO 2 PERCENT SLOPES	BOLAN	85	No	---	---	---	---	---
	CERLIN	5	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	KENYON	5	No	---	---	---	---	---
174B: BOLAN LOAM, 2 TO 5 PERCENT SLOPES	BOLAN	85	No	---	---	---	---	---
	CERLIN	5	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	KENYON	5	No	---	---	---	---	---
175: DICKINSON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	DICKINSON	90	No	---	---	---	---	---
	HOOPESTON	5	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
175B: DICKINSON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	DICKINSON	90	No	---	---	---	---	---
	HOOPESTON	5	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
177: SAUDE LOAM, 0 TO 2 PERCENT SLOPES	SAUDE	95	No	---	---	---	---	---
	FLAGLER	5	No	---	---	---	---	---
177B: SAUDE LOAM, 2 TO 5 PERCENT SLOPES	SAUDE	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	FLAGLER	5	No	---	---	---	---	---
177C: SAUDE LOAM, 5 TO 9 PERCENT SLOPES	SAUDE	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
177C2: SAUDE LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	FLAGLER	5	No	---	---	---	---	---
	SAUDE	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	FLAGLER	5	No	---	---	---	---	---
178: WAUKEE LOAM, 0 TO 2 PERCENT SLOPES	WAUKEE	100	No	---	---	---	---	---
178B: WAUKEE LOAM, 2 TO 5 PERCENT SLOPES	WAUKEE	100	No	---	---	---	---	---
184: KLINGER SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	KLINGER	95	No	---	---	---	---	---
	Other	5	Yes	flat	2B3	Yes	No	No
188: KENSETT LOAM, 0 TO 2 PERCENT SLOPES	KENSETT	95	No	---	---	---	---	---
	Other	5	Yes	flat	2B3	Yes	No	No
198B: FLOYD LOAM, 1 TO 4 PERCENT SLOPES	FLOYD	95	No	---	---	---	---	---
	Other	5	Yes	drainageway	2B3	Yes	No	No
201B: COLAND-TERRIL COMPLEX, 1 TO 4 PERCENT SLOPES	COLAND	65	Yes	flood plain	2B3	Yes	No	No
	TERRIL	35	No	---	---	---	---	---
213: ROCKTON LOAM, 30 TO 40 INCHES TO LIMESTONE, 0 TO 2 PERCENT	ROCKTON	100	No	---	---	---	---	---
213B: ROCKTON LOAM, 30 TO 40 INCHES TO LIMESTONES, 2 TO 5 PERCENT SLOPES	ROCKTON	95	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---
214: ROCKTON LOAM, 20 TO 30 INCHES TO LIMESTONE, 0 TO 2 PERCENT SLOPES	ROCKTON	100	No	---	---	---	---	---

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
214B: ROCKTON LOAM, 20 TO 30 INCHES TO LIMESTONE, 2 TO 5 PERCENT SLOPES	ROCKTON	95	No	---	---	---	---	---
	LIMESTONE BEDROCK OUTCROPS	5	No	---	---	---	---	---
214C: ROCKTON LOAM, 20 TO 30 INCHES TO LIMESTONE, 5 TO 9 PERCENT SLOPES	ROCKTON	90	No	---	---	---	---	---
	LIMESTONE BEDROCK OUTCROPS	5	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---
216B: RIPON SILT LOAM, 20 TO 30 INCHES TO LIMESTONE, 1 TO 5 PERCENT SLOPES	RIPON	100	No	---	---	---	---	---
217: RIPON SILT LOAM, 30 TO 40 INCHES TO LIMESTONE, 0 TO 2 PERCENT SLOPES	RIPON	100	No	---	---	---	---	---
217B: RIPON SILT LOAM, 30 TO 40 INCHES TO LIMESTONE, 2 TO 5 PERCENT SLOPES	RIPON	100	No	---	---	---	---	---
221: PALMS MUCK, 0 TO 1 PERCENT SLOPES	PALMS	95	Yes	pothole	1,3	No	No	Yes
	Houghton	5	Yes	pothole	1,3	No	No	Yes
221B: PALMS MUCK, 1 TO 4 PERCENT SLOPES	PALMS	95	Yes	hill	1	No	No	No
	Other	5	Yes	hill	2B3	Yes	No	No
225: LAWLER LOAM, 24 TO 32 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	LAWLER	95	No	---	---	---	---	---
	Other	5	Yes	terrace	2B3	Yes	No	No
226: LAWLER LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	LAWLER	95	No	---	---	---	---	---

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	Other	5	Yes	terrace	2B3	Yes	No	No
236B: LESTER LOAM, 2 TO 5 PERCENT SLOPES	LESTER	85	No	---	---	---	---	---
	KILKENNY	5	No	---	---	---	---	---
	Okoboji	5	Yes	pothole	2B3,3	Yes	No	Yes
	Webster	5	Yes	ground moraine	2B3	Yes	No	No
236C: LESTER LOAM, 5 TO 9 PERCENT SLOPES	LESTER	90	No	---	---	---	---	---
	Okoboji	5	Yes	pothole	3,2B3	Yes	No	Yes
	Webster	5	Yes	ground moraine	2B3	Yes	No	No
236C2: LESTER LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	LESTER	85	No	---	---	---	---	---
	Okoboji	3	Yes	pothole	2B3,3	Yes	No	Yes
	Rolfe	3	Yes	pothole	3,2B3	Yes	No	Yes
	SALIDA	3	No	---	---	---	---	---
	STORDEN	3	No	---	---	---	---	---
	Webster	3	Yes	ground moraine	2B3	Yes	No	No
236D2: LESTER LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LESTER	85	No	---	---	---	---	---
	KILKENNY	5	No	---	---	---	---	---
	SALIDA	5	No	---	---	---	---	---
	STORDEN	5	No	---	---	---	---	---
236E2: LESTER LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	LESTER	90	No	---	---	---	---	---
	SALIDA	5	No	---	---	---	---	---
	STORDEN	5	No	---	---	---	---	---
236F: LESTER LOAM, 18 TO 25 PERCENT SLOPES	LESTER	90	No	---	---	---	---	---
	Palms	5	Yes	hill	1	No	No	No
	TERRIL	5	No	---	---	---	---	---

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
274: ROLFE SILT LOAM, 0 TO 1 PERCENT SLOPES	ROLFE	95	Yes	pothole	2B3,3	Yes	No	Yes
	Sandy substratum	5	Yes	pothole	2B3	Yes	No	No
284: FLAGLER SANDY LOAM, 0 TO 2 PERCENT SLOPES	FLAGLER	95	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---
284B: FLAGLER SANDY LOAM, 2 TO 5 PERCENT SLOPES	FLAGLER	95	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---
284C: FLAGLER SANDY LOAM, 5 TO 9 PERCENT SLOPES	FLAGLER	95	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---
325: LE SUEUR LOAM, 1 TO 3 PERCENT SLOPES	LE SUEUR	95	No	---	---	---	---	---
	Other	5	Yes	drainageway	2B3	Yes	No	No
329: WEBSTER-NICOLLET COMPLEX, 1 TO 3 PERCENT SLOPES	WEBSTER	60	Yes	ground moraine	2B3	Yes	No	No
	NICOLLET	35	No	---	---	---	---	---
	Other	5	Yes	pothole	2B3,3	Yes	No	Yes
335: HARCOT LOAM, 0 TO 2 PERCENT SLOPES	HARCOT	95	Yes	terrace	2B3	Yes	No	No
	Palms	5	Yes	pothole	1,3	No	No	Yes
354: AQUOLLS AND HISTOSOLS	AQUOLLS	45	Yes	depression	2B3,3	Yes	No	Yes
	HISTOSOLS	40	Yes	pothole	3,1	No	No	Yes
	Faxon	3	Yes	flat	2B3	Yes	No	No
	Houghton	3	Yes	pothole	1,3	No	No	Yes
	Okoboji	3	Yes	pothole	3,2B3	Yes	No	Yes
	Palms	3	Yes	pothole	3,1	No	No	Yes
	Tilfer	3	Yes	ground moraine	2B3	Yes	No	No

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
377: DINSDALE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	DINSDALE	100	No	---	---	---	---	---
377B: DINSDALE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	DINSDALE	100	No	---	---	---	---	---
382: MAXFIELD SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	MAXFIELD	100	Yes	flat	2B3	Yes	No	No
391B: CLYDE-FLOYD COMPLEX, 1 TO 4 PERCENT SLOPES	CLYDE	50	Yes	drainageway	2B3	Yes	No	No
	FLOYD	50	No	---	---	---	---	---
398: TRIPOLI SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	TRIPOLI	100	Yes	flat	2B3	Yes	No	No
399: READLYN LOAM, 1 TO 3 PERCENT SLOPES	READLYN	95	No	---	---	---	---	---
	Other	5	Yes	flat	2B3	Yes	No	No
407B: SCHLEY LOAM, 1 TO 4 PERCENT SLOPES	SCHLEY	95	No	---	---	---	---	---
	Other	5	Yes	flat	2B3	Yes	No	No
412C: SOGN LOAM, 2 TO 9 PERCENT SLOPES	SOGN	100	No	---	---	---	---	---
412E: SOGN LOAM, 9 TO 18 PERCENT SLOPES	SOGN	100	No	---	---	---	---	---
444: JACWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	JACWIN	95	No	---	---	---	---	---
	Other	5	Yes	drainageway	2B3	Yes	No	No
457: DU PAGE SILT LOAM, 0 TO 2 PERCENT SLOPES	DU PAGE	100	No	---	---	---	---	---
471: ORAN SILT LOAM, 1 TO 3 PERCENT SLOPES	ORAN	95	No	---	---	---	---	---
	Other	5	Yes	drainageway	2B3	Yes	No	No

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
507: CANISTEO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CANISTEO	95	Yes	ground moraine	2B3	Yes	No	No
	Other	5	Yes	pothole	2B3,3	Yes	No	Yes
536: HANLON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	HANLON	90	No	---	---	---	---	---
	CALCAREOUS	5	No	---	---	---	---	---
	LIMESTONE OUTCROPS	5	No	---	---	---	---	---
551: CALAMINE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	CALAMINE	95	Yes	flat	2B3	Yes	No	No
	Calcareous	5	Yes	flat	2B3	Yes	No	No
558: TALCOT CLAY LOAM, 24 TO 32 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	TALCOT	100	Yes	terrace	2B3	Yes	No	No
559: TALCOT CLAY LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	TALCOT	100	Yes	terrace	2B3	Yes	No	No
583: MINNETONKA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	MINNETONKA	90	Yes	ground moraine	2B3	Yes	No	No
	Okoboji	5	Yes	pothole	3,2B3	Yes	No	Yes
	Rolfe	5	Yes	pothole	3,2B3	Yes	No	Yes
611: ROSSFIELD VARIANT SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	ROSSFIELD VARIANT	90	No	---	---	---	---	---
	JACWIN	5	No	---	---	---	---	---
	KENSETT	5	No	---	---	---	---	---
612B: MOTTLAND LOAM, 2 TO 5 PERCENT SLOPES	MOTTLAND	90	No	---	---	---	---	---
	ROCKTON	5	No	---	---	---	---	---
	SOGN	5	No	---	---	---	---	---

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
612C2: MOTTLAND LOAM, 5 TO 9 PERCENT SLOPES MODERATELY ERODED	MOTTLAND	90	No	---	---	---	---	---
	ROCKTON	5	No	---	---	---	---	---
	SOGN	5	No	---	---	---	---	---
612E2: MOTTLAND LOAM, 9 TO 18 PERCENT SLOPES, MODERATELY ERODED	MOTTLAND	90	No	---	---	---	---	---
	ROCKTON	5	No	---	---	---	---	---
	SOGN	5	No	---	---	---	---	---
612G2: MOTTLAND LOAM, 18 TO 40 PERCENT SLOPES, MODERATELY ERODED	MOTTLAND	90	No	---	---	---	---	---
	SHALE LAYERS	5	No	---	---	---	---	---
	SOGN	5	No	---	---	---	---	---
613: ROSSFIELD SILT LOAM, 0 TO 2 PERCENT SLOPES	ROSSFIELD	95	No	---	---	---	---	---
	ROCKTON	5	No	---	---	---	---	---
613B: ROSSFIELD SILT LOAM, 2 TO 5 PERCENT SLOPES	ROSSFIELD	90	No	---	---	---	---	---
	ROCKTON	5	No	---	---	---	---	---
	SOGN	5	No	---	---	---	---	---
613C: ROSSFIELD SILT LOAM, 5 TO 9 PERCENT SLOPES	ROSSFIELD	90	No	---	---	---	---	---
	ROCKTON	5	No	---	---	---	---	---
	SOGN	5	No	---	---	---	---	---
614B: JACWIN VARIANT LOAM, 2 TO 5 PERCENT SLOPES	JACWIN VARIANT	100	No	---	---	---	---	---
614C3: JACWIN VARIANT SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	JACWIN VARIANT	90	No	---	---	---	---	---
	MOTTLAND	5	No	---	---	---	---	---
	OTHER	5	No	---	---	---	---	---

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
621: HOUGHTON MUCK, 0 TO 1 PERCENT SLOPES	HOUGHTON	100	Yes	pothole	3,1	No	No	Yes
638C2: CLARION-STORDEN LOAMS, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLARION	50	No	---	---	---	---	---
	STORDEN	40	No	---	---	---	---	---
	OTHER	10	No	---	---	---	---	---
638D2: CLARION-STORDEN LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODE	CLARION	50	No	---	---	---	---	---
	STORDEN	40	No	---	---	---	---	---
	OTHER	10	No	---	---	---	---	---
651: FAXON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	FAXON	95	Yes	flat	2B3	Yes	No	No
	PALMS	5	Yes	pothole	1,3	No	No	Yes
695: TILFER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	TILFER	100	Yes	terrace	2B3	Yes	No	No
706: CERLIN SILT LOAM, 0 TO 2 PERCENT SLOPES	CERLIN	95	No	---	---	---	---	---
	Other	5	Yes	depression	3,2B3	Yes	No	Yes
706B: CERLIN SILT LOAM, 2 TO 5 PERCENT SLOPES	CERLIN	95	No	---	---	---	---	---
	Other	5	Yes	depression	2B3,3	Yes	No	Yes
725: HAYFIELD LOAM, 24 TO 32 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	HAYFIELD	95	No	---	---	---	---	---
	Other	5	Yes	terrace	2B3	Yes	No	No
733: CALCO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CALCO	100	Yes	flood plain	2B3	Yes	No	No
755: NICOLLET LOAM, 1 TO 3 PERCENT LONG SLOPES	NICOLLET	95	No	---	---	---	---	---

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	Other	5	Yes	pothole	2B3	Yes	No	No
777: WAPSIE LOAM, 0 TO 2 PERCENT SLOPES	WAPSIE	95	No	---	---	---	---	---
	FLAGLER	5	No	---	---	---	---	---
777B: WAPSIE LOAM, 2 TO 5 PERCENT SLOPES	WAPSIE	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	FLAGLER	5	No	---	---	---	---	---
777C2: WAPSIE LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	WAPSIE	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	FLAGLER	5	No	---	---	---	---	---
782: DONNAN LOAM, 0 TO 2 PERCENT SLOPES	DONNAN	95	No	---	---	---	---	---
	Other	5	Yes	flat	2B3	Yes	No	No
782B: DONNAN LOAM, 2 TO 5 PERCENT SLOPES	DONNAN	95	No	---	---	---	---	---
	Other	5	Yes	hill	2B3	Yes	No	No
782C2: DONNAN LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	DONNAN	95	No	---	---	---	---	---
	Other	5	Yes	hill	2B3	Yes	No	No
836B: KILKENNY CLAY LOAM, 2 TO 5 PERCENT SLOPES	KILKENNY	90	No	---	---	---	---	---
	Minnetonka	5	Yes	ground moraine	2B3	Yes	No	No
	SHOREWOOD	5	No	---	---	---	---	---
836C2: KILKENNY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KILKENNY	90	No	---	---	---	---	---
	Minnetonka	5	Yes	ground moraine	2B3	Yes	No	No
	SHOREWOOD	5	No	---	---	---	---	---

Cerro Gordo County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
855: SHOREWOOD SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	SHOREWOOD	95	No	---	---	---	---	---
	Other	5	Yes	ground moraine	2B3	Yes	No	No
936: COLAND-HANLON COMPLEX, 0 TO 2 PERCENT SLOPES	COLAND	50	Yes	flood plain	2B3	Yes	No	No
	HANLON	20	No	---	---	---	---	---
	OTHER	15	Yes	oxbow	2B3,3	Yes	No	Yes
	OTHER	15	Yes	oxbow	2B3	Yes	No	No
956: OKOBOJI-HARPS COMPLEX, 0 TO 3 PERCENT SLOPES	HARPS	50	Yes	ground moraine	2B3	Yes	No	No
	OKOBOJI	50	Yes	pothole	3,2B3	Yes	No	Yes
976: RADDLE SILT LOAM, 1 TO 3 PERCENT SLOPES	RADDLE	100	No	---	---	---	---	---
1936: COLAND-HANLON COMPLEX, CHANNELED, 0 TO 2 PERCENT SLOPES	COLAND	50	Yes	flood plain	2B3	Yes	No	No
	HANLON	20	No	---	---	---	---	---
	OTHER	15	Yes	oxbow	3,2B3	Yes	No	Yes
	OTHER	15	Yes	oxbow	2B3	Yes	No	No
5010: PITS, SAND AND GRAVEL	PITS, SAND AND GRAVEL	100	Unranked	---	---	---	---	---
5030: PITS, LIMESTONE QUARRY	PITS, LIMESTONE QUARRY	100	Unranked	---	---	---	---	---
5040: ORTHENTS, LOAMY	ORTHENTS	100	Unranked	---	---	---	---	---
5060: PITS, CLAY	PITS, CLAY	100	Unranked	---	---	---	---	---
AW: ANIMAL WASTE	Animal waste	100	Unranked	---	---	---	---	---
SL: SEWAGE LAGOON	Sewage lagoon	100	---	---	---	---	---	---
W: WATER	WATER	100	Unranked	---	---	---	---	---