

HYDRIC SOILS LIST

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
13B: VESSER-COLO COMPLEX, 2 TO 5 PERCENT SLOPES	VESSER	55	No	---	---	---	---	---
	COLO	30	Yes	drainageway	2B3	Yes	No	No
	NODAWAY	10	No	---	---	---	---	---
	Tuskeego	5	Yes	alluvial fan	2B3	Yes	No	No
23C: ARISPE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	ARISPE	95	No	---	---	---	---	---
	Clarinda	5	Yes	hill	2B3	Yes	No	No
23C2: ARISPE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	ARISPE	95	No	---	---	---	---	---
	Clarinda	5	Yes	hill	2B3	Yes	No	No
41B: SPARTA LOAMY FINE SAND, 2 TO 5 PERCENT SLOPES	SPARTA	95	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
51: VESSER SILT LOAM, 0 TO 2 PERCENT SLOPES	VESSER	95	Yes	flood plain	2B3	Yes	No	No
	Humeston	5	Yes	flood plain	2B3	Yes	No	No
56B: CANTRIL LOAM, 2 TO 5 PERCENT SLOPES	CANTRIL	90	No	---	---	---	---	---
	COPPOCK	5	No	---	---	---	---	---
	OTHER	5	Yes	flood plain	2B3	Yes	No	No
58E: DOUDS LOAM, 14 TO 18 PERCENT SLOPES	DOUDS	90	No	---	---	---	---	---
	CLINTON	5	No	---	---	---	---	---
	GALLAND	5	No	---	---	---	---	---
58F: DOUDS LOAM, 18 TO 40 PERCENT SLOPES	DOUDS	95	No	---	---	---	---	---
	GALLAND	5	No	---	---	---	---	---

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
65E: LINDLEY LOAM, 14 TO 18 PERCENT SLOPES	LINDLEY	90	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
65E2: LINDLEY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	KESWICK	5	No	---	---	---	---	---
	LINDLEY	90	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
65F: LINDLEY LOAM, 18 TO 25 PERCENT SLOPES	KESWICK	5	No	---	---	---	---	---
	LINDLEY	90	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
65G: LINDLEY LOAM, 25 TO 40 PERCENT SLOPES	KESWICK	5	No	---	---	---	---	---
	LINDLEY	90	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
75: GIVIN SILT LOAM, 0 TO 2 PERCENT SLOPES	KESWICK	5	No	---	---	---	---	---
	LINDLEY	90	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
75B: GIVIN SILT LOAM, 2 TO 5 PERCENT SLOPES	LINDLEY	90	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
76B: LADOGA SILT LOAM, 2 TO 5 PERCENT SLOPES	LADOGA	95	No	---	---	---	---	---
	GIVIN	5	No	---	---	---	---	---
76C: LADOGA SILT LOAM, 5 TO 9 PERCENT SLOPES	LADOGA	95	No	---	---	---	---	---
	HEDRICK	5	No	---	---	---	---	---
76C2: LADOGA SILT LOAM, 5 TO 9 PERCENT SLOPES,	LADOGA	95	No	---	---	---	---	---

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
76D2:	HEDRICK	5	No	---	---	---	---	---
LADOGA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LADOGA	95	No	---	---	---	---	---
80B:	RINDA	5	Yes	hill	2B3	Yes	No	No
CLINTON SILT LOAM, 2 TO 5 PERCENT SLOPES	CLINTON	95	No	---	---	---	---	---
80C:	KEOMAH	5	No	---	---	---	---	---
CLINTON SILT LOAM, 5 TO 9 PERCENT SLOPES	CLINTON	90	No	---	---	---	---	---
80C2:	Ashgrove	5	Yes	hill	2B3	Yes	No	No
CLINTON SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KESWICK	5	No	---	---	---	---	---
80D:	CLINTON	90	No	---	---	---	---	---
CLINTON SILT LOAM, 9 TO 14 PERCENT SLOPES	Ashgrove	5	Yes	hill	2B3	Yes	No	No
80D2:	KESWICK	5	No	---	---	---	---	---
CLINTON SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	CLINTON	90	No	---	---	---	---	---
80D2:	Ashgrove	5	Yes	hill	2B3	Yes	No	No
CLINTON SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	KESWICK	5	No	---	---	---	---	---
88:	NEVIN	90	No	---	---	---	---	---
NEVIN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	Colo	5	Yes	swale	2B3	Yes	No	No
110B:	RICHWOOD	5	No	---	---	---	---	---
LAMONT FINE SANDY LOAM, 2 TO 5 PERCENT	LAMONT	90	No	---	---	---	---	---



COLO SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	COLO	95	Yes	flood plain	2B3	Yes	No	No
---	------	----	-----	-------------	-----	-----	----	----

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	Zook	5	Yes	flood plain	2B3	Yes	No	No
133B: COLO SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	COLO	95	Yes	drainageway	2B3	Yes	No	No
	Zook	5	Yes	drainageway	2B3	Yes	No	No
154E: AINSWORTH-LAMONT COMPLEX, 9 TO 18 PERCENT SLOPES	AINSWORTH	50	No	---	---	---	---	---
	LAMONT	30	No	---	---	---	---	---
	STRAT SAND	20	No	---	---	---	---	---
163B: FAYETTE SILT LOAM, 2 TO 5 PERCENT SLOPES	FAYETTE	90	No	---	---	---	---	---
	CHELSEA	5	No	---	---	---	---	---
	LAMONT	5	No	---	---	---	---	---
163C2: FAYETTE SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	90	No	---	---	---	---	---
	CHELSEA	5	No	---	---	---	---	---
	LAMONT	5	No	---	---	---	---	---
173: HOOPESTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	HOOPESTON	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
175: DICKINSON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	DICKINSON	90	No	---	---	---	---	---
	HOOPESTON	5	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
179E: GARA LOAM, 14 TO 18 PERCENT SLOPES	GARA	90	No	---	---	---	---	---
	ARMSTRONG	5	No	---	---	---	---	---

	Rinda	5	Yes	hill	2B3	Yes	No	No
--	-------	---	-----	------	-----	-----	----	----

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
179E2: GARA LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	GARA	90	No	---	---	---	---	---
	ARMSTRONG	5	No	---	---	---	---	---
	Rinda	5	Yes	hill	2B3	Yes	No	No
180: KEOMAH SILT LOAM, 0 TO 2 PERCENT SLOPES	KEOMAH	90	No	---	---	---	---	---
	CLINTON	5	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
180B: KEOMAH SILT LOAM, 2 TO 5 PERCENT SLOPES	KEOMAH	90	No	---	---	---	---	---
	CLINTON	5	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
192D2: ADAIR LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	ADAIR	95	No	---	---	---	---	---
	Clarinda	5	Yes	hill	2B3	Yes	No	No
208: KLUM FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	KLUM	85	No	---	---	---	---	---
	NODAWAY	5	No	---	---	---	---	---
	OTHER	5	Yes	flood plain	2B3	Yes	No	No
	Perks	5	No	---	---	---	---	---
211: EDINA SILT LOAM, 0 TO 1 PERCENT SLOPES	EDINA	95	Yes	ridge	2B3	Yes	No	No
	Haig	5	Yes	ridge	2B3	Yes	No	No
220: NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES	NODAWAY	85	No	---	---	---	---	---
	Colo	5	Yes	flood plain	2B3	Yes	No	No
	Klum	5	No	---	---	---	---	---
	Other	5	Yes	oxbow	2B3, 4, 3	Yes	Yes	Yes

222C: CLARINDA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	CLARINDA	90	Yes	hill	2B3	Yes	No	No
--	----------	----	-----	------	-----	-----	----	----

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	ADAIR	5	No	---	---	---	---	---
	Colo	5	Yes	drainageway	2B3	Yes	No	No
222C2: CLARINDA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLARINDA	90	Yes	hill	2B3	Yes	No	No
	ADAIR	5	No	---	---	---	---	---
	Colo	5	Yes	drainageway	2B3	Yes	No	No
223C2: RINDA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	RINDA	95	Yes	hill	2B3	Yes	No	No
	ARMSTRONG	5	No	---	---	---	---	---
223D2: RINDA SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	RINDA	90	Yes	hill	2B3	Yes	No	No
	ARMSTRONG	5	No	---	---	---	---	---
	PERSHING	5	No	---	---	---	---	---
260: BECKWITH SILT LOAM, 0 TO 2 PERCENT SLOPES	BECKWITH	95	Yes	ridge	2B3	Yes	No	No
	WELLER	5	No	---	---	---	---	---
263: OKAW SILT LOAM, 0 TO 2 PERCENT SLOPES	OKAW	95	Yes	terrace	2B3	Yes	No	No
	AINSWORTH	5	No	---	---	---	---	---
263B: OKAW SILT LOAM, 2 TO 5 PERCENT SLOPES	OKAW	95	Yes	terrace	2B3	Yes	No	No
	AINSWORTH	5	No	---	---	---	---	---
264B: AINSWORTH SILT LOAM, 2 TO 5 PERCENT SLOPES	AINSWORTH	90	No	---	---	---	---	---
	LAMONT	5	No	---	---	---	---	---
	Okaw	5	Yes	terrace	2B3	Yes	No	No

264C2: AINSWORTH SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	AINSWORTH	90	No	---	---	---	---	---
---	-----------	----	----	-----	-----	-----	-----	-----

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
279: TAINTOR SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	LAMONT	5	No	---	---	---	---	---
	Okaw	5	Yes	terrace	2B3	Yes	No	No
	TAINTOR	85	Yes	ridge	2B3	Yes	No	No
	Kalona	5	Yes	ridge	2B3	Yes	No	No
	MAHASKA	5	No	---	---	---	---	---
	Sperry	5	Yes	depression	3,2B3	Yes	No	Yes
280: MAHASKA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	MAHASKA	85	No	---	---	---	---	---
280B: MAHASKA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	OTLEY	5	No	---	---	---	---	---
	Sperry	5	Yes	depression	3,2B3	Yes	No	Yes
	Taintor	5	Yes	ridge	2B3	Yes	No	No
	MAHASKA	90	No	---	---	---	---	---
281B: OTLEY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	MAHASKA	5	No	---	---	---	---	---
	OTLEY	95	No	---	---	---	---	---
281C: OTLEY SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	MAHASKA	5	No	---	---	---	---	---
	OTLEY	95	No	---	---	---	---	---
281C2: OTLEY SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	NIRA	5	No	---	---	---	---	---
	OTLEY	95	No	---	---	---	---	---
293B:	NIRA	5	No	---	---	---	---	---
	OTLEY	95	No	---	---	---	---	---

CHELSEA-LAMONT-FAYETTE COMPLEX, 2 TO 5 PERCENT SLOPES	CHELSEA	35	No	---	---	---	---	---
	LAMONT	35	No	---	---	---	---	---
	FAYETTE	30	No	---	---	---	---	---

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
293C: CHELSEA-LAMONT-FAYETTE COMPLEX, 5 TO 9 PERCENT SLOPES	CHELSEA	35	No	---	---	---	---	---
	LAMONT	35	No	---	---	---	---	---
	FAYETTE	30	No	---	---	---	---	---
293E: CHELSEA-LAMONT-FAYETTE COMPLEX, 9 TO 18 PERCENT SLOPES	CHELSEA	35	No	---	---	---	---	---
	LAMONT	35	No	---	---	---	---	---
	FAYETTE	30	No	---	---	---	---	---
293F: CHELSEA-LAMONT-FAYETTE COMPLEX, 18 TO 25 PERCENT SLOPES	CHELSEA	35	No	---	---	---	---	---
	LAMONT	35	No	---	---	---	---	---
	FAYETTE	30	No	---	---	---	---	---
315: KLUM-PERKS-NODAWAY COMPLEX, 1 TO 3 PERCENT SLOPES	KLUM	40	No	---	---	---	---	---
	PERKS	30	No	---	---	---	---	---
	NODAWAY	20	No	---	---	---	---	---
	Colo	5	Yes	flood plain	2B3	Yes	No	No
	Other	5	Yes	oxbow	2B3,3,4	Yes	Yes	Yes
362: HAIG SILT LOAM, 0 TO 2 PERCENT SLOPES	HAIG	90	Yes	ridge	2B3	Yes	No	No
	Edina	5	Yes	depression	2B3	Yes	No	No
	GRUNDY	5	No	---	---	---	---	---
363: HAIG SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	HAIG	95	Yes	ridge	2B3	Yes	No	No
	Edina	5	Yes	depression	2B3	Yes	No	No

364B:									
GRUNDY SILT LOAM, 2 TO 5 PERCENT SLOPES	GRUNDY	90	No	---	---	---	---	---	---
	ARISPE	5	No	---	---	---	---	---	---
	Haig	5	Yes	swale	2B3	Yes	No	No	

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
424D:								
LINDLEY-KESWICK LOAMS, 9 TO 14 PERCENT SLOPES	LINDLEY	60	No	---	---	---	---	---
	KESWICK	30	No	---	---	---	---	---
	CLINTON	3	No	---	---	---	---	---
	DOUDS	3	No	---	---	---	---	---
	GALLAND	2	No	---	---	---	---	---
	WELLER	2	No	---	---	---	---	---
424D2:								
LINDLEY-KESWICK LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	60	No	---	---	---	---	---
	KESWICK	30	No	---	---	---	---	---
	CLINTON	3	No	---	---	---	---	---
	DOUDS	3	No	---	---	---	---	---
	GALLAND	2	No	---	---	---	---	---
	WELLER	2	No	---	---	---	---	---
424E:								
LINDLEY-KESWICK LOAMS, 14 TO 18 PERCENT SLOPES	LINDLEY	60	No	---	---	---	---	---
	KESWICK	30	No	---	---	---	---	---
	CLINTON	3	No	---	---	---	---	---
	DOUDS	3	No	---	---	---	---	---
	GALLAND	2	No	---	---	---	---	---
	WELLER	2	No	---	---	---	---	---
424E2:								
LINDLEY-KESWICK LOAMS, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	60	No	---	---	---	---	---
	KESWICK	30	No	---	---	---	---	---



499F: NORDNESS SILT LOAM, 14 TO 25 PERCENT SLOPES	NORDNESS	95	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
	NORDNESS	95	No	---	---	---	---	---

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
520: COPPOCK SILT LOAM, 0 TO 2 PERCENT SLOPES	LINDLEY	5	No	---	---	---	---	---
	COPPOCK	95	Yes	flood plain	2B3	Yes	No	No
	Tuskeego	5	Yes	flood plain	2B3	Yes	No	No
570C: NIRA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	NIRA	90	No	---	---	---	---	---
	MAHASKA	5	No	---	---	---	---	---
	OTLEY	5	No	---	---	---	---	---
570C2: NIRA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	NIRA	90	No	---	---	---	---	---
	MAHASKA	5	No	---	---	---	---	---
	OTLEY	5	No	---	---	---	---	---
571B: HEDRICK SILT LOAM, 2 TO 5 PERCENT SLOPES	HEDRICK	90	No	---	---	---	---	---
	GIVIN	5	No	---	---	---	---	---
	LADOGA	5	No	---	---	---	---	---
571C2: HEDRICK SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	HEDRICK	90	No	---	---	---	---	---
	LADOGA	5	No	---	---	---	---	---
	Rinda	5	Yes	hill	2B3	Yes	No	No
594C2: GALLAND LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	GALLAND	85	No	---	---	---	---	---
	CANTRIL	5	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---

594D2:									
GALLAND LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	GALLAND	85	No	---	---	---	---	---	---
	CLINTON	5	No	---	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---	---

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
594E:	DOUDS	3	No	---	---	---	---	---
	NORDNESS	2	No	---	---	---	---	---
GALLAND LOAM, 14 TO 18 PERCENT SLOPES	GALLAND	85	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
	NORDNESS	5	No	---	---	---	---	---
594E2:	GALLAND	85	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
730B:	NODAWAY	60	No	---	---	---	---	---
	CANTRIL	30	No	---	---	---	---	---
	Colo	5	Yes	drainageway	2B3	Yes	No	No
731C2:	VESSER	5	No	---	---	---	---	---
	PERSHING	90	No	---	---	---	---	---
	ARMSTRONG	5	No	---	---	---	---	---
732C2:	Rinda	5	Yes	hill	2B3	Yes	No	No
	WELLER	90	No	---	---	---	---	---
WELLER SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	Ashgrove	5	Yes	hill	2B3	Yes	No	No

	KESWICK	5	No	---	---	---	---	---
732D2: WELLER SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	WELLER	90	No	---	---	---	---	---
	Ashgrove	5	Yes	hill	2B3	Yes	No	No

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	KESWICK	5	No	---	---	---	---	---
764B: GRUNDY SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	GRUNDY	95	No	---	---	---	---	---
	Haig	5	Yes	ridge	2B3	Yes	No	No
779: KALONA SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	KALONA	90	Yes	ridge	2B3	Yes	No	No
	Sperry	5	Yes	depression	2B3,3	Yes	No	Yes
	Taintor	5	Yes	ridge	2B3	Yes	No	No
792D2: ARMSTRONG CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	ARMSTRONG	85	No	---	---	---	---	---
	GARA	5	No	---	---	---	---	---
	LADOGA	5	No	---	---	---	---	---
	PERSHING	3	No	---	---	---	---	---
	Rinda	2	Yes	hill	2B3	Yes	No	No
795D2: ASHGROVE SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	ASHGROVE	90	Yes	hill	2B3	Yes	No	No
	KESWICK	5	No	---	---	---	---	---
	WELLER	5	No	---	---	---	---	---
831C2: PERSHING SILTY CLAY LOAM, BENCHES, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	PERSHING	100	No	---	---	---	---	---
832C2: WELLER SILTY CLAY LOAM, BENCHES, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	WELLER	100	No	---	---	---	---	---

876B:	LADOGA SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	LADOGA	95	No	---	---	---	---	---
		GIVIN	5	No	---	---	---	---	---

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
876C2: LADOGA SILT LOAM, BENCHES, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	LADOGA	100	No	---	---	---	---	---
880B: CLINTON SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	CLINTON	95	No	---	---	---	---	---
	KEOMAH	5	No	---	---	---	---	---
880C: CLINTON SILT LOAM, BENCHES, 5 TO 9 PERCENT SLOPES	CLINTON	90	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
	GALLAND	5	No	---	---	---	---	---
880C2: CLINTON SILT LOAM, BENCHES, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLINTON	90	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
	GALLAND	5	No	---	---	---	---	---
880D2: CLINTON SILT LOAM, BENCHES, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	CLINTON	90	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
	GALLAND	5	No	---	---	---	---	---
881B: OTLEY SILTY CLAY LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	OTLEY	95	No	---	---	---	---	---
	MAHASKA	5	No	---	---	---	---	---
881C2: OTLEY SILTY CLAY LOAM, BENCHES, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	OTLEY	100	No	---	---	---	---	---

977: RICHWOOD SILT LOAM, 0 TO 2 PERCENT SLOPES	RICHWOOD	95	No	---	---	---	---	---
	NEVIN	5	No	---	---	---	---	---

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
977B: RICHWOOD SILT LOAM, 2 TO 5 PERCENT SLOPES	RICHWOOD	95	No	---	---	---	---	---
	NEVIN	5	No	---	---	---	---	---
993D2: GARA-ARMSTRONG LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	GARA	60	No	---	---	---	---	---
	ARMSTRONG	30	No	---	---	---	---	---
	LADOGA	5	No	---	---	---	---	---
	PERSHING	3	No	---	---	---	---	---
	Rinda	2	Yes	hill	2B3	Yes	No	No
1057: RUSHVILLE SILT LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	RUSHVILLE	95	Yes	ridge	2B3	Yes	No	No
	KEOMAH	5	No	---	---	---	---	---
1122: SPERRY SILT LOAM, BENCHES, 0 TO 1 PERCENT SLOPES	SPERRY	100	Yes	ridge	2B3,3	Yes	No	Yes
1130: BELINDA SILT LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	BELINDA	100	Yes	ridge	2B3	Yes	No	No
1131B: PERSHING SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	PERSHING	100	No	---	---	---	---	---
1132B: WELLER SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	WELLER	100	No	---	---	---	---	---
1133: COLO SILTY CLAY LOAM, CHANNELED, 0 TO 2 PERCENT SLOPES	COLO	95	Yes	flood plain	2B3,4	Yes	Yes	No
	Other	5	Yes	oxbow	3,2B3,4	Yes	Yes	Yes

1180B: KEOMAH SILT LOAM BENCHES 2 TO 5 PERCENT SLOPES	KEOMAH	95	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
1279: TAINTOR SILTY CLAY LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	TAINTOR	95	Yes	ridge	2B3	Yes	No	No
	Colo	5	Yes	drainageway	2B3	Yes	No	No
1280: MAHASKA SILTY CLAY LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	MAHASKA	90	No	---	---	---	---	---
	Taintor	5	Yes	ridge	2B3	Yes	No	No
	OTLEY	3	No	---	---	---	---	---
	Sperry	2	Yes	depression	3,2B3	Yes	No	Yes
1280B: MAHASKA SILTY CLAY LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	MAHASKA	90	No	---	---	---	---	---
	OTLEY	5	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
1315: KLUM-PERKS-NODAWAY COMPLEX, CHANNELED, 1 TO 3 PERCENT SLOPES	KLUM	40	Yes	flood plain	4	No	Yes	No
	PERKS	30	Yes	flood plain	4	No	Yes	No
	NODAWAY	20	Yes	flood plain	4	No	Yes	No
	Colo	5	Yes	flood plain	2B3,4	Yes	Yes	No
	Other	5	Yes	oxbow	2B3,4,3	Yes	Yes	Yes
1362: HAIG SILT LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	HAIG	100	Yes	ridge	2B3	Yes	No	No
1779: KALONA SILTY CLAY LOAM, BENCHES, 0 TO 1 PERCENT SLOPES	KALONA	90	Yes	ridge	2B3	Yes	No	No
	Sperry	5	Yes	depression	2B3,3	Yes	No	Yes
	Taintor	5	Yes	ridge	2B3	Yes	No	No

5010: PITS, SAND AND GRAVEL	PITS	100	Unranked	---	---	---	---	---
5030: PITS, LIMESTONE QUARRY	PITS	100	Unranked	---	---	---	---	---
5040: ORTHENTS, LOAMY	ORTHENTS	100	Unranked	---	---	---	---	---

NATURAL RESOURCES CONSERVATION SERVICE

02/27/2004

Henry County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
W: WATER	WATER	100	Unranked	---	---	---	---	---