

RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AaC2: Adair-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
AaD2: Adair-----	100	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
AaE2: Adair-----	100	Very limited Depth to saturated zone Water erosion Slope	1.00 0.80 0.02	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 1.00
AcD2: Adair-----	100	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
AcE2: Adair-----	100	Very limited Depth to saturated zone Water erosion Slope	1.00 0.80 0.02	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 1.00
AdD3: Adair-----	100	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
AdE3: Adair-----	100	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.02	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
AeD3: Adair-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Water erosion	1.00	Water erosion	1.00	Slope	0.63
AeE3: Adair-----	100	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.02	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
AeF3: Adair-----	100	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.82	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00
Al: Alluvial Land-----	90	Not Rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Surface clay percent or taxonomic class		Not Rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Surface clay percent or taxonomic class		Not Rated Not rated; Surface clay percent Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; AWC Not rated; pH	
Am: Amana-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
An: Amana-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lawson-----	30	Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
Nodaway-----	20	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
As: Atterberry-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
At: Atterberry-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
BaC2: Bassett-----	100	Not limited		Not limited		Not limited	
BaD2: Bassett-----	100	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
BaE2: Bassett-----	100	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
BaF2: Bassett-----	100	Somewhat limited Slope Water erosion	0.82 0.53	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
BeD3: Bassett-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
BeE3: Bassett-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BrA: Bertrand-----	100	Not limited		Not limited		Not limited	
BrB: Bertrand-----	100	Not limited		Not limited		Not limited	
BrC2: Bertrand-----	100	Not limited		Not limited		Not limited	
Bs:							
Bremer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Bt: Bremer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ca: Chariton-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
CeB: Chelsea-----	100	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty	0.69
CeD: Chelsea-----	100	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Slope Droughty	0.96 0.69
CeG: Chelsea-----	100	Very limited Too sandy Slope	1.00 1.00	Very limited Too sandy Slope	1.00 0.14	Very limited Slope Droughty	1.00 0.69
CfC: Chelsea-----	50	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty	0.69
Fayette-----	30	Not limited		Not limited		Not limited	
Lamont-----	20	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CfD:							
Chelsea-----	50	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty Slope	0.69 0.63
Fayette-----	30	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
Lamont-----	20	Somewhat limited Water erosion	0.27	Somewhat limited Water erosion	0.27	Somewhat limited Slope	0.63
CfD2:							
Chelsea-----	50	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty Slope	0.69 0.63
Fayette-----	30	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
Lamont-----	20	Somewhat limited Water erosion	0.27	Somewhat limited Water erosion	0.27	Somewhat limited Slope	0.63
CfE:							
Chelsea-----	50	Very limited Too sandy Slope	1.00 0.02	Very limited Too sandy	1.00	Very limited Slope Droughty	1.00 0.69
Fayette-----	30	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
Lamont-----	20	Somewhat limited Water erosion Slope	0.27 0.02	Somewhat limited Water erosion	0.27	Very limited Slope	1.00
CfE2:							
Chelsea-----	50	Very limited Too sandy Slope	1.00 0.02	Very limited Too sandy	1.00	Very limited Slope Droughty	1.00 0.69
Fayette-----	30	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
Lamont-----	20	Somewhat limited Water erosion Slope	0.27 0.02	Somewhat limited Water erosion	0.27	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CfG:							
Chelsea-----	50	Very limited Too sandy Slope	1.00 1.00	Very limited Too sandy Slope	1.00 0.14	Very limited Slope Droughty	1.00 0.69
Fayette-----	30	Very limited Slope Water erosion	1.00 0.80	Somewhat limited Water erosion Slope	0.80 0.14	Very limited Slope	1.00
Lamont-----	20	Somewhat limited Slope Water erosion	0.82 0.27	Somewhat limited Water erosion	0.27	Very limited Slope	1.00
ClB:							
Clinton-----	100	Not limited		Not limited		Not limited	
ClC:							
Clinton-----	100	Not limited		Not limited		Not limited	
ClC2:							
Clinton-----	100	Not limited		Not limited		Not limited	
ClD:							
Clinton-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
ClD2:							
Clinton-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
ClE2:							
Clinton-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
ClF2:							
Clinton-----	100	Very limited Water erosion Slope	1.00 0.82	Very limited Water erosion	1.00	Very limited Slope	1.00
CnD3:							
Clinton-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
CnE3:							
Clinton-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.02				
Co: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Cs: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ct: Colo-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ely-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Cu: Coppock-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
DcA: Dickinson-----	100	Not limited		Not limited		Not limited	
DcB: Dickinson-----	100	Not limited		Not limited		Not limited	
DcC: Dickinson-----	100	Not limited		Not limited		Not limited	
DdB: Dinsdale-----	100	Not limited		Not limited		Not limited	
DdC: Dinsdale-----	100	Not limited		Not limited		Not limited	
DoB: Downs-----	100	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DoC: Downs-----	100	Not limited		Not limited		Not limited	
DoC2: Downs-----	100	Not limited		Not limited		Not limited	
DoD2: Downs-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
DoE2: Downs-----	100	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
DpB: Downs-----	100	Not limited		Not limited		Not limited	
DsD3: Downs-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
DsE3: Downs-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
EsB: Ely-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FaB: Fayette-----	100	Not limited		Not limited		Not limited	
FaC: Fayette-----	100	Not limited		Not limited		Not limited	
FaC2: Fayette-----	100	Not limited		Not limited		Not limited	
FaD: Fayette-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
FaD2: Fayette-----	100	Very limited		Very limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Water erosion	1.00	Water erosion	1.00	Slope	0.63
FaE: Fayette-----	100	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
FaE2: Fayette-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
FaF: Fayette-----	100	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
FaF2: Fayette-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Very limited Slope	1.00
		Slope	0.82				
FaG: Fayette-----	100	Very limited Slope Water erosion	1.00 0.80	Somewhat limited Water erosion Slope	0.80 0.56	Very limited Slope	1.00
FbB: Fayette-----	100	Not limited		Not limited		Not limited	
FsD3: Fayette-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
FsE3: Fayette-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
FsF3: Fayette-----	100	Very limited Water erosion Slope	1.00 0.82	Very limited Water erosion	1.00	Very limited Slope	1.00
GaC2: Gara-----	100	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GaD2: Gara-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
GaE2: Gara-----	100	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
GaF2: Gara-----	100	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
GrD3: Gara-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
GrE3: Gara-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
GrF3: Gara-----	100	Very limited Water erosion Slope	1.00 0.82	Very limited Water erosion	1.00	Very limited Slope	1.00
Gs: Givin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Gu: Gullied Land-----	100	Not rated		Not rated		Not rated	
HaA: Hagener-----	100	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty	0.64
HaB: Hagener-----	100	Very limited		Very limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too sandy	1.00	Too sandy	1.00	Droughty	0.64
HaC: Hagener-----	100	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty	0.64
HaD: Hagener-----	100	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty Slope	0.64 0.63
HaE: Hagener-----	100	Very limited Too sandy Slope	1.00 0.08	Very limited Too sandy	1.00	Very limited Slope Droughty	1.00 0.64
HgB: Hagener-----	50	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty	0.64
Tama-----	40	Not limited		Not limited		Not limited	
HgC: Hagener-----	50	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty	0.64
Tama-----	40	Not limited		Not limited		Not limited	
HgC2: Hagener-----	50	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty	0.64
Tama-----	40	Not limited		Not limited		Not limited	
HgD2: Hagener-----	50	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty Slope	0.64 0.63
Tama-----	40	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
HgE2: Hagener-----	50	Very limited Too sandy Slope	1.00 0.02	Very limited Too sandy	1.00	Very limited Slope Droughty	1.00 0.64
Tama-----	40	Somewhat limited		Somewhat limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Water erosion Slope	0.80 0.02	Water erosion	0.80	Slope	1.00
HoD2: Hopper-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
HoE2: Hopper-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
HoE3: Hopper-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
HoF2: Hopper-----	100	Very limited Water erosion Slope	1.00 0.82	Very limited Water erosion	1.00	Very limited Slope	1.00
Ja: Jackson-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
JuB: Judson-----	100	Not limited		Not limited		Not limited	
KnB: Kenyon-----	100	Not limited		Not limited		Not limited	
KnC: Kenyon-----	100	Not limited		Not limited		Not limited	
KnC2: Kenyon-----	100	Not limited		Not limited		Not limited	
KnD2: Kenyon-----	100	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
Ko: Keomah-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KsD2: Keswick-----	100	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
KsE2: Keswick-----	100	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.02	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
KsF2: Keswick-----	100	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.82	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00
KwD3: Keswick-----	100	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
KwE3: Keswick-----	100	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.02	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
KwF3: Keswick-----	100	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.82	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 1.00
Kz: Koszta-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LaB: Ladoga-----	100	Not limited		Not limited		Not limited	
LaC: Ladoga-----	100	Not limited		Not limited		Not limited	
LaC2: Ladoga-----	100	Not limited		Not limited		Not limited	
LaD: Ladoga-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
LaD2: Ladoga-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
LaE2: Ladoga-----	100	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
LbB: Ladoga-----	100	Not limited		Not limited		Not limited	
LdD3: Ladoga-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
LdE3: Ladoga-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
Le: Lawler-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Lh: Lawson-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
LnD2: Lindley-----	100	Somewhat limited		Somewhat limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Water erosion	0.80	Water erosion	0.80	Slope	0.63
LnE2: Lindley-----	100	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
LnF: Lindley-----	100	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
LnF2: Lindley-----	100	Somewhat limited		Somewhat limited		Very limited	
		Slope Water erosion	0.82 0.80	Water erosion	0.80	Slope	1.00
LnG: Lindley-----	100	Very limited Slope Water erosion	1.00 0.80	Somewhat limited Water erosion Slope	0.80 0.56	Very limited Slope	1.00
LsD3: Lindley-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
LsE3: Lindley-----	100	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
LsF3: Lindley-----	100	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
Ma: Mahaska-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Mu: Muscatine-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Nc: Nevin-----	95	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Nd: Nodaway-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
Nh: Nodaway-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Ns: Nodaway-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Nx: Nodaway-----	50	Not limited		Not limited		Somewhat limited Flooding	0.60
Ely-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
OcB: Otley-----	100	Not limited		Not limited		Not limited	
OcC: Otley-----	100	Not limited		Not limited		Not limited	
OcC2: Otley-----	100	Not limited		Not limited		Not limited	
OcD2: Otley-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
OcD3: Otley-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
OcE2: Otley-----	100	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OtB: Otley-----	100	Not limited		Not limited		Not limited	
ShC: Shelby-----	100	Not limited		Not limited		Not limited	
ShC2: Shelby-----	100	Not limited		Not limited		Not limited	
ShD2: Shelby-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
ShE2: Shelby-----	100	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
ShF2: Shelby-----	100	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
SoD3: Shelby-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
SoE3: Shelby-----	100	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
Sp: Sperry-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
Sr: Stronghurst-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
St: Stronghurst-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ta: Taintor-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
TcB: Tama-----	100	Not limited		Not limited		Not limited	
TcC: Tama-----	100	Not limited		Not limited		Not limited	
TcC2: Tama-----	100	Not limited		Not limited		Not limited	
TcD2: Tama-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
TcD3: Tama-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
TcE2: Tama-----	100	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
ThA: Tama-----	100	Not limited		Not limited		Not limited	
ThB: Tama-----	100	Not limited		Not limited		Not limited	
TmB: Tell-----	100	Not limited		Not limited		Not limited	
TmC: Tell-----	100	Not limited		Not limited		Not limited	
TmC2: Tell-----	100	Not limited		Not limited		Not limited	
TmD2: Tell-----	100	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
Ud: Udolpho-----	100	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Wa: Wabash-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Too clayey	1.00	Too clayey	1.00	Too clayey	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
						Flooding	0.60
Wb: Walford-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
WkA: Watkins-----	100	Not limited		Not limited		Not limited	
WkB: Watkins-----	100	Not limited		Not limited		Not limited	
WmB: Waubee-----	100	Not limited		Not limited		Not limited	
WmC2: Waubee-----	100	Not limited		Not limited		Not limited	
WnA: Waukegan-----	100	Not limited		Not limited		Not limited	
WnB: Waukegan-----	100	Not limited		Not limited		Not limited	
WnC: Waukegan-----	100	Not limited		Not limited		Not limited	
WSB: Waukegan-----	100	Not limited		Not limited		Not limited	
WsC: Waukegan-----	100	Not limited		Not limited		Not limited	
WtA: Wiota-----	100	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Iowa County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WtB: Wiota-----	100	Not limited		Not limited		Not limited	
Zk: Zook-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Zo: Zook-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60