

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5B: Ackmore-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Colo-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
7: Wiota-----	95	Not limited		Not limited		Not limited	
8: Judson-----	95	Not limited		Not limited		Not limited	
8B: Judson-----	90	Not limited		Not limited		Not limited	
8C: Judson-----	100	Not limited		Not limited		Not limited	
20C2: Killduff-----	100	Not limited		Not limited		Not limited	
20D2: Killduff-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
20E2: Killduff-----	90	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
24D2: Shelby-----	95	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
24E2: Shelby-----	90	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
24F2: Shelby-----	90	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
27B: Terril-----	95	Not limited		Not limited		Not limited	
41B: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.07
41C2: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.07
41D2: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	0.96 0.12
43: Bremer-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
54: Zook-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
55: Nicollet-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
62D: Storden-----	95	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.16
62E: Storden-----	95	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
62F: Storden-----	95	Somewhat limited Slope Water erosion	0.82 0.53	Somewhat limited Water erosion	0.53	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
63C: Chelsea-----	90	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.53
63D: Chelsea-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Slope Droughty	0.63 0.53
63E: Chelsea-----	100	Somewhat limited Too sandy Slope	0.95 0.50	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	1.00 0.53
65E: Lindley-----	90	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
65E3: Lindley-----	95	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
65F: Lindley-----	90	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
65G: Lindley-----	95	Very limited Slope Water erosion	1.00 0.80	Somewhat limited Water erosion Slope	0.80 0.56	Very limited Slope	1.00
76B: Ladoga-----	100	Not limited		Not limited		Not limited	
76C2: Ladoga-----	100	Not limited		Not limited		Not limited	
76D2: Ladoga-----	95	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
80C2: Clinton-----	100	Not limited		Not limited		Not limited	
80D2: Clinton-----	95	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
80D3: Clinton-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
80E2: Clinton-----	85	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
88: Nevin-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
93D2: Shelby-----	60	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
Adair-----	30	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
93E2: Shelby-----	70	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
Adair-----	20	Very limited Depth to saturated zone Water erosion Slope	1.00 0.80 0.02	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 1.00
94D2: Caleb-----	55	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
Mystic-----	45	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
94E2: Caleb-----	50	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
Mystic-----	50	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.02	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
107: Webster-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
117: Garwin-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Sperry-----	35	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
118: Garwin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
119: Muscatine-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
120: Tama-----	95	Not limited		Not limited		Not limited	
120B: Tama-----	100	Not limited		Not limited		Not limited	
120C2: Tama-----	90	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
120D2: Tama-----	90	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
122: Sperry-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
133: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133+: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
135: Coland-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
135B: Coland-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
138B: Clarion-----	95	Not limited		Not limited		Not limited	
138C2: Clarion-----	95	Not limited		Not limited		Not limited	
138D2: Clarion-----	95	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
138E2: Clarion-----	95	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
162: Downs-----	100	Not limited		Not limited		Not limited	
162B: Downs-----	95	Not limited		Not limited		Not limited	
162C2: Downs-----	100	Not limited		Not limited		Not limited	
162D2: Downs-----	100	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
162E2: Downs-----	100	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
163B: Fayette-----	100	Not limited		Not limited		Not limited	
163C2: Fayette-----	95	Not limited		Not limited		Not limited	
163D2: Fayette-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
163D3: Fayette-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
163E2: Fayette-----	90	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
163F2: Fayette-----	100	Very limited Water erosion Slope	1.00 0.82	Very limited Water erosion	1.00	Very limited Slope	1.00
168E2: Hayden-----	90	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
168F: Hayden-----	95	Somewhat limited Slope Water erosion	0.82 0.53	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
168G: Hayden-----	100	Very limited Slope Water erosion	1.00 0.53	Somewhat limited Slope Water erosion	0.56 0.53	Very limited Slope	1.00
172: Wabash-----	95	Very limited Depth to saturated zone Too clayey Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Too clayey Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Too clayey Ponding Flooding	1.00 1.00 1.00 0.60
174: Bolan-----	95	Not limited		Not limited		Not limited	
175B: Dickinson-----	95	Not limited		Not limited		Not limited	
175C: Dickinson-----	100	Not limited		Not limited		Not limited	
175D: Dickinson-----	100	Somewhat limited Water erosion	0.01	Somewhat limited Water erosion	0.01	Somewhat limited Slope	0.63
179D2: Gara-----	85	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
179E2: Gara-----	85	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
179F2: Gara-----	95	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
179G: Gara-----	95	Very limited Slope Water erosion	1.00 0.53	Somewhat limited Slope Water erosion	0.56 0.53	Very limited Slope	1.00
185E2: Bauer-----	95	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Very limited Slope Depth to bedrock Droughty	0.96 0.46 0.10
185F2: Bauer-----	95	Very limited Water erosion Slope	1.00 1.00	Very limited Water erosion Slope	1.00 0.14	Very limited Slope Depth to bedrock Droughty	1.00 0.46 0.10
192D2: Adair-----	100	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
212: Kennebec-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60
220: Nodaway-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60
222C2: Clarinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
222D2: Clarinda-----	90	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
225: Lawler-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
226: Lawler-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
236B: Lester-----	95	Not limited		Not limited		Not limited	
236C2: Lester-----	100	Not limited		Not limited		Not limited	
236D2: Lester-----	95	Somewhat limited Water erosion	0.27	Somewhat limited Water erosion	0.27	Somewhat limited Slope	0.63
273B: Olmitz-----	95	Not limited		Not limited		Not limited	
273C: Olmitz-----	95	Not limited		Not limited		Not limited	
279: Taintor-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
280: Mahaska-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
281B: Otley-----	95	Not limited		Not limited		Not limited	
281C2: Otley-----	90	Not limited		Not limited		Not limited	
281D2: Otley-----	85	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
284B: Flagler-----	90	Not limited		Not limited		Not limited	
291: Atterberry-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
293G: Chelsea-----	50	Very limited Slope Too sandy	1.00 0.95	Somewhat limited Too sandy Slope	0.95 0.56	Very limited Slope Droughty	1.00 0.53
Fayette-----	40	Very limited Slope Water erosion	1.00 0.80	Somewhat limited Water erosion Slope	0.80 0.56	Very limited Slope	1.00
315: Alluvial Land-----	65	Not Rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Surface clay percent or taxonomic class		Not Rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Surface clay percent or taxonomic class		Not Rated Not rated; Surface clay percent Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; AWC Not rated; pH	
Nodaway-----	25	Not limited		Not limited		Somewhat limited Flooding	0.60
354: Marsh-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.60
428B: Ely-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
430: Ackmore-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
453: Tuskeego-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
507: Canisteo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
570B2: Nira-----	95	Not limited		Not limited		Not limited	
570C2: Nira-----	95	Not limited		Not limited		Not limited	
570D2: Nira-----	95	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
620C2: Port Byron-----	95	Not limited		Not limited		Not limited	
620D2: Port Byron-----	95	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
620E2: Port Byron-----	90	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
620F2: Port Byron-----	90	Somewhat limited Slope Water erosion	0.82 0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
742B: Martinsburg-----	90	Not limited		Not limited		Not limited	
742C: Martinsburg-----	90	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
792D2: Armstrong-----	100	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
822D2: Lamoni-----	95	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.63
822E2: Lamoni-----	95	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.02	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
993D2: Gara-----	50	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
Armstrong-----	40	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 0.63
993E2: Gara-----	50	Somewhat limited Water erosion Slope	0.80 0.02	Somewhat limited Water erosion	0.80	Very limited Slope	1.00
Armstrong-----	30	Very limited Depth to saturated zone Water erosion Slope	1.00 0.80 0.02	Very limited Depth to saturated zone Water erosion	1.00 0.80	Very limited Depth to saturated zone Slope	1.00 1.00
993E3: Gara-----	50	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
Armstrong-----	30	Very limited Depth to saturated zone Water erosion Slope	1.00 1.00 0.02	Very limited Depth to saturated zone Water erosion	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jasper County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated		Not rated	
C5B: Ackmore-----	50	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Colo-----	35	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
C315: Alluvial Land-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
T120B: Tama-----	100	Not limited		Not limited		Not limited	
T120C: Tama-----	100	Not limited		Not limited		Not limited	
T162B: Downs-----	100	Not limited		Not limited		Not limited	
T162C: Downs-----	100	Not limited		Not limited		Not limited	
W: Water-----	100	Not rated		Not rated		Not rated	