

HYDRIC SOILS LIST

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
13B: COLO-VESSER COMPLEX, 2 TO 5 PERCENT SLOPES	COLO	60	Yes	drainageway	2B3	Yes	No	No
	VESSER	30	No	---	---	---	---	---
	Chequest	5	Yes	drainageway	2B3	Yes	No	No
	OTHER	5	No	---	---	---	---	---
23C: ARISPE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	ARISPE	90	No	---	---	---	---	---
	GRUNDY	5	No	---	---	---	---	---
	MAHASKA	5	No	---	---	---	---	---
23C2: ARISPE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODE	ARISPE	90	No	---	---	---	---	---
	GRUNDY	5	No	---	---	---	---	---
	MAHASKA	5	No	---	---	---	---	---
41: SPARTA LOAMY SAND, 0 TO 2 PERCENT SLOPES	SPARTA	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	SAUDE	5	No	---	---	---	---	---
41B: SPARTA LOAMY SAND, 2 TO 7 PERCENT SLOPES	SPARTA	100	No	---	---	---	---	
51: VESSER SILT LOAM, 0 TO 2 PERCENT SLOPES	VESSER	95	Yes	flood plain	2B3	Yes	No	No
	Other	5	Yes	flood plain	2B3	Yes	No	No
56: CANTRIL LOAM, 0 TO 2 PERCENT SLOPES	CANTRIL	90	No	---	---	---	---	---
	OLMITZ	5	No	---	---	---	---	---
	OTHER	5	Yes	flood plain	2B3	Yes	No	No
56B: CANTRIL LOAM, 2 TO 5 PERCENT SLOPES	CANTRIL	90	No	---	---	---	---	---
	OLMITZ	5	No	---	---	---	---	---

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	OTHER	5	Yes	alluvial fan	2B3	Yes	No	No
57: RUSHVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES	RUSHVILLE	100	Yes	depression	2B3,3	Yes	No	Yes
58D2: DOUDS LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	DOUDS	100	No	---	---	---	---	---
58E2: DOUDS LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	DOUDS	100	No	---	---	---	---	---
63: CHELSEA LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	CHELSEA	90	No	---	---	---	---	---
	SAUDE	5	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
63B: CHELSEA LOAMY FINE SAND, 2 TO 7 PERCENT SLOPES	CHELSEA	100	No	---	---	---	---	---
65E2: LINDLEY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	100	No	---	---	---	---	---
65E3: LINDLEY SOILS, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	LINDLEY	100	No	---	---	---	---	---
65F2: LINDLEY LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	100	No	---	---	---	---	---
65G: LINDLEY LOAM, 25 TO 40 PERCENT SLOPES	LINDLEY	95	No	---	---	---	---	---
	DOUDS	5	No	---	---	---	---	---
75: GIVIN SILT LOAM, 1 TO 3 PERCENT SLOPES	GIVIN	95	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
80B: CLINTON SILT LOAM, 2 TO 5 PERCENT SLOPES	CLINTON	100	No	---	---	---	---	---

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
80C2: CLINTON SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLINTON	95	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
80D2: CLINTON SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	CLINTON	95	No	---	---	---	---	---
	KESWICK	5	No	---	---	---	---	---
81B: CLINTON SILT LOAM, BEDROCK SUBSTRATUM, 2 TO 6 PERCENT SLOPES	CLINTON	100	No	---	---	---	---	---
81C2: CLINTON SILT LOAM, BEDROCK SUBSTRATUM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLINTON	100	No	---	---	---	---	---
115D: CHELSEA SOILS, 9 TO 18 PERCENT SLOPES	CHELSEA	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
130: BELINDA SILT LOAM, 0 TO 2 PERCENT SLOPES	BELINDA	100	Yes	ridge	2B3	Yes	No	No
131B: PERSHING SILT LOAM, 2 TO 5 PERCENT SLOPES	PERSHING	100	No	---	---	---	---	---
131C2: PERSHING SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	PERSHING	100	No	---	---	---	---	---
132B: WELLER SILT LOAM, 2 TO 5 PERCENT SLOPES	WELLER	90	No	---	---	---	---	---
	Beckwith	5	Yes	ridge	2B3	Yes	No	No
	CLINTON	5	No	---	---	---	---	---
132C2: WELLER SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	WELLER	95	No	---	---	---	---	---
	CLINTON	5	No	---	---	---	---	---

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
132D2: WELLER SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	WELLER	100	No	---	---	---	---	---
133: COLO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	COLO	90	Yes	flood plain	2B3	Yes	No	No
	Chequest	5	Yes	flood plain	4,2B3	Yes	Yes	No
	VESSER	5	Yes	flood plain	2B3	Yes	No	No
140: SPARTA LOAMY SAND, THICK SURFACE, 0 TO 2 PERCENT SLOPES	SPARTA	95	No	---	---	---	---	---
	CHELSEA	5	No	---	---	---	---	---
152: MARSHAN CLAY LOAM, DEEP, 0 TO 2 PERCENT SLOPES	MARSHAN	100	Yes	outwash terrace	2B3	Yes	No	No
154G: DOUDS SOILS, 18 TO 40 PERCENT SLOPES	DOUDS	90	No	---	---	---	---	---
	OTHER	10	No	---	---	---	---	---
162B: DOWNS SILT LOAM, 1 TO 4 PERCENT SLOPES	DOWNS	100	No	---	---	---	---	---
163B: FAYETTE SILT LOAM, 2 TO 5 PERCENT SLOPES	FAYETTE	90	No	---	---	---	---	---
	CLINTON	5	No	---	---	---	---	---
	DOWNS	5	No	---	---	---	---	---
163C2: FAYETTE SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	100	No	---	---	---	---	---
172: WABASH SILTY CLAY, 0 TO 2 PERCENT SLOPES	WABASH	95	Yes	flood plain	4,3,2B3	Yes	Yes	Yes
	Other	5	Yes	flood plain	2B3	Yes	No	No
173: HOOPESTON SANDY LOAM, 0 TO 2 PERCENT SLOPES	HOOPESTON	85	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
	SAUDE	5	No	---	---	---	---	---

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
175: DICKINSON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	DICKINSON	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	SAUDE	5	No	---	---	---	---	---
175B: DICKINSON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	DICKINSON	95	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
177: SAUDE LOAM, 0 TO 2 PERCENT SLOPES	SAUDE	90	No	---	---	---	---	---
	DICKINSON	5	No	---	---	---	---	---
	SPARTA	5	No	---	---	---	---	---
179C: GARA LOAM, 5 TO 10 PERCENT SLOPES	GARA	95	No	---	---	---	---	---
	CANTRIL	5	No	---	---	---	---	---
180: KEOMAH SILT LOAM, 0 TO 2 PERCENT SLOPES	KEOMAH	95	No	---	---	---	---	---
	RUSHVILLE	5	Yes	depression	2B3,3	Yes	No	Yes
180B: KEOMAH SILT LOAM, 2 TO 5 PERCENT SLOPES	KEOMAH	95	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
208: LANDES SANDY LOAM, 0 TO 2 PERCENT SLOPES	LANDES	90	No	---	---	---	---	---
	NODAWAY	5	No	---	---	---	---	---
	OTHER	5	Yes	flood plain	2B3	Yes	No	No
211: EDINA SILT LOAM, 0 TO 1 PERCENT SLOPES	EDINA	100	Yes	ridge	2B3	Yes	No	No
220: NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES	NODAWAY	90	No	---	---	---	---	---
	Other	5	Yes	flood plain	2B3	Yes	No	No
	Other	5	Yes	oxbow	3,2B3,4	Yes	Yes	Yes

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
222C: CLARINDA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	CLARINDA	95	Yes	hill	2B3	Yes	No	No
	Colo	5	Yes	drainageway	2B3	Yes	No	No
222C2: CLARINDA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLARINDA	95	Yes	hill	2B3	Yes	No	No
	Colo	5	Yes	drainageway	2B3	Yes	No	No
223C: RINDA SILT LOAM, 5 TO 9 PERCENT SLOPES	RINDA	100	Yes	hill	2B3	Yes	No	No
223D2: RINDA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	RINDA	100	Yes	hill	2B3	Yes	No	No
226: LAWLER LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	LAWLER	90	No	---	---	---	---	---
	LAWLER SHALLOW PHASE	5	No	---	---	---	---	---
	Other	5	Yes	outwash terrace	2B3	Yes	No	No
260: BECKWITH SILT LOAM, 0 TO 2 PERCENT SLOPES	BECKWITH	100	Yes	ridge	2B3	Yes	No	No
	---	5	---	---	---	---	---	---
263: OKAW SILT LOAM, 0 TO 3 PERCENT SLOPES	OKAW	100	Yes	terrace	2B3	Yes	No	No
291: ATTERBERRY SILT LOAM, 0 TO 2 PERCENT SLOPES	ATTERBERRY	90	No	---	---	---	---	---
	FULL TIMBERED	5	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
315: ALLUVIAL LAND, LOAMY	ALLUVIAL LAND	85	No	---	---	---	---	---
	Other	5	Yes	oxbow	2B3, 3, 4	Yes	Yes	Yes
	Other	5	Yes	flood plain	2B3	Yes	No	No
	Other	5	Yes	flood plain	4	No	Yes	No

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
354: MARSH	MARSH	90	Yes	depression	1,3	No	No	Yes
	Other	10	Yes	oxbow	4,2B3,3	Yes	Yes	Yes
362: HAIG SILT LOAM, 0 TO 2 PERCENT SLOPES	HAIG	100	Yes	ridge	2B3	Yes	No	No
363: HAIG SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	HAIG	95	Yes	ridge	2B3	Yes	No	No
	Edina	5	Yes	swale	2B3	Yes	No	No
364: GRUNDY SILT LOAM, 0 TO 2 PERCENT SLOPES	GRUNDY	90	No	---	---	---	---	---
	Other	5	Yes	ridge	2B3	Yes	No	No
	Other	5	Yes	swale	2B3	Yes	No	No
364B: GRUNDY SILT LOAM, 2 TO 5 PERCENT SLOPES	GRUNDY	95	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
380: MAHASKA SILT LOAM, 1 TO 3 PERCENT SLOPES	MAHASKA	85	No	---	---	---	---	---
	GIVIN	5	No	---	---	---	---	---
	GRUNDY	5	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
424D2: LINDLEY-KESWICK COMPLEX, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	60	No	---	---	---	---	---
	KESWICK	30	No	---	---	---	---	---
	ASHGROVE	5	Yes	hill	2B3	Yes	No	No
	GALLAND	5	No	---	---	---	---	---
424D3: LINDLEY-KESWICK COMPLEX, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	LINDLEY	60	No	---	---	---	---	---
	KESWICK	30	No	---	---	---	---	---
	OTHER	10	No	---	---	---	---	---

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
425C2: KESWICK LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KESWICK	95	No	---	---	---	---	---
	Ashgrove	5	Yes	hill	2B3	Yes	No	No
425D2: KESWICK LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	KESWICK	95	No	---	---	---	---	---
	LINDLEY	5	No	---	---	---	---	---
425D3: KESWICK SOILS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	KESWICK	100	No	---	---	---	---	---
452C2: LINEVILLE SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	LINEVILLE	100	No	---	---	---	---	---
453: TUSKEEGO SILT LOAM, 0 TO 2 PERCENT SLOPES	TUSKEEGO	95	Yes	terrace	2B3	Yes	No	No
	Humeston	5	Yes	terrace	2B3	Yes	No	No
478G: NORDNESS-ROCK OUTCROP COMPLEX, 25 TO 40 PERCENT SLOPES	NORDNESS	60	No	---	---	---	---	---
	ROCK OUTCROP	30	Unranked	---	---	---	---	---
	OTHER	10	No	---	---	---	---	---
484: LAWSON SILT LOAM, 0 TO 2 PERCENT SLOPES	LAWSON	95	No	---	---	---	---	---
	Other	5	Yes	flood plain	2B3	Yes	No	No
485: SPILLVILLE LOAM, 0 TO 2 PERCENT SLOPES	SPILLVILLE	90	No	---	---	---	---	---
	LANDES	5	No	---	---	---	---	---
	OTHER	5	Yes	flood plain	2B3	Yes	No	No
499D2: NORDNESS SILT LOAM, 9 TO 18 PERCENT SLOPES, MODERATELY ERODED	NORDNESS	100	No	---	---	---	---	---
499F: NORDNESS SILT LOAM, 18 TO 30 PERCENT SLOPES	NORDNESS	85	No	---	---	---	---	---
	CLINTON	5	No	---	---	---	---	---

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	FAYETTE	5	No	---	---	---	---	---
	WELLER	5	No	---	---	---	---	---
520: COPPOCK SILT LOAM, 0 TO 2 PERCENT SLOPES	COPPOCK	100	Yes	flood plain	2B3	Yes	No	No
587: CHEQUEST SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CHEQUEST	90	Yes	flood plain	4,2B3	Yes	Yes	No
	Other	5	Yes	flood plain	2B3	Yes	No	No
	Other	5	No	---	---	---	---	---
594C2: GALLAND LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	GALLAND	100	No	---	---	---	---	---
594D2: GALLAND LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	GALLAND	100	No	---	---	---	---	---
594D3: GALLAND SOILS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	GALLAND	100	No	---	---	---	---	---
594E2: GALLAND LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	GALLAND	100	No	---	---	---	---	---
687: WATKINS SILT LOAM, 1 TO 3 PERCENT SLOPES	WATKINS	100	No	---	---	---	---	---
688: KOSZTA SILT LOAM, 0 TO 2 PERCENT SLOPES	KOSZTA	90	No	---	---	---	---	---
	Chequest	5	Yes	flood plain	4,2B3	Yes	Yes	No
	Colo	5	Yes	flood plain	2B3	Yes	No	No
720: RACOON SILT LOAM, 0 TO 2 PERCENT SLOPES	RACOON	85	Yes	flood plain	2B3	Yes	No	No
	COPPOCK	5	Yes	flood plain	2B3	Yes	No	No
	NODAWAY	5	No	---	---	---	---	---
	Okaw	5	Yes	flood plain	2B3	Yes	No	No

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
730B: NODAWAY-CANTRIL COMPLEX, 2 TO 5 PERCENT SLOPES	NODAWAY	60	No	---	---	---	---	---
	CANTRIL	30	No	---	---	---	---	---
	LANDES	5	No	---	---	---	---	---
	OTHER	5	Yes	drainageway	2B3	Yes	No	No
763D2: FAYETTE-EXETTE SILT LOAMS, 9 TO 15 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	40	No	---	---	---	---	---
	EXETTE	30	No	---	---	---	---	---
	OTHER	30	No	---	---	---	---	---
792C2: ARMSTRONG LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	ARMSTRONG	95	No	---	---	---	---	---
	LINEVILLE	5	No	---	---	---	---	---
792D2: ARMSTRONG LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	ARMSTRONG	100	No	---	---	---	---	---
793: BERTRAND SILT LOAM, 0 TO 2 PERCENT SLOPES	BERTRAND	100	No	---	---	---	---	---
793B: BERTRAND SILT LOAM, 2 TO 5 PERCENT SLOPES	BERTRAND	100	No	---	---	---	---	---
793C2: BERTRAND SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	BERTRAND	100	No	---	---	---	---	---
795C2: ASHGROVE SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	ASHGROVE	100	Yes	hill	2B3	Yes	No	No
795C3: ASHGROVE SOILS, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	ASHGROVE	100	Yes	hill	2B3	Yes	No	No
795D2: ASHGROVE SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	ASHGROVE	100	Yes	hill	2B3	Yes	No	No

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
795D3: ASHGROVE SOILS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	ASHGROVE	100	Yes	hill	2B3	Yes	No	No
820: DOCKERY SILT LOAM, 0 TO 2 PERCENT SLOPES	DOCKERY	90	No	---	---	---	---	---
	Colo	5	Yes	flood plain	2B3	Yes	No	No
	LANDES	5	No	---	---	---	---	---
832B: WELLER SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	WELLER	100	No	---	---	---	---	---
832C2: WELLER SILT LOAM, BENCHES, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	WELLER	100	No	---	---	---	---	---
880B: CLINTON SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	CLINTON	100	No	---	---	---	---	---
880C2: CLINTON SILT LOAM, BENCHES, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLINTON	100	No	---	---	---	---	---
950: NIOTA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	NIOTA	95	Yes	terrace	2B3	Yes	No	No
	SANDY SUB	5	No	---	---	---	---	---
950B: NIOTA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	NIOTA	100	Yes	terrace	2B3	Yes	No	No
950D2: NIOTA SILTY CLAY LOAM, 7 TO 14 PERCENT SLOPES, MODERATELY ERODED	NIOTA	100	Yes	terrace	2B3	Yes	No	No
952: DENROCK VARIANT SILT LOAM, 0 TO 2 PERCENT SLOPES	DENROCK VARIANT	100	Yes	terrace	2B3	Yes	No	No
977: RICHWOOD SILT LOAM, 0 TO 2 PERCENT SLOPES	RICHWOOD	100	No	---	---	---	---	---
978: FESTINA SILT LOAM, 1 TO 3 PERCENT SLOPES	FESTINA	90	No	---	---	---	---	---

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
993D2: ARMSTRONG-GARA LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	BERTRAND	5	No	---	---	---	---	---
	WATKINS	5	No	---	---	---	---	---
	ARMSTRONG	60	No	---	---	---	---	---
	GARA	40	No	---	---	---	---	---
1057: RUSHVILLE SILT LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	RUSHVILLE	95	Yes	ridge	2B3	Yes	No	No
	KEOMAH	5	No	---	---	---	---	---
1130: BELINDA SILT LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	BELINDA	95	Yes	ridge	2B3	Yes	No	No
	Beckwith	5	Yes	ridge	2B3	Yes	No	No
1131B: PERSHING SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	PERSHING	100	No	---	---	---	---	---
1180: KEOMAH SILT LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	KEOMAH	95	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
1180B: KEOMAH SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	KEOMAH	95	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
1181: KEOMAH SILT LOAM, BEDROCK SUBSTRATUM, 1 TO 3 PERCENT SLOPES	KEOMAH	95	No	---	---	---	---	---
	Other	5	Yes	swale	2B3	Yes	No	No
1220: NODAWAY SILT LOAM, CHANNELED, 0 TO 2 PERCENT SLOPES	NODAWAY	75	Yes	---	4	No	Yes	No
	Other	10	Yes	flood plain	4,2B3	Yes	Yes	No
	Perks	10	Yes	flood plain	4	No	Yes	No
	Other	5	Yes	oxbow	2B3,4,3	Yes	Yes	Yes

Lee County, Iowa

Map symbol and map unit name	Component	Percent of map unit	Hydric	Local landform	Hydric soils criteria			
					Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
1260: BECKWITH SILT LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	BECKWITH	100	Yes	ridge	2B3	Yes	No	No
1316: ALLUVIAL LAND, FREQUENTLY FLOODED	ALLUVIAL LAND	80	Yes	flood plain	4	No	Yes	No
	Other	10	Yes	flood plain	2B3,4	Yes	Yes	No
	Other	10	Yes	oxbow	3,2B3,4	Yes	Yes	Yes
Qu. : QUARRIES	QUARRIES	100	Unranked	---	---	---	---	---