

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	83	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00	Very limited Hard to compact	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Too clayey	0.50			Depth to saturated zone	1.00
						Too clayey	0.50
27B: Terril-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
27C: Terril-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
27D: Terril-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Slope	0.63	Slope	0.63		
31: Afton-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Hard to compact	1.00
		Too clayey	0.50			Depth to saturated zone	1.00
						Too clayey	0.50
34B: Estherville-----	85	Very limited Too Sandy	1.00	Very limited Seepage	1.00	Very limited Too Sandy	1.00
		Seepage	1.00			Seepage	1.00
41C: Sparta-----	90	Very limited Too Sandy	1.00	Very limited Seepage	1.00	Very limited Too Sandy	1.00
		Seepage	1.00			Seepage	1.00

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
48: Knoke-----	85	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00	Very limited Hard to compact	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Too clayey	1.00			Depth to saturated zone	1.00
						Too clayey	0.50
54: Zook-----	80	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Hard to compact	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too clayey	1.00			Too clayey	1.00
55: Niccollet-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
62F: Storden-----	78	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
77B: Sac-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
		Too clayey	0.50				
77C: Sac-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
		Too clayey	0.50				
77C2: Sac, Moderately Eroded-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
		Too clayey	0.50				

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
90: Okoboji, mucky silty clay loam-----	83	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Hard to compact Ponding	1.00 1.00
		Too clayey	0.50			Depth to saturated zone Too clayey	1.00 0.50
95: Harps-----	83	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
107: Webster-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
108: Wadena-----	73	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
108B: Wadena-----	80	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
133: Colo-----	78	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
135: Coland-----	83	Very limited Flooding Depth to saturated zone Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
138B: Clarion-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
138C2: Clarion, Moderately eroded-----	78	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
175: Dickinson-----	85	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
175B: Dickinson-----	75	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
191: Rushmore-----	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
201B: Coland-----	55	Very limited Flooding Depth to saturated zone Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Terril-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
202: Cylinder, 24 to 32 inches to sand and gravel-----	75	Very limited Too Sandy	1.00	Very limited Depth to saturated zone Seepage	1.00	Very limited Too Sandy	1.00
		Depth to saturated zone Seepage	1.00			Depth to saturated zone	1.00
203: Cylinder, 32 to 40 inches to sand and gravel-----	75	Very limited Too Sandy	1.00	Very limited Depth to saturated zone Seepage	1.00	Very limited Seepage	1.00
		Depth to saturated zone Seepage	1.00			Depth to saturated zone Too Sandy	1.00 0.50
221: Klossner-----	88	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50
259: Biscay-----	70	Very limited Too Sandy	1.00	Very limited Depth to saturated zone Seepage	1.00	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 0.50
274: Rolfe-----	85	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Hard to compact Ponding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
282: Ransom-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
308: Wadena, 32 to 40 inches to sand and gravel-----	75	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
308B: Wadena, 32 to 40 inches to sand and gravel-----	85	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
354: Aquolls, (marsh), ponded-----	80	Not Rated Not Rated; Fragments > 75mm Not Rated; pH Not Rated Not Rated; Minerology class Depth to saturated zone	1.00	Not Rated Not Rated Not Rated Not Rated Depth to saturated zone Ponding	1.00 1.00	Not Rated Not Rated: Unified or minerology class Not Rated; Fragments > 75mm Not Rated; Minerology class Depth to saturated zone Ponding	1.00 1.00
375: Fostoria Lacustrine Substratum-----	81	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
376F: Cornell-----	76	Very limited Depth to saturated zone Slope Too clayey	1.00 1.00 0.50	Very limited Slope Depth to saturated zone	1.00 1.00	Very limited Slope Too clayey	1.00 0.50

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
379: Ocheyedan Lacustrine Substratum-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
379B: Ocheyedan Lacustrine Substratum-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
379C2: Ocheyedan Lacustrine Substratum, Moderately eroded--	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
384: Collinwood-----	83	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey Depth to saturated zone	1.00 1.00
390: Waldorf-----	80	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
397: Letri-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
433E: Moneta-----	80	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
433F: Moneta-----	80	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
433G: Moneta-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
455: Wilmonton-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
456: Wilmonton-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
485: Spillville-----	80	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
506: Wacousta-----	83	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
507: Canisteo-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
541C: Estherville-----	45	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Hawick-----	45	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
559: Talcot-----	80	Very limited Too Sandy	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	1.00	Too Sandy	1.00
		Seepage	1.00			Seepage	1.00
577B: Everly-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
		Too clayey	0.50				
577C2: Everly, Moderately Eroded-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
637D2: Everly, Moderately Eroded-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Slope	0.63	Slope	0.63		
Moneta, Moderately Eroded-----	35	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
638C2: Clarion, Moderately eroded-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
Storden, Moderately eroded-----	35	Not limited		Not limited		Not limited	
672: May City-----	90	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
						Gravel content	0.01

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
672B: May City-----	90	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Seepage Gravel content	1.00 0.01
672C2: May City, Moderately Eroded-----	90	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Seepage Gravel content	1.00 0.01
709: Fairhaven-----	85	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
733: Calco-----	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
735: Havelock-----	83	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Too clayey	1.00 0.52 0.50
740D: Hawick-----	85	Very limited Too Sandy Seepage Slope	1.00 1.00 0.63	Very limited Seepage Slope	1.00 0.63	Very limited Too Sandy Seepage Slope	1.00 1.00 0.63
810: Galva, Terrace-----	90	Not limited		Not limited		Somewhat limited Too clayey	0.50
810B: Galva, Terrace-----	100	Not limited		Not limited		Somewhat limited Too clayey	0.50

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
828B: Zenor-----	88	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
828C2: Zenor, Moderately eroded-----	79	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
835D2: Storden, Moderately eroded-----	50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
Omsrud, Moderately eroded-----	35	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
835E2: Storden, Moderately Eroded-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Omsrud, Moderately Eroded-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
854D: Histosols, Fens-----	80	Not Rated Not Rated; Fragments > 75mm Not Rated; pH Not Rated Not Rated; Minerology class Depth to saturated zone	1.00 1.00	Not Rated Not Rated Not Rated Not Rated Depth to saturated zone Slope	1.00 1.00	Not Rated Not Rated; Unified or minerology class Not Rated; Fragments > 75mm Not Rated; Minerology class Depth to saturated zone Slope	1.00 1.00

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
874: Dickinson Lacustrine Substratum-----	90	Very limited Too Sandy	1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
874B: Dickinson Lacustrine Substratum-----	90	Very limited Too Sandy	1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
874C2: Dickinson Lacustrine Substratum, Moderately eroded--	90	Very limited Too Sandy	1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
875: Roine-----	88	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Somewhat limited Seepage	0.52
875B: Roine-----	88	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Somewhat limited Seepage	0.52
875C2: Roine, Moderately Eroded-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Somewhat limited Seepage	0.52
878: Ocheyedan-----	86	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
878B: Ocheyedan-----	83	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
879: Fostoria-----	86	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
928: Annieville-----	83	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
928B: Annieville-----	83	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
992: Gillett Grove-----	85	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 0.50	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50
1053: Belmann, GYPSUM PHASE-----	81	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
1091: Mccreath-----	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
1092: Gillett Grove-----	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1133: Colo-----	77	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Too clayey	1.00 0.50	Depth to saturated zone	1.00	Too clayey	0.50
1259: Biscay, depressional	80	Very limited Too Sandy	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone Ponding Seepage	1.00 1.00 1.00	Depth to saturated zone Seepage	1.00 1.00	Depth to saturated zone Seepage Too Sandy	1.00 1.00 0.50
1385: Ocheda-----	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
1508: Belmann-----	85	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 1.00
1585: Spillville-----	45	Very limited Flooding	1.00	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.86
		Depth to saturated zone Seepage	1.00 1.00	Depth to saturated zone	1.00		
Coland-----	35	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Seepage Too clayey	1.00 1.00 0.50	Depth to saturated zone Seepage	1.00 1.00	Too clayey	0.50

Sanitary Facilities - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Clay County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated		Not rated	
5040: Orthents, Loamy-----	100	Not rated		Not rated		Not rated	
5060: Pits, Clay-----	100	Not rated		Not rated		Not rated	
AW: Animal Waste-----	100	Not rated		Not rated		Not rated	
SL: Sewage Lagoon-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	